

BIGFOOT

FOOT-AGE

February 2023

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
54	54 X .562 DSAW A672 GR C70 CLASS 22, BLK LAQ, IMP, MTRS	14
48	48 X 1.188 EFW A671 GR C60 CLASS 32, BLK LAQ	26
	48 X 1.00 ROLLED & WELDED, SURPLUS, BARE, SQXSQ	312
	48 X 1.00 SPIRALWELD A252, SURPLUS, BARE	100
	48 X .841 SPIRALWELD, GALVANIZED, BXB, MTRS	120
	48 X .750 SPIRALWELD, SECONDARY, BARE, BXSQ /SQXSQ	602
	48 X .750 SPIRALWELD, REJECT, BARE, MIXED ENDS	609
	48 X .598 SPIRALWELD A252 GR 3, BARE, MIXED ENDS, IMP, MTRS	87
	48 X .598 SPIRALWELD A252 GR 3, M&M DOM , MTRS	118
	48 X .539 SPIRALWELD A252 GR 3, M&M DOM , MIXED ENDS, MTRS	894
42	42 X .888 STRAIGHT SEAM, BARE, BXTC, MTRS	74
	42 X .888 STRAIGHT SEAM X70, ARO/FBE, IMP, BXB	114
	42 X .750 SPIRALWELD, USED, BARE, BXB, MTRS	630
	42 X .750 SPIRALWELD, SURPLUS, BARE, SQXSQ/BXB	281
	42 X .750 SURPLUS, FBE, ROUGH ENDS	115
	42 X .740 SPIRALWELD X70, ARO/FBE, IMP, BXB	325
	42 X .625 SPIRALWELD, SECONDARY, BARE, MIXED ENDS, 0-3 MW	6,265
	42 X .625 ERW, SECONDARY, BARE, BXSQ	200
	42 X .617 SPIRALWELD X70, SURPLUS, ARO/FBE, DOM , BXB/BXTC, 0-2 MW	1,871
	42 X .600 SPIRALWELD A252, SURPLUS, BARE, SQXSQ	83
	42 X .551 API 5L X70, FBE, DOM , BXB, MTRS	426
	42 X .500 SPIRALWELD, SURPLUS, BARE, SQXSQ	50
	42 X .375 DSAW API 5L X42, BARE/MILL LAQ, IMP, MTRS	169
	42 X .375 DSAW API 5L X42, FBE, IMP, BXB	145
	42 X .375 DSAW, SURPLUS, BARE, SQXSQ	620
	42 X .375 ERW API 5L X42, ARMA-LOCK, IMP, BXB, MTRS	1,643
	42 X .375 ERW API 5L X42, FBE, IMP, BXB, MTRS	220
	42 X .375 ERW, SURPLUS, PRITEC, BXB	122
	42 X .375 SPIRALWELD A252, SURPLUS, BARE, SQXSQ/BXSQ	60
36	36 X 1.00 STRAIGHT SEAM API X70, FBE, MTRS	4,317

BIGFOOT

FOOT-AGE
February 2023

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
	36 X .875 DSAW API X70, BARE, MTRS	279
	36 X .875 SPIRALWELD, USED, ARO , 0-1 MW	188
	36 X .750 DSAW API 5L X65 RED FBE, MTRS	215
	36 X .750 DSAW API X70, SURPLUS, FBE	386
	36 X .748 SPIRALWELD API X70, FBE, MTRS	10,052
	36 X .688 SPIRALWELD, USED, FLOWLINER	198
	36 X .634 API 5L X70, ARO	376
	36 X .625 A252 GR 3, BARE, DOM, MTRS	1,406
	36 X .625 SPIRALWELD A252 GR 3, BARE, M&M DOM, MTRS	164
	36 X .618 SPIRALWELD API X70, FBE, MTRS	889
	36 X .572 SPIRALWELD API X70, BARE, MTRS	352
	36 X .572 SPIRALWELD API X70, FBE, MTRS	4,953
	36 X .531 SPIRALWELD, SURPLUS, BARE	140
	36 X .504 SPIRALWELD A252, BARE, IMP, MTRS	453
	36 X .500 DSAW, API 5L X70/X80, SURPLUS, BARE	259
	36 X .500 DSAW, SURPLUS, FBE, MIXED ENDS	320
	36 X .500 SPIRALWELD API 5L X70, ARO/FBE MTRS	492
	36 X .500 SPIRALWELD, SURPLUS, FBE, 0-3 MW	161
	36 X .469 DSAW, SURPLUS, FBE, ID LINER	161
	36 X .469 DSAW API 5L X70, BARE, IMP	350
	36 X .465 DSAW, SURPLUS, FBE, BXTG, 0-1 MW	1,710
	36 X .465 SPIRALWELD A252 GR 3, BARE, IMP, MTRS	595
	36 X .465 SPIRALWELD API 5L X70, FBE, DOM, MIXED ENDS, MTRS	28,739
	36 X .465 SPIRALWELD API X70 FBE, MTRS	62,444
	36 X .465 SPIRALWELD, SURPLUS, FBE	174
	36 X .465 STRAIGHT SEAM API 5L X70, BARE/BLK LAQ, IMP	247
	36 X .465 STRAIGHT SEAM API 5L X70, FBE, IMP	6,215
	36 X .429 SPIRALWELD A252 GR 3, BARE, DOM, MTRS	352
	36 X .412 STRAIGHT SEAM, SURPLUS, FBE, 0-1 MW	267
	36 X .412 STRAIGHT SEAM, USED, FBE, 0-1 MW	139

BIGFOOT

FOOT-AGE
February 2023

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
	36 X .412 USED, FBE, PICKING EYES	210
	36 X .375 DSAW API 5L X42, SURPLUS, ARO/FBE, DOM , BXB	750
	36 X .375 DSAW API 5L X42, ARMA-LOCK, IMP, MTRS	120
	36 X .375 DSAW API 5L X42, FBE, IMP, MTRS	410
34	34 X .680 SPIRALWELD API 5L X70, ARO, 0-1 MW, MTRS	1,461
30	30 X .656 SPIRALWELD API X70, FBE, DOM , MTRS	212
	30 X .625 API 5L X70, ARO/FBE, IMP, MTRS	230
	30 X .625 DSAW API 5L X65, STRUCTURAL, BARE, BXB, DURABOND, M&M DOM , MTRS	11,600
	30 X .625 DSAW API 5L X70 ARO, M&M DOM , BXB, MTRS	475
	30 X .625 DSAW API X70, CLAD, DOM , MTRS	13,478
	30 X .625 SPIRALWELD API 5L X60, SURPLUS, BARE	229
	30 X .625 SPIRALWELD A252 GR 3, BARE, DOM , MTRS	1,164
	30 X .625 SPIRALWELD, SURPLUS, BARE	214
	30 X .625 STRAIGHT SEAM, SURPLUS, BARE, 0-1 MW	137
	30 X .618 DSAW API 5L X70, ARO, M&M DOM , MTRS	1,681
	30 X .562 DSAW API 5L X65, ARO/FBE, IMP, BXB, MTRS	183
	30 X .562 DSAW API 5L X70, FBE, M&M DOM , BXB, MTRS	449
	30 X .500 SPIRALWELD API 5L X70, ARO/FBE, IMP, MTRS	185
	30 X .500 SPIRALWELD, SURPLUS, BARE	133
	30 X .500 SPIRALWELD X70, ARO/FBE, IMP, BXB, MTRS	544
	30 X .441 DSAW API 5L X70, FBE, DOM , BXB, 0- 1 MW, MTRS	437
	30 X .441 DSAW API 5L X70, FBE, DOM , BXB, MTRS	249
	30 X .441 DSAW API 5L X70, FBE, MTRS	1,122
	30 X .441 DSAW API 5L X70, FBE	12,185
	30 X .441 SPIRALWELD A252, BARE, DOM	715
	30 X .441 SPIRALWELD API 5L X70, BARE	130
	30 X .441 SPIRALWELD API 5L X70, FBE, MTRS	805
	30 X .441 SPIRALWELD A252 GR 3, BARE, DOM , MTRS	4,181
	30 X .441 SPIRALWELD A252, BARE, DOM MAN ONLY, SQXSQ, MTRS	2,313
	30 X .429 SPIRALWELD API 5L X70, FBE, DOM , MTRS	180

BIGFOOT

FOOT-AGE
February 2023

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
	30 X .375 DSAW, USED, BARE, TCXTC, 0-2 MW	4,678
	30 X .375 SPIRALWELD API 5L X70, SURPLUS, FBE, 0-2 MW	268
	30 X .375 USED, BLK PAINT, TCXTC, 0-2 MW	4,955
28	28 X .750 DSAW API 5L X56, BARE, IMP, MTRS	2,101
26	26 X .500 DSAW API 5L X70, BARE, MTRS	121
24	24 X 1.219 SEAMLESS A333 GR 6, BARE, MTRS	114
	24 X 1.00 ERW A252 GR 3, SURPLUS, BARE, BXB/BXSQ	60
	24 X .625 DSAW API 5L X60, ARO, IMP, BXB, MTRS	441
	24 X .625 ERW API 5L X65, FBE	690
	24 X .625 SPIRALWELD A252 GR 3, BARE, DOM, MTRS	1,152
	24 X .625 SPIRALWELD, USED, BARE	151
	24 X .625 USED, BARE, 0-1 MW	466
	24 X .562 ERW A252 GR 3, BARE, IMP, MTRS	1,020
	24 X .562 ERW, SURPLUS, CLEANED BARE	184
	24 X .500 ERW A252 GR 3, BARE, IMP, MTRS	309
	24 X .500 ERW API 5L X60 X70, SURPLUS, ARO/FBE, DOM, BXB	2,204
	24 X .500 ERW SURPLUS, BARE	391
	24 X .500 SPIRALWELD, USED, BARE	170
	24 X .500 SPIRALWELD, USED, BARE, 0-2 MW	127
	24 X .500 SPIRALWELD, USED, BARE, TCXTC, MTRS	880
	24 X .500 SPIRALWELD, SRL, USED, BARE, TCXTC, MTRS	1,680
	24 X .406 API 5L X65/X70, SURPLUS, BARE, BXB	385
	24 X .375 API 5L X42, USED, BLK LAQ	284
	24 X .375 DSAW API 5L X70, FBE, IMP, MTRS	1,001
	24 X .375 ERW API 5L, SURPLUS, FBE	360
	24 X .375 ERW API 5L X52, FBE, M&M DOM, BXB, MTRS	2,554
	24 X .375 ERW API 5L X52/X70, FBE, DOM, BXB, MTRS	486
	24 X .375 ERW API 5L X52/X70, SURPLUS, ARO/FBE, 0-1 MW	764
	24 X .375 ERW API 5L X65, FBE	342
	24 X .375 ERW API 5L X70, BLK LAQ, DOM, MTRS	271

BIGFOOT

FOOT-AGE
February 2023

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
	24 X .375 ERW, STRUCTURAL, BARE, BXB, 1-2 MW	3,702
	24 X .375 ERW, SURPLUS, CLEANED BARE	298
	24 X .375 SPIRALWELD, SURPLUS, BARE, BXB/SQXSQ	2,242
	24 X .375 SURPLUS, BARE	757
	24 X .375 USED, HEAVY SALT & PEPPER, BXB	1,153
	24 X .350 USED, FBE, PICKING EYES, 1-2 MW	503
	24 X .350 USED, FBE, WELDMENTS, 0-2 MW	313
	24 X .350 USED, FBE, WELD TABS, 1-2 MW	176
	24 X .344 SURPLUS ERW 3LPP	539
	24 X .312 ERW API 5L X65, FBE, M&M DOM , BXB, MTRS	689
	24 X .300 ERW API X60, SURPLUS, ARO, BXB	268
	24 X .281 ERW API 5L X70, BARE, DOM M&M, MTRS	299
22	22 X .669 SURPLUS API 5L X52, BARE/BLK LAQ, IMP	109
	22 X .625 SURPLUS API X52, BARE/BLK LAQ	431
	22 X .375 API 5L X46, BARE, IMP W/ MTRS	4,634
	22 X .281 ERW API X70, SURPLUS, FBE, BXB	725
	22 X .281 SURPLUS, FBE, BXB	8,273
20	20 X .812 NEW API X56, MIXED ENDS, IMP	131
	20 X .750 ERW A252 GR 2/3, BARE, M&M DOM , MTRS	1,050
	20 X .688 SEAMLESS A106 GR B, BARE/BLK LAQ, MTRS	142
	20 X .625 ERW A252 GR 2/3, BARE, DOM , MTRS	712
	20 X .625 ERW API 5L X65, ARO, IMP, MTRS	4,880
	20 X .625 ERW ID SEAM, SURPLUS, BARE, TCXSQ, 0-1 MW	151
	20 X .594 ERW API 5L X65, BARE, IMP, MTRS	354
	20 X .594 ERW API 5L X65 FBE	1,124
	20 X .594 SEAMLESS A106 GR B, BARE/BLK LAQ	153
	20 X .562 X70, SURPLUS, FBE, BXB,	363
	20 X .500 A252 GR 2/3, BARE, DOM , MTRS	963
	20 X .500 A252 GR 3, BARE, IMP, MTRS	522
	20 X .500 API 5L X70, SURPLUS, FBE	399

BIGFOOT

FOOT-AGE
February 2023

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
	20 X .500 ERW X60, FBE, BXB, MTRS	167
	20 X .500 SEAMLESS A333 API 5L X52, ARO, BXB	403
	20 X .500 SPIRALWELD, SURPLUS, BARE, SQXSQ	1,613
	20 X .500 SURPLUS, USED, ARO	811
	20 X .438 ERW API 5L X70, SURPLUS, FBE	590
	20 X .375 API 5L, ARO, M&M DOM , BXS, MTRS	248
	20 X .375 API 5L X60, ARO, M&M DOM , MTRS	661
	20 X .375 ERW API 5L X60, SURPLUS, 3LPP, BXB	395
	20 X .375 ERW API X65, SURPLUS, FBE, BXB	323
	20 X .294 ERW API 5L X70, FBE, DOM , BXB, MTRS	248
	20 X .281 API 5L X65, FBE, M&M DOM , BXB, MTRS	1,540
18	18 X .750 ERW A252 GR 3, SURPLUS, BARE, BXB/SQXSQ	349
	18 X .625 ERW ID SEAM, SURPLUS, BARE, 3-5 MW	685
	18 X .625 ERW, STRUCTURAL, SURPLUS, BARE	218
	18 X .562 ERW, SURPLUS, BARE, BXB	230
	18 X .500 ERW API 5LB X42, BARE, IMP, MTRS	252
	18 X .375 #2 SEAMLESS, USED, BLK LAQ/BARE, BXB	196
	18 X .375 ERW API 5L X42 A53 B, BLK LAQ, IMP, BXB, MTRS	9,143
16	16 X .844 SEAMLESS, SURPLUS, FBE, SQXSQ	122
	16 X .656 SEAMLESS, FBE	151
	16 X .625 A252 GR 3, BARE, DOM , MTRS	313
	16 X .563 A252 GR 3, BARE, IMP, MTRS	347
	16 X .500 A252, SURPLUS, BARE	197
	16 X .500 ERW A53 GR B A252 GR 3, BARE, BXB, MTRS	722
	16 X .500 GALVANIZED	375
	16 X .500 LIMITED SERVICE, BARE, M&M DOM , MTRS	254
	16 X .500 SURPLUS, BARE	631
	16 X .375 ERW ID SEAM, A252 GR 3, BARE, SQXSQ, MTRS	490
	16 X .375 ERW, SURPLUS, BARE, MIXED ENDS	691
	16 X .375 ERW, SURPLUS, RED FBE, BXB	419

BIGFOOT

FOOT-AGE
February 2023

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
	16 X .375 SURPLUS, GALVANIZED	291
	16 X .313 A500 GR B, BARE, IMP	223
	16 X .312 SURPLUS, BARE	204
	16 X .295 API 5L X65, FBE, DOM , BXB, MTRS	302
	16 X .281 ERW A500, BARE, BXB/BXSQ	197
14	14 X .625 DSAW, STRUCTURAL, SURPLUS, BARE	218
	14 X .600 SEAMLESS API 5L X65, BARE, M&M DOM , MTRS	937
	14 X .600 SEAMLESS API 5L X65, FBE, M&M DOM , MTRS	2,887
	14 X .500 A252 GR 2, BLK LAQ, IMP, MTRS	130
	14 X .500 ERW, SURPLUS, ARO/TAR, MIXED ENDS	665
	14 X .500 ERW, SURPLUS, BARE, MIXED ENDS	826
	14 X .438 ERW, SURPLUS, BARE, DOM , SQXSQ	495
	14 X .375 ERW API X42/X52, BARE/BLK LAQ, IMP, MTRS	274
	14 X .375 ERW, SURPLUS, YELLOW JACKET, BXB	211
	14 X .375 GALVANIZED	760
12	12 3/4 X .750 ERW, SURPLUS, BARE, WHITE FBE, ID LINER, SQXSQ	164
	12 3/4 X .650 SEAMLESS API X65, BARE	525
	12 3/4 X .625 A500, SURPLUS, BARE	420
	12 3/4 X .625 ERW A500 GR B/C, SURPLUS, BARE	230
	12 3/4 X .625 ERW, STRUCTURAL, BARE, SQXSQ	733
	12 3/4 X .562 ERW, SURPLUS, BARE, BXB	599
	12 3/4 X .500 ERW A252 GR 3, BARE, M&M DOM , MTRS	1,285
	12 3/4 X .500 ERW, SURPLUS, BARE, BXB, MTRS	283
	12 3/4 X .500 ERW, SURPLUS, FBE, TCXTC	372
	12 3/4 X .500 GALVANIZED, MIXED ENDS	409
	12 3/4 X .469 SEAMLESS API 5LB X65, BARE, IMP, MTRS	299
	12 3/4 X .375 API X42/X52/X60/X65, SURPLUS, CLEANED BARE	741
	12 3/4 X .375 ERW API 5L A53 GR B, BLK LAQ, IMP, BXB, MTRS	252
	12 3/4 X .375 LIMITED SERVICE, MW	473
	12 3/4 X .375 GALVANIZED, MIXED ENDS, 0-1 MW	555

BIGFOOT

FOOT-AGE
February 2023

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
	12 3/4 X .344 A252 GR 2/3, NEW, BARE, DOM , PEB, MTRS	319
	12 3/4 X .312 ERW API 5L X42 PSL1, BARE, IMP, MTRS	2,962
	12 3/4 X .312 ERW API, SURPLUS, ARO/FBE	225
	12 3/4 X .312 ERW API X52 X56, FBE, DOM , BXB, MTRS	280
	12 3/4 X .312 A252 GR 2/3, BARE, DOM , PEB, MTRS	841
	12 3/4 X .311 ERW SCA Z245.1 GR 359 CAT II, IMP, BXB, MTRS	1,592
	12 3/4 X .281 ERW, SURPLUS, BARE, BXB, 1-2 MW	763
	12 3/4 X .281 ERW, SURPLUS, YELLOW JACKET, BXB	503
	12 3/4 X .281 X SRL, NEW, STRUCTURAL, MW	1,086
	12 3/4 X .281 A252 GR 2/3, NEW, BARE, DOM , MTRS	284
	12 3/4 X .250 ERW A252 GR 2/3, DOM , BXB, MTRS	697
	12 3/4 X .250 ERW API 5L, BLK LAQ, IMP	290
	12 3/4 X .250 ERW API 5L X56, CLEANED BARE, MTRS	4,925
	12 3/4 X .250 ERW, STRUCTURAL, SURPLUS, FBE, TCXTC, MW	522
	12 3/4 X .250 ERW, SURPLUS, BARE, BXB	1,923
	12 3/4 X .250 ERW, SURPLUS, BLK LAQ, NOTCHED ENDS	700
	12 3/4 X .250 ERW, USED, BARE, SQXSQ, 1-2 MW	243
	12 3/4 X .250 USED, BARE, SLURRY LINED	449
	12 3/4 X .219 API 5L X52/X60, SURPLUS, FBE, MTRS	342
	12 3/4 X .219 ERW API X42 X52, SURPLUS, ARO, BXB	324
	12 3/4 X .156 ERW, USED, BARE, SQXSQ, 1-2 MW	2,987
11	11 3/4 X .500 ERW, SURPLUS, BARE, CASING	159
10	10 3/4 X .719 SEAMLESS API, SURPLUS, BARE, BXB/BXTC	329
	10 3/4 X .500 ERW A53 GR B, IMP, MTRS	693
	10 3/4 X .500 ERW API 5L X52, SURPLUS, FBE, IMP	335
	10 3/4 X .500 ERW API 5L X65, ARO/FBE, DOM , MTRS	3,702
	10 3/4 X .500 ERW, STRUCTURAL, BARE	1,463
	10 3/4 X .500 ERW, STRUCTURAL, BARE, 2 MW	1,763
	10 3/4 X .500 ERW, SURPLUS, BARE, BXB	636
	10 3/4 X .500 GALVANIZED, MIXED ENDS	413

BIGFOOT

FOOT-AGE
February 2023

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
	10 3/4 X .500 SEAMLESS API X42, ARO/FBE, IMP, MTRS	732
	10 3/4 X .365 ERW, ARO/FBE, MIXED ENDS	333
	10 3/4 X .365 ERW, SURPLUS, 3LPP/PRITEC	2,532
	10 3/4 X .365 ERW, SURPLUS, BARE, ID LINER, BXB	504
	10 3/4 X .365 ERW, SURPLUS, BXB	620
	10 3/4 X .365 SEAMLESS API 5L X-42, FBE, DOM , BXB, MTRS	1,369
	10 3/4 X .365/.375 ERW API 5L X52, SURPLUS, FBE, IMP, BXB	687
	10 3/4 X .312 STRAIGHT SEAM A252, BARE, DOM , MTRS	474
	10 3/4 X .279 SURPLUS, ERW, BARE, BXB	405
	10 3/4 X .279 ERW, SURPLUS, BARE, BXB	430
	10 3/4 X .165 ERW #1 A53 GR B, USED, ROLL GROOVED ENDS	38,480
9	9 5/8 X .472 SURPLUS, BARE, CASING	297
	9 5/8 X 36# USED CASING, BARE/BLK LAQ	1,435
	9 5/8 X 40# NEW, CASING, BLK LAQ	782
8	8 5/8 X .500 SEAMLESS, USED, BARE, 1 MW	1,198
	8 5/8 X .438 SEAMLESS API 5L X60, BARE, IMP, BXB, MTRS	749
	8 5/8 X .438 SEAMLESS X60, SURPLUS, BARE, BXB	7,381
	8 5/8 X .322 ERW A252 GR 3, BARE, BXB/BXS	523
	8 5/8 X .322 ERW A53 GR B A252 GR 3, BARE, BXB, MTRS	1,885
	8 5/8 X .322 ERW, STRUCTURAL, SURPLUS, BARE, MIXED ENDS, 0-1 RW	6,899
	8 5/8 X .322 ERW, SURPLUS, PRITEC/FOAM	565
	8 5/8 X .322 GALVANIZED	1,815
	8 5/8 X .277 ERW, SURPLUS, BARE, SQXSQ	769
	8 5/8 X .250 ERW API 5L X52, ARO/FBE, DOM , BXB, MTRS	417
	8 5/8 X .250 ERW API X42/X52, SURPLUS, ARO/FBE, BXB,	2,313
	8 5/8 X .250 ERW, STRUCTURAL, SURPLUS, BARE, ID SEAM, BXB, 2-5 MW	4,414
	8 5/8 X .250 ERW, SURPLUS, PRITEC	696
	8 5/8 X .250 STRUCTURAL, SURPLUS, BARE, MIXED ENDS, 0-1 RW	3,586
	8 5/8 X .219 ERW, SURPLUS, BARE, BXB/BXSQ, 0-1 MW	3,261
	8 5/8 X .219 ERW, SURPLUS, BARE, BXSQ/SQXSQ	1,734

BIGFOOT

FOOT-AGE
February 2023

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
	8 5/8 X .219 STRUCTURAL, SURPLUS, BARE, MIXED ENDS	973
	8 5/8 X .188 API 5L X52, FBE, DOM , BXB, MTRS	1,980
	8 5/8 X .188 API X42 X52, SURPLUS, FBE	874
	8 5/8 X .188 ERW, SURPLUS, BARE, BXSQ/SQXSQ	3,333
	8 5/8 X .188 ERW, SURPLUS, FBE	503
7	7 X 23# #1 USED, TUBING, TXC	44
	7 X 23#-26# USED, CASING, FIBERGLASS LINED, T&C/SQXSQ	14
	7 X .250 ERW, SURPLUS, BARE, SQXSQ	3,944
	7 X .188 ERW, SURPLUS, BARE/BLK LAQ, SQXSQ/SQXTC	254
6	6 5/8 X .280 #1 SEAMLESS, USED, BARE/BLK LAQ, BXB, 0-2 MW	1,552
	6 5/8 X .432 ERW X52, SURPLUS, BLK LAQ, IMP, BXB	404
	6 5/8 X .432 SURPLUS, BARE, TCXTC	604
	6 5/8 X .250 ERW ID SEAM, SURPLUS, BARE, MIXED ENDS	268
	6 5/8 X .188 ERW, SURPLUS, BARE, BXB/BXSQ	1,276
	6 5/8 X .125 - .134 ERW, SURPLUS, BARE, SQXSQ	357
	6 X .188 ERW, SURPLUS, BARE, SQXSQ	2,322
5	5 9/16 X .375-.430 SEAMLESS A106/A53/X42, BLK LAQ, MTRS	327
	5 9/16 X .134 A53 GR A, GALVENIZED, MTRS	5,376
4	4 1/2 X .438 SEAMLESS, USED, BARE, TCXTC, 0-2 MW	2,204
	4 1/2 X .437 SEAMLESS, NEW, SURPLUS, FBE	786
	4 1/2 X .337 SEAMLESS, USED, BARE, TCXTC, 0-1 MW	1,601
	4 1/2 X .237 A53 GR A, X 21' GALVANIZED, T&C, IMP, MTRS	4,011
	4 1/2 X .237 ERW, A53 GR A, GALVANIZED, IMP, BXB, MTRS	588
	4 1/2 X .237 X 21' A53 GR A, BLK, T&C, IMP, MTRS	3,582
	4 1/2 X .188 - .237 STRUCTURAL, SURPLUS, SHORTS, BARE, MIXED ENDS, RW, OPEN/SPLIT, SMS	6,555
	4 1/2 X .188 ERW X42 X52, SURPLUS, ARO, BXB	1,479
	4 1/2 X .120 #1 ERW A53 GR A/B, USED, ROLL GROOVED ENDS, MTRS	1,058
	4 X .218 ERW, SECONDARY, TUBING, BARE	1,086
3	3 1/2 X .625 SEAMLESS 4130 A519 L80, BARE/BLK LAQ, IMP, BXB/SQXSQ	2,572
	3 1/2 X .600 SEAMLESS SURPLUS, FBE, IMP	1,844

BIGFOOT

FOOT-AGE
February 2023

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
	3 1/2 X .438 SEAMLESS, SURPLUS, FBE, BXB	2,487
	3 1/2 X .300 A106 B, SEAMLESS, BARE/BLK LAQ, M&M DOM , BXB, MTRS	13,231
	3 1/2 X .300 ERW A53 GR A, BLK LAQ, IMP, T&C, MTRS	2,394
	3 1/2 X .300 ERW A53 GR B, BLK LAQ, BXB, IMP WITH MTRS	630
	3 1/2 X .300 ERW API 5L X52, BARE, DOM , MTRS	1,069
	3 1/2 X .300 ERW API X52, SURPLUS, BARE, IMP, BXB	4,500
	3 1/2 X .300 ERW, SURPLUS, BARE	958
	3 1/2 X .300 SEAMLESS, A106 GR B X42, FBE, IMP, BXB, MTRS	1,295
	3 1/2 X .254 X 31.5' AVG, USED, LINED	491
	3 1/2 X .254 X 31.5' AVG, USED	13,788
	3 1/2 X .216 X 21' A53 GR A, BLK, BXB, IMP, MTRS	945
	3 1/2 X .216 X 21' A53 GR A, BLK LAQ, IMP, T&C, (14 PCS PER BUNDLE)	2,100
	3 1/2 X .216 SECONDARY, ERW, BARE	1,115
	3 1/2 X .188 ERW API/A53, BARE/BLK LAQ, IMP, BXB, MTRS	4,205
	3 1/2 X .156 SEAMLESS A106 GR B, FBE, BXB	1,804
	3 1/2 X .120 ERW, SECONDARY, BARE, SQXSQ	3,835
	3 X .250 ERW, SECONDARY, BARE, TUBING, TCXTC/SQXSQ	2,430
2	2 7/8 X .375 SEAMLESS A106, BARE/BLK LAQ, IMP, BXB, MTRS	2,219
	2 7/8 X .276 ERW A53 GR A, BARE	1,356
	2 7/8 X .276 SEAMLESS API X42/X52, SURPLUS, BLK LAQ, IMP, BXB, MTRS	2,369
	2 7/8 X .217 #1 6.5 X 31.5' AVG, USED, TUBING, T&C	10,973
	2 7/8 X .217 #1 USED, TUBING, LINED, BARE, T&C, 31.5' AVG	2,678
	2 7/8 X .217 X 31.5' AVG, USED	11,306
	2 7/8 X .217 USED, FIBERGLASS LINED	1,248
	2 7/8 X .203 ERW A53 GR B/F, GALVANIZED, M&M DOM , T&C, MTRS	2,835
	2 7/8 X .203 ERW A53 B, GALVANIZED, M&M DOM , BXB, MTRS	1,050
	2 1/2 SCH 10 A53 GR A, BARE, IMP	2,807
	2 3/8 X .254 X 31.5' AVG, USED, TUBING, BARE, T&C	7,340
	2 3/8 X 4.7# X 31.5' USED, TUBING, BARE, T&C, LIGHT PITTING	5,244
	2 3/8 X .281 ERW, SURPLUS, BARE, TUBING, SQXSQ	13,503

BIGFOOT

FOOT-AGE
February 2023

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
	2 3/8 X .218 SEAMLESS A106 GR B, BARE/BLACK LAQ	955
	2 3/8 X .218 ERW A53 GR A, SURPLUS, BLK LAQ, IMP, T&C, MTRS	11,445
	2 3/8 X .218 ERW API 5L X52, FBE, IMP, BXB, MTRS	630
	2 3/8 X .190 X 31.5' AVG, USED	33,447
	2 3/8 X .154 ERW, STRUCTURAL, SURPLUS, BARE, BXB/SQXSQ	1,296
	2 3/8 X .154 ERW A53 GR B, GALVANIZED, M&M DOM , BXB, MTRS	2,499
	2 3/8 X .154 X 21' A53 A, GALVANIZED, T&C, IMP, MTRS	2,552
	2 3/8 X .140 X 32' NEW	9,920
	2 3/8 X .109 ERW, SECONDARY, BARE, SQXSQ	2,072
	2 3/8 X 11GA X 32' NEW, TUBING	640
	2.16 X .154 USED OCTG 32' AVG LENGTHS	3,988
	2 X .120 X 24' STRUCTURAL, BARE, RUSTY (37 PCS PER BUNDLE)	1,272
	1.9 X .110 X 24' NEW, SQXSQ	1,914
1	1 5/8 X .120 X 21' NEW, TUBING, BARE	3,432
	1 5/8 X .083 X 20' 14 GA, NEW	46,484
	1 5/8 X .083 X 24' 14 GA, NEW, TUBING, BARE, SQXSQ	40,193
	1 1/2 X .145 A53 GR A, BLK LAQ, IMP, T&C	2,762
	1 1/2 X .145 A53 GR A, GALVANIZED, T&C, IMP, MTRS (36 PCS PER BUNDLE)	1,512
	1 1/2 X .145 A53 GR A, NEW, BLK LAQ, IMP, SQXSQ, MTRS	1,029
	1 1/2 X .083 ERW, 14 GAUGE, SURPLUS, BARE, SQXSQ	12,965
	1 1/4 X .250 ERW A53 GR A/F, NEW, GALVANIZED, M&M DOM , BXB, MTRS	1,575
	1 1/4 X .140 A53 GR A, NEW, GALVANIZED, IMP, T&C, MTRS	2,142
	1 1/4 X .140 ERW A53 GR A, NEW, GALVANIZED, M&M DOM , T&C, MTRS	4,158
	1 1/4 X .140 USED, GALVANIZED, SPRINKLER, SHORTS	1,136
	1 1/4 X .083 X 20' 14GA, BARE, IMP, SQXSQ	10,660
	1 1/4 X .083 X 20' 14GA NEW, BARE, TUBING (127 PCS PER BUNDLE)	30,448
	1 1/4 X .083 14GA, X 24' NEW, (127 PCS PER BUNDLE)	10,103
	1 X .179 ERW A53 GR A/F, GALVANIZED, DOM , BXB, MTRS	819
	1 X .179 SEAMLESS A106 GR B, NEW, GALVANIZED, T&C	2,564
	1 X .133 A53 GR A, GALVANIZED, IMP, T&C, MTRS	1,260

BIGFOOT

FOOT-AGE
February 2023

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
	1 X .133 ERW A53 GR A, BARE/BLK LAQ, IMP	5,544
	1 X .133 ERW A53 GR A/F, GALVANIZED, M&M DOM , T&C, MTRS	9,792
	1 X .133 SCH 40 A53 GR A, BLK LAQ, IMP, T&C, MTRS	2,541
	1 X .133 SCH 40 A53 GR A, NEW, BLK LAQ, IMP, SQXSQ, MTRS	1,575
	1 X .133 SEAMLESS A106 GR B, NEW, FBE, M&M DOM , MTRS	8,470
3/4	3/4 X .219 SEAMLESS A106 GR B, NEW, BARE, SQXSQ	3,417
	3/4 X .154 ERW A53 GR A/F, NEW, GALVANIZED, M&M DOM , BXB, MTRS	2,583
	3/4 X .113 ERW A53 GR A, BLK LAQ, IMP, BXB/SQXSQ, MTRS	2,856
	3/4 X .113 ERW A53 GR A, GALVANIZED, IMP, T&C, MTRS	2,037
	3/4 X .113 SCH 40 A53 GR A, NEW, BLK LAQ, IMP, T&C, MTRS	2,520
	3/4 X .113 SCH 40 ERW A53 GR F, NEW, GALVANIZED, M&M DOM , T&C, MTRS	1,260
	3/4 X .065 ERW, SURPLUS, BARE, SQXSQ	20,452
1/2	1/2 X .147 ERW A53 GR B/F, NEW, GALVANIZED, DOM , BXB, MTRS	3,255
	1/2 X .147 SEAMLESS A106 GR B, NEW, BARE/BLK LAQ, SQXSQ	3,581
	1/2 X .109 ERW A53 GR A, NEW, GALVANIZED, IMP, SQXSQ MTRS	2,919
	1/2 X .109 ERW A53 GR A, NEW, GALVANIZED, IMP, T&C, MTRS	4,326
	1/2 X .109 ERW A53 GR A, NEW, GALVANIZED, M&M DOM , MTRS	4,641
	1/2 X .109 SCH 40 A53 GR A, SURPLUS, BLK LAQ, T&C	2,310
	1/2 X .109 SCH 40 A53 GR A, SURPLUS, BLK LAQ, SQXSQ	1,281
	1/2 X .109 SCH 40 ERW A53 GR F, NEW, FBE, DOM , TXT, MTRS	1,092

Don't see what
you're looking for?

Call Today!

800-877-7473