



the **BIG LIST** June 2023

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
54	54 X .688 DSAW API 5L X56, BLK LAQ, IMP, BXB, MTRS	60
	54 X .562 DSAW A672 GR C70 CLASS 22, BLK LAQ, IMP, MTRS	14
48	48 X 1.188 EFW A671 GR C60 CLASS 32, BLK LAQ	26
	48 X 1.00 SPIRALWELD A252, SURPLUS, BARE	100
	48 X 1.00 ROLLED & WELDED, SURPLUS, BARE, SQXSQ	312
	48 X .841 SPIRALWELD, GALVANIZED, BXB, MTRS	120
	48 X .750 SPIRALWELD, SECONDARY, BARE, MIXED ENDS	1,147
	48 X .741 SPIRALWELD A252 GR 3, BARE, IMP, BXB/BXSQ	80
	48 X .720 SPIRALWELD, A252 GR 3, IMP, BXTC, MTRS	61
	48 X .598 A252 GR 3, SPIRALWELD, ARO,	155
	48 X .598 SPIRALWELD A252 GR 3, BARE, IMP, MIXED ENDS, MTRS	107
	48 X .539 SPIRALWELD A252 GR 3, BARE, M&M DOM , MIXED ENDS, MTRS	2,189
	48 X .539 SPIRALWELD A252 GR 3, FBE, M&M DOM , MIXED ENDS, MTRS	78
42	42 X .888 STRAIGHT SEAM X70, ARO/FBE, IMP, BXB	114
	42 X .750 SPIRALWELD, USED, BARE, BXB, MTRS	550
	42 X .750 SPIRALWELD, SURPLUS, BARE, SQXSQ/BXB	281
	42 X .750 SURPLUS, FBE	111
	42 X .740 X70 SPIRALWELD, ARO/FBE, IMP, BXB	325
	42 X .660 DSAW, BARE, SQXSQ	122
	42 X .625 SPIRALWELD, SECONDARY, BARE, MIXED ENDS, 0-3 MW	6,103
	42 X .625 SPIRALWELD, SECONDARY, BARE, FLOWLINER, BXTC, 0-3 MW	162
	42 X .617 X70 SPIRALWELD, SURPLUS, ARO/FBE, DOM , BXB/BXTC, 0-2 MW	1,871
	42 X .375 DSAW, SURPLUS, BARE, SQXSQ	580
	42 X .375 DSAW API 5L X42, BARE/MILL LAQ, IMP, MTRS	156
	42 X .375 DSAW API 5L X42, ARMA LOCK, IMP, BXB, MTRS	79
	42 X .375 DSAW API 5L X42 FBE, IMP, BXB	145
	42 X .375 ERW API 5L X42, FBE, IMP, BXB, MTRS	220
	42 X .375 ERW API 5L X42, ARMA-LOCK, IMP, BXB, MTRS	1,324
	42 X .375 ERW, SURPLUS, PRITEC, BXB	122
36	36 X 1.00 STRAIGHT SEAM API X70, FBE, MTRS	3,649
	36 X .875 DSAW API X70, BARE, MTRS	279
	36 X .875 SPIRALWELD, USED, ARO, 0-1 MIDS	188
	36 X .750 DSAW API 5L X65, FBE, MTRS	215
	36 X .750 DSAW SURPLUS API X70 FBE	386
	36 X .748 SPIRALWELD API X70, ARO, MTRS	4,864
	36 X .748 SPIRALWELD API X70, BARE, MTRS	189
36 X .748 SPIRALWELD API X70, FBE, MTRS	3,483	



the **BIG LIST** June 2023

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
36	36 X .748 SPIRALWELD API X70, FBE, MTRS	1,042
	36 X .688 SPIRALWELD, USED, FLOWLINER	198
	36 X .634 STRAIGHT SEAM API 5L X70, ARO	376
	36 X .625 A252 GR 3, BARE, DOM , MTRS	1,192
	36 X .625 SPIRALWELD A252 GR 3, BARE, DOM , MTRS	190
	36 X .625 SPIRALWELD A252 GR 3, BARE, M&M DOM , MTRS	164
	36 X .618 SPIRALWELD API X70, BARE, MTRS	113
	36 X .618 SPIRALWELD API X70, FBE, MTRS	811
	36 X .572 SPIRALWELD API X70, BARE, MTRS	352
	36 X .572 SPIRALWELD API X70, FBE, MTRS	4,940
	36 X .562 SPIRALWELD A252 GR 3, SURPLUS, BARE, MIXED ENDS	235
	36 X .531 SPIRALWELD, SURPLUS, BARE	140
	36 X .504 SPIRALWELD A252/3, BARE, IMP, MTRS	70
	36 X .504 SPIRALWELD A252, BARE, IMP, MTRS	453
	36 X .500 DSAW API 5L X70/X80, SURPLUS, BARE	219
	36 X .500 DSAW, SURPLUS, FBE, MIXED ENDS	320
	36 X .500 SPIRALWELD API 5L X70, ARO/FBE MTRS	361
	36 X .500 SPIRALWELD, SURPLUS, FBE, 0-3 MIDS	133
	36 X .469 DSAW API 5L X70, BARE, IMP	350
	36 X .469 DSAW, SURPLUS, FBE, BLK ID LINER	161
	36 X .465 DSAW, SURPLUS, FBE, BXTC, 0-1 MW	1,448
	36 X .465 SPIRALWELD A252 GR 3, BARE, IMP, MTRS	595
	36 X .465 SPIRALWELD API 5L X70, FBE, DOM /IMP, MIXED ENDS, MTRS	28,739
	36 X .465 SPIRALWELD API X70 BARE, MTRS	287
	36 X .465 SPIRALWELD API X70 FBE, DOM /IMP, MTRS	61,800
	36 X .465 SPIRALWELD, SURPLUS, FBE	174
	36 X .465 SPIRALWELD X70 FBE, DOM , WELSPUN, MTRS	7,621
	36 X .465 STRAIGHT SEAM API 5L X70, BARE/BLK LAQ, IMP	247
	36 X .465 STRAIGHT SEAM API 5L X70, FBE	260
	36 X .465 STRAIGHT SEAM API 5L X70, FBE, IMP	5,422
	36 X .465 STRAIGHT SEAM, SURPLUS, FBE	121
	36 X .429 SPIRALWELD A252 GR 3, BARE, DOM , MTRS	352
	36 X .412 STRAIGHT SEAM, SURPLUS, USED, FBE, 0-1 MW	293
	36 X .412 USED, FBE, PICKING EYES	210
	36 X .375 DSAW API 5L X42, ARMA-LOCK, IMP, MTRS	120
	36 X .375 DSAW API 5L X42, FBE, IMP, MTRS	410
	36 X .375 DSAW API 5L X42, SURPLUS, ARO, DOM , BXB	557



the **BIG LIST** June 2023

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
36	36 X .375 DSAW API 5L X42, SURPLUS, FBE, DOM , BXB	150
34	34 X .680 SPIRALWELD API 5L X70, ARO, 0-1 MIDS, MTRS	1,461
30	30 X .656 SPIRALWELD API X70, FBE, DOM , MTRS	212
	30 X .625 API 5L X70, ARO, DOM , MTRS	94
	30 X .625 API 5L X70, ARO/FBE, IMP, MTRS	230
	30 X .625 DSAW API 5L X65, STRUCTURAL, BARE, DURABOND, M&M DOM , BXB, MTRS	8,174
	30 X .625 DSAW API 5L X70, ARO, M&M DOM , BXB, MTRS	475
	30 X .625 DSAW API X70 CLAD, DOM , MTRS	8,033
	30 X .625 DSAW API X70 CLAD, MTRS	2,360
	30 X .625 DSAW, SURPLUS, BARE/BLK LAQ, 0-1 MW	145
	30 X .625 SPIRALWELD A252 GR 3, BARE, DOM , MTRS	1,164
	30 X .625 SPIRALWELD API 5L X60, SURPLUS, BARE	443
	30 X .625 STRAIGHT SEAM, SURPLUS, BARE, 0-1 MIDS	137
	30 X .618 DSAW API 5L X70, ARO, M&M DOM , MTRS	1,681
	30 X .562 DSAW API 5L X65, ARO/FBE, IMP, BXB, MTRS	223
	30 X .562 DSAW API 5L X70, FBE, M&M DOM , BXB, MTRS	710
	30 X .500 SPIRALWELD X70, ARO/FBE, IMP, BXB, MTRS	197
	30 X .500 SPIRALWELD, SURPLUS, BARE	133
	30 X .441 DSAW API 5L X70 BARE, MTRS	119
	30 X .441 DSAW API 5L X70, FBE	7,363
	30 X .441 DSAW API 5L X70, FBE, BERG, DOM , BXB, 0-1 MW, MTRS	814
	30 X .441 DSAW API 5L X70, FBE, MTRS	3,085
	30 X .441 SPIRALWELD A252, BARE, DOM	490
	30 X .441 SPIRALWELD A252, BARE, DOM , BXSQ, SHORTS	295
	30 X .441 SPIRALWELD A252, BARE, DOM MAN ONLY, SQXSQ, MTRS	1,307
	30 X .441 SPIRALWELD A252 GR 3, BARE, DOM , MTRS	4,045
	30 X .441 SPIRALWELD API 5L X70, BARE	252
	30 X .441 SPIRALWELD API 5L X70, FBE, MTRS	684
	30 X .429 SPIRALWELD API 5L X70, FBE, DOM , MTRS	180
	30 X .375 DSAW, USED, BARE, TCXTC, 0-2 MW	3,788
	30 X .375 DSAW, USED, SHORTS/CULVERT, BLK RESIDUE, 0-2 MW	3,265
	30 X .375 SPIRALWELD SURPLUS API 5L X70, FBE, 0-2 MIDS	185
	30 X .375 USED, BLK PAINT, TCXTC, 0-2 MW	3,681
28	28 X .750 DSAW API 5L X56, BARE, IMP, MTRS	2,101
24	24 X 1.219 SEAMLESS A333 GR 6, BARE, MTRS	20
	24 X 1.00 ERW A252 GR 3, SURPLUS, BARE, BXB/BXSQ	60
	24 X .750 SPIRALWELD, USED, BARE	50



the **BIG LIST** June 2023

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
24	24 X .625 DSAW API 5L X60, ARO, IMP, BXB, MTRS	441
	24 X .625 ERW API 5L X65, FBE	690
	24 X .625 SPIRALWELD A252 GR 3, BARE, DOM , MTRS	1,152
	24 X .625 SPIRALWELD, USED, BARE	151
	24 X .625 USED, BARE, 0-1 MIDS	466
	24 X .562 A252-3, ARO, IMP	120
	24 X .562 ERW A252 GR 3, BARE, IMP, MTRS	1,020
	24 X .562 ERW, SURPLUS, CLEANED BARE	184
	24 X .500 ERW API 5L X60 X70, SURPLUS, ARO, DOM , BXB	207
	24 X .500 ERW API 5L X60 X70, SURPLUS, ARO/FBE, DOM , BXB	1,825
	24 X .500 ERW A252 GR 3, BARE, IMP, MTRS	169
	24 X .500 ERW, SURPLUS, BARE	228
	24 X .500 SPIRALWELD, SRL, USED, BARE, M&M DOM , TCXTC, MTRS	2,197
	24 X .500 SPIRALWELD, USED, BARE	170
	24 X .500 SPIRALWELD, USED, BARE, M&M DOM , TCXTC, MTRS	4,785
	24 X .375 API 5L X42, USED, BLK LAQ	284
	24 X .375 USED, HEAVY SALT & PEPPER, BXB	1,153
	24 X .350 USED, FBE, PICKING EYES, 1-2 MIDS	503
	24 X .350 USED, FBE, WELDMENTS, 0-2 MIDS	313
	24 X .350 USED, FBE, WELD TABS, 1-2 MIDS	176
	24 X .375 SURPLUS BARE	757
	24 X .375 SPIRALWELD. SURPLUS, BARE, BXB/SQXSQ	671
	24 X .375 ERW API 5L X52 X70, FBE, DOM , BXB, MTRS	699
	24 X .375 ERW, STRUCTURAL, BARE, BXB, 1-2 MW	1,362
	24 X .375 SURPLUS A252 GR 3 BARE	123
	24 X .312 API 5L X65, FBE, DOM , BXS, MTRS	158
	24 X .281 ERW API 5L X70, BARE, M&M DOM , MTRS	161
22	22 X .625 API X52, SURPLUS, BARE/BLK LAQ	411
	22 X .375 API 5L X46, BARE, IMP, MTRS	4,454
	22 X .375 DSAW SPIRALWELD API 5L X46, BARE, IMP, MTRS	160
	22 X .281 ERW API X70, SURPLUS, FBE, BXB	670
20	22 X .281 SURPLUS, FBE, BXB	8,273
	20 X .500 USED SURPLUS ARO	811
	20 X .375 #2 USED, FBE/TAR, TCXTC, 0-3 MW	3,126
	20 X .812 NEW API X56, MIXED ENDS, IMP,	131
	20 X .812 ERW API 5L X50/X65, FBE, IMP	112
	20 X .688 SEAMLESS A106 GR B, BARE/BLK LAQ, MTRS	142



the **BIG LIST** June 2023

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
20	20 X .625 ERW A252 GR 2/3, BARE, DOM , MTRS	712
	20 X .625 ERW API 5L X65, ARO, IMP, MTRS	4,880
	20 X .625 ERW, ID SM, SURPLUS, BARE, BXSQ/BXB, 0-2 MW	171
	20 X .594 ERW API 5L X65, BARE, IMP, MTRS	179
	20 X .594 ERW API 5L X65, FBE	608
	20 X .594 SEAMLESS A106 GR B, BARE/BLK LAQ	153
	20 X .562 SURPLUS X70, FBE, BXB,	363
	20 X .500 A252 GR 2/3, BARE, DOM , BXB, MTRS	6,445
	20 X .500 A252 GR 3, BARE, DOM , BXB, MTRS	974
	20 X .500 API 5L X70, SURPLUS, FBE	399
	20 X .500 ERW, SURPLUS, BARE, BXB, 1-2 MW	5,291
	20 X .500 ERW X60, FBE, BXB, MTRS	167
	20 X .500 SEAMLESS A333 API 5L X52, ARO, BXB	403
	20 X .500 SPIRALWELD, SURPLUS, BARE, SQXSQ	1,613
	20 X .438 ERW, API 5L X70, SURPLUS, FBE	469
	20 X .375 A252 GR 2/3, BARE, BXB, DOM , MTRS	12,259
	20 X .375 API 5L, ARO, M&M DOM , BXS, MTRS	298
	20 X .375 API 5L X60, ARO, M&M DOM , MTRS	524
	20 X .375 ERW API 5L X60, SURPLUS, 3LPP, BXB	353
	20 X .375 ERW API 5L X65, ARO/FBE, M&M DOM , BXB, MTRS	7,041
	20 X .375 ERW API X65, SURPLUS, FBE, BXB	323
	20 X .375 ERW, SURPLUS, BARE, BXB, 1-2 MW	1,202
	20 X .375 ERW, SURPLUS, BARE, BXB, 1-2 MW	201
	20 X .312 A252 GR 2/3, BARE, BXB, MTRS	1,298
	20 X .312 ERW A252 GR 3, BARE, DOM , BXB, MTRS	406
	20 X .294 ERW API 5L X70, FBE, DOM , BXB, MTRS	248
	20 X .281 API 5L X65, FBE, M&M DOM , BXB, MTRS	1,220
18	18 X .750 ERW A252 GR 3, SURPLUS, BARE, BXB/SQXSQ	349
	18 X .625 ERW ID SEAM, SURPLUS, BARE, 2-5 MW	2,545
	18 X .562 ERW, SURPLUS, BARE, BXB	230
	18 X .625 ERW, SURPLUS, STRUCTURAL, BARE	146
	18 X .500 ERW API 5LB X42, BARE, IMP, MTRS	116
	18 X .375 #2 SEAMLESS, USED, BLK LAQ/BARE, BXB	136
16	18 X .375 ERW API 5L X42 A53 B, BLK LAQ, IMP, BXB, MTRS	8,020
	16 X .844 SURPLUS SEAMLESS, FBE, SQUARE ENDS,	122
	16 X .625 A252 GR 3, BARE, DOM , MTRS	313
	16 X .625 ERW A252 GR 3, SURPLUS, BARE, SQXSQ/SQXTC	400



the **BIG LIST** June 2023

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
16	16 X .625 ERW A500 GR C, BARE, M&M DOM , SQXSQ, MTRS	1,085
	16 X .563 A252 GR 3, BARE, IMP, MTRS	347
	16 X .500 A252, SURPLUS, BARE	197
	16 X .500 GALVANIZED	375
	16 X .500 LIMITED SERVICE, BARE, M&M DOM , MTRS	254
	16 X .500 ERW A252 GR 2/3, BARE, DOM , BXB, MTRS	3,615
	16 X .500 ERW A53 GR B A252 GR 3, BARE, BXB, MTRS	722
	16 X .500 ERW API 5L X60, ARO/FBE, DOM , BXB, MTRS	1,116
	16 X .500 SURPLUS, BARE	618
	16 X .375 A252 GR 2/3, BARE, DOM , BXB, MTRS	10,215
	16 X .375 ERW A252 GR 2/GR 3, BARE, DOM , BXB, MTRS	800
	16 X .375 ERW, SURPLUS, BARE, MIXED ENDS	601
	16 X .375 ERW, SURPLUS, FBE, BXB	419
	16 X .375 SURPLUS, GALVANIZED	291
	16 X .313 A500 GR B, BARE, IMP	223
	16 X .312 ERW, LIMITED SERVICE, BARE, BXB/BXSQ	2,650
	16 X .312 SURPLUS BARE	204
	16 X .295 API 5L X65, FBE, DOM , BXB, MTRS	260
	16 X .281 ERW A500, BARE, BXB/BXSQ	167
	16 X .250 A252 GR 2/3, BARE, DOM , BXB, MTRS	8,130
	16 X .250 A252 GR 2/3, BARE, DOM , BXB, MTRS	994
	16 X .188 DSAW, USED, BLK LAQ, TCXTC, 2-5 MW	2,486
	16 X .188 SPIRALWELD, USED, BLK LAQ, TCXTC, 0-2 MW	8,614
14	14 X .625 DSAW, STRUCTURAL, SURPLUS, BARE	180
	14 X .600 SEAMLESS API 5L X65, BARE, M&M DOM , MTRS	926
	14 X .600 SEAMLESS API 5L X65, CLEANED BARE, M&M DOM , MIXED ENDS, MTRS	165
	14 X .600 SEAMLESS API 5L X65, FBE, M&M DOM , MTRS	2,561
	14 X .500 A252 GR 2, BLACK LACQUER, IMP, MTRS	130
	14 X .500 ERW, SURPLUS, ARO/TAR, MIXED ENDS	665
	14 X .500 ERW, SURPLUS, BARE	220
	14 X .500 ERW, SURPLUS, BARE, BXB	338
	14 X .438 ERW, SURPLUS, BARE, DOM , SQXSQ	495
	14 X .375 ERW, SURPLUS, YELLOW JACKET, BXB	169
14 X .375 GALVANIZED	760	
12	12 3/4 X .750 ERW, SURPLUS, BARE, WHITE FBE, ID LINER, SQXSQ	164
	12 3/4 X .650 SEAMLESS API X65, BARE	525
	12 3/4 X .625 A500, SURPLUS, BARE	420



the **BIG LIST** June 2023

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
12	12 3/4 X .625 ERW A500 GR B/C, SURPLUS, BARE	230
	12 3/4 X .625 ERW, STRUCTURAL, SURPLUS, BARE, SQXSQ	733
	12 3/4 X .562 ERW, SURPLUS, BARE, BXB	599
	12 3/4 X .500 ERW A252 GR 3, BARE, M&M DOM , 0-1 MW MTRS	825
	12 3/4 X .500 ERW, SURPLUS, BARE, BXB/BXSQ	111
	12 3/4 X .500 ERW, SURPLUS, BARE, BXB, MTRS	283
	12 3/4 X .500 ERW, SURPLUS, FBE, TCXTC	372
	12 3/4 X .500 GALVANIZED, MIXED ENDS	367
	12 3/4 X .500 SEAMLESS A53 B/A106, BLK LAQ	210
	12 3/4 X .469 SEAMLESS API 5LB X65, ARO/FBE, IMP, BXB, MTRS	14,107
	12 3/4 X .469 SEAMLESS API 5LB X65, BARE, IMP, BXB, MTRS	9,163
	12 3/4 X .375 API X42/X52/X60/X65, SURPLUS, CLEANED BARE	751
	12 3/4 X .375 ERW A500 GR C, BARE, M&M DOM , SQXSQ, MTRS	1,422
	12 3/4 X .375 ERW A53 B GALVANIZED, DOM , MTRS	211
	12 3/4 X .375 ERW A53 B GALVANIZED, IMP, MTRS	191
	12 3/4 X .375 GALVANIZED, MIXED ENDS, 0-1 MW	534
	12 3/4 X .375 LIMITED SERVICE, MW	473
	12 3/4 X .344 A252 GR 2/3, NEW, BARE, DOM , PEB, MTRS	319
	12 3/4 X .344 A252 GR 3, BARE, DOM , MTRS	232
	12 3/4 X .330 ERW, SURPLUS, BARE, BXB	2,484
	12 3/4 X .312 A252 GR 2/3, BARE, DOM , PEB, MTRS	781
	12 3/4 X .312 ERW API 5L X42 PSL1, BARE, IMP, MTRS	2,311
	12 3/4 X .312 ERW API X52 X56, FBE, DOM , BXB, MTRS	280
	12 3/4 X .312 ERW, SURPLUS, BARE, BXB	232
	12 3/4 X .281 A252 GR 2/3, NEW, BARE, DOM , MTRS	242
	12 3/4 X .281 ERW, SURPLUS, BARE, BXB, 1-2 MW	763
	12 3/4 X .281 ERW, SURPLUS, FBE, BXB	202
	12 3/4 X .281 ERW, SURPLUS, YELLOW JACKET, BXB	503
	12 3/4 X .281 SRL, NEW, STRUCTURAL, MW	1,086
	12 3/4 X .250 SURPLUS, FBE	10,000
	12 3/4 X .250 ERW A252 GR 2/3, DOM , BXB, MTRS	697
	12 3/4 X .250 ERW API 5L, BLK LAQ, IMP	290
	12 3/4 X .250 ERW API 5L X52, FBE, IMP, BXB	117
	12 3/4 X .250 ERW API 5L X56, CLEANED BARE, MIXED ENDS, MTRS	4,083
	12 3/4 X .250 ERW, SURPLUS, BARE, BXB	1,637
	12 3/4 X .250 ERW, SURPLUS, BLK LAQ, NOTCHED ENDS	660
	12 3/4 X .250 ERW, SURPLUS, FBE	432



the **BIG LIST** June 2023

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
12	12 3/4 X .250 ERW, USED, BARE, SQXSQ, 1-2 MW	243
	12 3/4 X .250 ERW X52 359 GR, SURPLUS, FBE, IMP, BXB, MTRS	1,279
	12 3/4 X .250 LIMITED SERVICE, BARE	626
	12 3/4 X .250 USED, BARE, SLURRY LINED	449
	12 3/4 X .156 ERW, USED, BARE, SQXSQ, 1-2 MW	2,987
10	10 3/4 X .719 SEAMLESS API, SURPLUS, BARE, BXB/BXTC	329
	10 3/4 X .500 ERW A53 GR B, IMP, MTRS	693
	10 3/4 X .500 ERW API 5L X52, FBE, IMP, MTRS	347
	10 3/4 X .500 ERW API 5L X52, SURPLUS, FBE, IMP	335
	10 3/4 X .500 ERW API 5L X65, ARO/FBE, DOM , MTRS	3,702
	10 3/4 X .500 ERW, STRUCTURAL, BARE	428
	10 3/4 X .500 ERW, STRUCTURAL, BARE, 2 MW	1,763
	10 3/4 X .500 ERW, STRUCTURAL, BARE, MIXED ENDS	1,500
	10 3/4 X .500 ERW, SURPLUS, BARE, BXB	636
	10 3/4 X .500 ERW, SURPLUS, BARE, BXB, 1-2 MW	192
	10 3/4 X .500 GALVANIZED, MIXED ENDS	253
	10 3/4 X .500 SEAMLESS API X42, ARO/FBE, IMP, MTRS	732
	10 3/4 X .469 SEAMLESS API 5L X65, ARO/FBE, BXB, MTRS	273
	10 3/4 X .469 SEAMLESS API 5L X65, BARE, BXB	223
	10 3/4 X .365/.375 ERW API 5L X52, SURPLUS, FBE, BXB, IMP	687
	10 3/4 X .365 ERW, STRUCTURAL, SURPLUS, FBE, MIXED ENDS	337
	10 3/4 X .365 ERW, SURPLUS, 3LPP	666
	10 3/4 X .365 ERW, SURPLUS, 3LPP/PRITEC	1,866
	10 3/4 X .365 ERW, SURPLUS, BARE, ID LINER, BXB	504
	10 3/4 X .365 ERW, SURPLUS, BXB	427
	10 3/4 X .365 GALVANIZED, MIXED ENDS	1,181
	10 3/4 X .365 SEAMLESS A106 B A53 B X42, BLK LAQ, M&M DOM	187
	10 3/4 X .365 SEAMLESS API 5L X-42, FBE, DOM , BXB, MTRS	1,369
	10 3/4 X .312 STRAIGHT SEAM A252, BARE, DOM , MTRS	320
	10 3/4 X .279 ERW, SURPLUS, BARE, BXB	430
	10 3/4 X .165 ERW #1 USED A53 GR B, ROLL GROOVED ENDS	37,200
	9	9 5/8 X .472 SURPLUS BARE CASING
8	8 5/8 X .500 SEAMLESS, USED, BARE, 1 MW	1,198
	8 5/8 X .500 ERW, SURPLUS, BARE, BXB	673
	8 5/8 X .438 - .450 SEAMLESS, USED, BARE, TCXTC 0-2 MW	374
	8 5/8 X .438 SEAMLESS API 5L X60, BARE, IMP, BXB, MTRS	948
	8 5/8 X .438 SEAMLESS API 5L X60, FBE, IMP, BXB, MTRS	351



the **BIG LIST** June 2023

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
8	8 5/8 X .438 SEAMLESS X60, SURPLUS, BARE, BXB	7,381
	9 5/8 X 36# USED CASING, BARE/BLK LAQ	1,435
	9 5/8 X 40# NEW, CASING, BLK LAQ	742
	8 5/8 X .322 ERW A252 GR 3, BARE, BXB/BXS	523
	8 5/8 X .322 ERW A53 GR B A252 GR 3, BARE, BXB, MTRS	1,885
	8 5/8 X .322 ERW, STRUCTURAL, SURPLUS, BARE, MIXED ENDS, 0-1 RW	7,677
	8 5/8 X .322 ERW, SURPLUS, BARE	440
	8 5/8 X .322 ERW, SURPLUS, FOAM/PRITEC	565
	8 5/8 X .322 GALVANIZED	1,613
	8 5/8 X .277 ERW, SURPLUS, BARE, SQXSQ	769
	8 5/8 X .250 ERW, STRUCTURAL, SURPLUS, BARE, ID SEAM, BXB, 2-5 MW	4,414
	8 5/8 X .250 STRUCTURAL, SURPLUS, BARE, MIXED ENDS, 0-3 MW	7,943
	8 5/8 X .219 ERW, SURPLUS, BARE, BXB/BXSQ, 0-1 MW	2,624
	8 5/8 X .219 ERW, SURPLUS, BARE, MIXED ENDS, 0-3 MW	3,546
	8 5/8 X .188 API X42 X52, SURPLUS, FBE	874
	8 5/8 X .188 NEW A53 GR B/API X52,	294
	8 5/8 X .188 ERW, STRUCTURAL, SURPLUS, BARE, BXB, 1-4 MW	5,067
	8 5/8 X .188 ERW, SURPLUS, BARE, BXSQ/SQXSQ	3,907
	8 5/8 X .188 ERW, SURPLUS, FBE	403
	7	7 X .250 ERW, SURPLUS, BARE, SQXSQ
7 X .188 ERW, SURPLUS, BARE, SQXSQ		1,322
6	6 5/8 X .432 ERW, SURPLUS, BARE	295
	6 5/8 X .432 ERW X52 GR, SURPLUS, FBE, IMP, BXB	746
	6 5/8 X .432 SURPLUS, BARE, TCXTC	584
	6 5/8 X .280 ERW API X52 A53 B, USED, FBE, TCXTC	15,250
	6 5/8 X .280 ERW, SURPLUS, BARE, MIXED ENDS, 0-2 RW/MW	496
	6 5/8 X .280 USED, COAL TAR EPOXY	422
	6 5/8 X .280 #1 SEAMLESS, USED, BARE/BLK LAQ, BXB, 0-2 MW	1,511
	6 5/8 X .156 - .219 USED, FBE, TXCTC, 1-2 MW	9,429
	6 5/8 X .188 ERW, SURPLUS, BARE, BXB/BXSQ, 0-1 MW	1,255
	6 5/8 X .134 - .188 USED, COAL TAR	3,970
	6 5/8 X .134 ERW, SURPLUS, BARE, MIXED ENDS	887
	6 5/8 X .125 - .134 ERW, SURPLUS, BARE, SQXSQ	357
	6 X .250 ERW, SURPLUS, BARE, SQXSQ	1,894
	6 X .188 ERW, SURPLUS, BARE, SQXSQ	3,273
5	5 9/16 X .375-.430 SEAMLESS A106/A53/X42, BLK LAQ, MTRS	242
	5 9/16 X .375 ERW A53 GR B, BLK LAQ, M&M DOM , BXB, MTRS	210



the

BIG LIST

June 2023

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
5	5 9/16 X .375 ERW A53 B, SURPLUS, BLK, BXB	208
	5 9/16 X .188 ERW A53 A, SURPLUS, BARE	276
4	5 9/16 X .134 A53 GR A, GALVENIZED, MTRS	5,376
	4 1/2 X .438 SEAMLESS, USED, BARE, TCXTC, 0-2 MW	2,204
	4 1/2 X .437 SEAMLESS, NEW, SURPLUS, FBE	786
	4 1/2 X .337 FBE, FOAM INSULATED, BXB,	490
	4 1/2 X .337 SEAMLESS, USED, BARE, TCXTC, 0-1 MW	1,143
	4 1/2 X .237 ERW, A53 GR A, GALVANIZED, IMP, BXB, MTRS	588
	4 1/2 X .237 X 21' A53 GR A, BLK, T&C, IMP, MTRS	3,225
	4 1/2 X .237 X 21' A53 GR A GALV, T&C, IMP, MTRS	2,163
	4 1/2 X .188 - .237 STRUCTURAL, SURPLUS, SHORTS, BARE, MIXED ENDS, RW, OPEN/SPLIT, SMS	6,415
	4 1/2 X .120 #1 ERW A53 GR A/B, USED, ROLL GROOVED ENDS, MTRS	1,058
3	3 1/2 4 OD X .218 ERW, SECONDARY, BARE, TUBING	841
	3 1/2 X .625 SEAMLESS 4130 A519 L80, BARE/BLK LAQ, IMP, BXB/SQXSQ	1,870
	3 1/2 X .600 SEAMLESS API 5L/A53 B, SURPLUS, FBE, DOM	907
	3 1/2 X .438 SEAMLESS, SURPLUS, FBE, BXB	1,724
	3 1/2 X .600 SEAMLESS, SURPLUS, FBE, IMP	1,216
	3 1/2 X .300 A106 B, SEAMLESS, BARE/BLK LAQ, M&M DOM , BXB, MTRS	13,231
	3 1/2 X .300 ERW A53 GR A, BLK LAQ, IMP, T&C, MTRS	2,394
	3 1/2 X .300 ERW A53 GR B, BLK LAQ, BXB, IMP, MTRS	609
	3 1/2 X .300 ERW A53 GR B, BLK LAQ, M&M DOM , MTRS	1,718
	3 1/2 X .300 ERW API 5L X52, BARE, DOM , MTRS	1,069
	3 1/2 X .300 ERW API X52, SURPLUS, BARE, IMP, BXB	4,252
	3 1/2 X .300 ERW API X52, SURPLUS, ARO/FBE, IMP, BXB	5,330
	3 1/2 X .300 ERW, SURPLUS, BARE	958
	3 1/2 X .300 SEAMLESS A106 GR B X42, FBE, IMP, BXB, MTRS	1,295
	3 1/2 X .254 9.2# STRUCTURAL, USED, TUBING, BARE, T&C, 0-1 MW	5,394
	3 1/2 X .254 X 31.5' AVG, USED	21,824
	3 1/2 X .216 A53 GR B, GALVANIZED, IMP, BXB, MTRS	588
	3 1/2 X .216 ERW API 5L X52, SURPLUS, FBE, IMP, BXB	4,944
	3 1/2 X .216 ERW API 5L X52, SURPLUS, BLK LAQ, IMP, BXB	2,016
	3 1/2 X .216 ERW, SECONDARY, BARE	1,115
3 1/2 X .216 X 21' A53 A, BLK LAQ, IMP, T&C, (14 PCS PER BUNDLE)	2,058	
3 1/2 X .216 X 21' A53 A, GALVANIZED, IMP, T&C (14 PCS PER BUNDLE)	839	
3 1/2 X .216 X 21' A53 GR A, BLK, BXB, IMP, MTRS	945	
3 1/2 X .188 ERW API A53, BARE/BLK LAQ, IMP, BXB, MTRS	4,205	
3 1/2 X .156 SEAMLESS A106 GR B, FBE, BXB	1,804	



the **BIG LIST** June 2023

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
3	3 1/2 X .120 ERW, SECONDARY, BARE, SQXSQ	3,394
	3 OD X .250 ERW SECONDARY, BARE, TUBING, TCXTC/SQXSQ	2,430
2	2 7/8 X .276 ERW A53 GR A BARE	1,214
	2 7/8 X .217 USED, FIBERGLASS LINED	1,248
	2 7/8 X .217 X 31.5' AVG, USED	118,028
	2 7/8 X .217 X 31.5' USED, T&C	1,575
	2 7/8 X .217 #1 6.5 X 31.5' AVG, USED, TUBING, T&C	14,343
	2 7/8 #1 USED TUBING, LINED, BARE, T&C, 31.5' AVG	2,678
	2 7/8 X .203 ERW A53 GR B/F, GALVANIZED, M&M DOM , T&C, MTRS	2,835
	2 7/8 X .203 ERW A53 B, GALVANIZED, M&M DOM , BXB, MTRS	714
	2 7/8 X .375 SEAMLESS A106, BARE/BLK LAQ, IMP, BXB, MTRS	2,219
	2 7/8 X .276 SEAMLESS API X42/X52, SURPLUS, BLK LAQ, IMP, BXB, MTRS	2,333
	2 1/2 SCH 10 A53 GR A, BARE, IMP	2,807
	2 3/8 X .190 X 31.5' AVG, USED	45,574
	2 3/8 X .140 X 32' NEW	8,736
	2 3/8 X 11GA X 32' NEW, TUBING	640
	2 3/8 X .254 X 31.5' AVG, USED, TUBING, BARE, T&C	1,513
	2 3/8 X .281 ERW, SURPLUS, BARE, TUBING, SQXSQ	13,503
	2 3/8 X .218 ERW A53 GR A, SURPLUS, BLK LAQ, IMP, T&C, MTRS	10,689
	2 3/8 X 4.7# X 31.5' USED, TUBING, BARE, T&C, LIGHT PITTING	14,914
	2 3/8 X .154 ERW A53 GR A, ASTM, GALV, T&C, IMP, MTRS	4,841
	2 3/8 X .154 ERW A53 GR B, BLK LAQ, IMP, BXB, MTRS	1,638
2 3/8 X .154 ERW A53 GR B, GALVANIZED, M&M DOM , BXB, MTRS	2,457	
2 3/8 X .154 ERW, STRUCTURAL, SURPLUS, BARE, BXB/SQXSQ	1,296	
2 3/8 X .154 X 21' ERW A53 A, BLK LAQ, T&C, MTRS (26 PCS PER BUNDLE)	2,642	
2 3/8 X .109 ERW, SECONDARY, BARE, SQXSQ	2,555	
2 1/16 X .154 X 32' AVG, USED, OCTG	1,837	
2 X .120 X 24' STRUCTURAL, BARE, RUSTY (37 PCS PER BUNDLE)	1,272	
1	1.9 X .110 X 24' NEW, SQXSQ	1,914
	1.9 X .090 X 24' NEW, BARE, SQXSQ (61 PCS PER BUNDLE)	25,440
	1.66 X .120 X 21' NEW, TUBING, BARE	2,718
	1.66 X .083 X 20' 14 GA, NEW	13,350
	1.66 X .083 X 24' 14 GA, NEW	62,585
	1 1/2 X .145 A53 GR A, BLK LAQ, IMP, T&C	3,455
	1 1/2 X .145 A53 GR A, GALVANIZED, T&C, IMP, MTRS (36 PCS PER BUNDLE)	1,491
	1 1/2 X .145 A53 GR A, NEW, BLK LAQ, IMP, SQXSQ, MTRS	1,722
	1 1/4 X .250 ERW A53 GR A/F, NEW, GALVANIZED, M&M DOM , BXB, MTRS	1,512



the **BIG LIST** June 2023

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
1	1 1/4 X .140 USED, GALVANIZED, SPRINKLER, SHORTS	955
	1 1/4 X .140 A53 GR A, NEW, GALVANIZED, IMP, T&C, MTRS	1,596
	1 1/4 X .140 ERW A53 GR A, NEW, GALVANIZED, M&M DOM , T&C, MTRS	3,762
	1 1/4 X .083 X 20' 14GA, BARE, IMP, SQXSQ	10,500
	1 1/4 X .083 X 20' 14GA NEW, BARE, TUBING (127 PCS PER BUNDLE)	25,898
	1 X .179 SEAMLESS A106 GR B, NEW, GALVANIZED, T&C	2,564
	1 X .133 ERW A53 GR A, BARE/BLK LAQ, IMP	5,544
	1 X .133 ERW A53 GR A/F, GALVANIZED, M&M DOM , T&C, MTRS	9,792
	1 X .133 A53 GR A, GALVANIZED, IMP, T&C, MTRS	1,260
	1 X .133 SCH 40 A53 GR A, BLK LAQ, IMP, T&C, MTRS	2,268
	1 X .133 A53 GR A, BLK LAQ, IMP, SQXSQ, MTRS	2,688
	1 X .133 SCH 40 A53 GR A, NEW, BLK LAQ, IMP, SQXSQ, MTRS	1,575
	1 X .133 SEAMLESS A106 GR B, NEW, FBE, M&M DOM , MTRS	8,470
3/4	3/4 X .219 SEAMLESS A106 GR B, NEW, BARE, SQXSQ	2,941
	3/4 X .154 ERW A53 GR A/F, NEW, GALVANIZED, M&M DOM , BXB, MTRS	2,583
	3/4 X .113 ERW A53 GR A, BLK LAQ, IMP, BXB/SQXSQ, MTRS	2,856
	3/4 X .113 ERW A53 GR A, GALVANIZED, IMP, T&C, MTRS	2,037
	3/4 X SCH 40 (.113) A53 GR A, NEW, BLK LAQ, IMP, T&C, MTRS	2,100
	3/4 X SCH 40 (.113) ERW A53 GR F, NEW, GALVANIZED, M&M DOM , T&C, MTRS	1,260
	1/2 X .147 ERW A53 GR B/F, NEW, GALVANIZED, DOM , BXB, MTRS	3,255
1/2	1/2 X .147 SEAMLESS A106 GR B, NEW, BARE/BLK LAQ, SQXSQ	3,581
	1/2 X .109 ERW A53 GR A, NEW, GALVANIZED, M&M DOM , MTRS	4,641
	1/2 X .109 ERW A53 GR A, NEW, GALVANIZED, IMP, SQXSQ MTRS	2,919
	1/2 X .109 ERW A53 GR A, NEW, GALVANIZED, IMP, T&C, MTRS	4,326
	1/2 X SCH 40 (.109) A53 GR A, SURPLUS, BLK LAQ, T&C	2,310
	1/2 X SCH 40 (.109) A53 GR A, SURPLUS, BLK LAQ, SQXSQ	1,281
	1/2 X SCH 40 (.109) ERW A53 GR F, NEW, FBE, DOM , TXT, MTRS	1,071

Don't see what you're looking for?

Call Today!

800-877-7453