

THE BIG LIST

JULY 2023

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
54	54 X .688 DSAW API 5L X56, BLK LAQ, IMP, BXB, MTRS	140
	54 X .562 DSAW A672 GR C70 CLASS 22, BLK LAQ, IMP, MTRS	14
48	48 X 1.188 EFW A671 GR C60 CLASS 32, BLK LAQ	26
	48 X 1.00 ROLLED & WELDED, SURPLUS, BARE, SQXSQ	312
	48 X 1.00 SPIRALWELD A252, SURPLUS, BARE	100
	48 X .841 SPIRALWELD, GALVANIZED, BXB, MTRS	120
	48 X .750 DSAW, SURPLUS, GALV, INXB	18
	48 X .750 SPIRALWELD, SECONDARY, BARE, BXSQ /SQXSQ	150
	48 X .750 SPIRALWELD, REJECT, BARE, MIXED ENDS	441
	48 X .750 SURPLUS, API X42, BARE, BXSQ,	26
	48 X .741 SPIRALWELD A252 GR 3, BARE, IMP, BXB/BXSQ	80
	48 X .720 A252 GR 3, SPIRALWELD, IMP, BXTC, MTRS	61
	48 X .598 SPIRALWELD A252 GR 3, BARE, MIXED ENDS, IMP, MTRS	107
	48 X .598 A252 GR 3, SPIRALWELD, ARO,	155
	48 X .539 SPIRALWELD A252 GR 3, BARE, M&M DOM , MIXED ENDS, MTRS	1,798
	48 X .539 SPIRALWELD A252 GR 3, FBE, M&M DOM , MIXED ENDS, MTRS	78
	42	42 X .888 STRAIGHT SEAM X70, ARO/FBE, IMP, BXB
42 X .750 SPIRALWELD, SURPLUS, BARE, SQXSQ/BXB		281
42 X .750 SPIRALWELD, USED, BARE, BXB, MTRS		550
42 X .750 SURPLUS, FBE, ROUGH ENDS		111
42 X .740 SPIRALWELD X70, ARO/FBE, IMP, BXB		325
42 X .660 DSAW, BARE, SQXSQ		122
42 X .625 SPIRALWELD, SECONDARY, BARE, FLOWLINER, BXTC, 0-3 MW		162
42 X .625 SPIRALWELD, SECONDARY, BARE, MIXED ENDS, 0-3 MW		6,103
42 X .617 SPIRALWELD X70, SURPLUS, FBE, DOM , 2 MW		161
42 X .617 X70 SPIRALWELD, SURPLUS, ARO/FBE, DOM , BXB/BXTC, 0-2 MW		1,711
42 X .375 DSAW API 5L X42, ARMA LOCK, IMP, BXB, MTRS		79
42 X .375 DSAW API 5L X42, BARE/MILL LAQ, IMP, MTRS		134
42 X .375 DSAW API 5L X42, FBE, IMP, BXB		145
42 X .375 DSAW, SURPLUS, BARE, SQXSQ		360
42 X .375 ERW API 5L X42, ARMA-LOCK, IMP, BXB, MTRS		1,324
42 X .375 ERW API 5L X42, FBE, IMP, BXB, MTRS	220	
42 X .375 ERW, SURPLUS, PRITEC, BXB	122	
36	36 X 1.00 STRAIGHT SEAM API X70, FBE, MTRS	2,578
	36 X .875 SPIRALWELD, USED, ARO, 0-1 MW	188
	36 X .750 DSAW API 5L X65, RED FBE, MTRS	195
	36 X .750 DSAW API X70, SURPLUS, FBE	386
	36 X .748 SPIRALWELD API X70, ARO, MTRS	3,573

THE

BIG LIST

**JULY
2023**
800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
36	36 X .748 SPIRALWELD API X70, BARE, MTRS	302
	36 X .748 SPIRALWELD API X70, FBE, MTRS	4,325
	36 X .688 SPIRALWELD, USED, FLOWLINER	198
	36 X .634 API 5L X70, ARO	376
	36 X .625 A252 GR 3, BARE, DOM , MTRS	838
	36 X .625 SPIRALWELD A252 GR 3, BARE, M&M DOM , MTRS	324
	36 X .618 SPIRALWELD A252 GR 3, SURPLUS, FBE, BXTC	360
	36 X .618 SPIRALWELD API X70, FBE, MTRS	811
	36 X .572 SPIRALWELD API X70, BARE, MTRS	352
	36 X .572 SPIRALWELD API X70, FBE, MTRS	4,940
	36 X .562 SPIRALWELD A252 GR 3, SURPLUS, BARE, MIXED ENDS	235
	36 X .531 SPIRALWELD, SURPLUS, BARE	140
	36 X .504 SPIRALWELD A252, BARE, IMP, MTRS	523
	36 X .500 DSAW API 5L X70/X80, SURPLUS, BARE	219
	36 X .500 DSAW, SURPLUS, FBE, MIXED ENDS	320
	36 X .500 SPIRALWELD API 5L X70, ARO/FBE, MTRS	136
	36 X .500 SPIRALWELD, SURPLUS FBE, 0-3 MW	133
	36 X .469 DSAW API 5L X70, BARE, IMP	350
	36 X .469 DSAW, SURPLUS, FBE, BLACK ID LINER	161
	36 X .465 DSAW, SURPLUS, FBE, BXTC, 0-1 MW	1,448
	36 X .465 SPIRALWELD A252 GR 3, BARE, IMP, MTRS	595
	36 X .465 SPIRALWELD API 5L X70, FBE, DOM , MIXED ENDS, MTRS	28,739
	36 X .465 SPIRALWELD API X70 BARE, MTRS	287
	36 X .465 SPIRALWELD API X70 FBE, DOM , MTRS	46,189
	36 X .465 SPIRALWELD API X70 FBE, MTRS	11,080
	36 X .465 SPIRALWELD, SURPLUS, FEB	174
	36 X .465 SPIRALWELD X70, FBE, WELSPUN, MTRS	7,621
	36 X .465 STRAIGHT SEAM API 5L X70, BARE/BLK LAQ, IMP	247
	36 X .465 STRAIGHT SEAM API 5L X70, FBE, IMP	5,804
	36 X .429 SPIRALWELD A252 GR 3, BARE, DOM , MTRS	328
	36 X .412 STRAIGHT SEAM, SURPLUS, FBE, 0-1 MW	232
	36 X .412 USED, FBE, PICKING EYES	210
	36 X .375 DSAW API 5L X42, ARMA-LOCK, IMP, MTRS	120
36 X .375 DSAW API 5L X42, FBE, IMP, MTRS	368	
36 X .375 DSAW API 5L X42, SURPLUS, ARO, DOM , BXB	236	
36 X .375 DSAW API 5L X42, SURPLUS, FBE, DOM , BXB	150	
34	34 X .680 SPIRALWELD API 5L X70, ARO, 0-1 MW, MTRS	1,461
	34 X .505 ERW API 5L X60, FBE, BERG, DOM , BXB, MTRS	312

THE

BIG LIST

JULY
2023

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
30	30 X .656 SPIRALWELD API X70, FBE, DOM , MTRS	212
	30 X .625 DSAW API 5L X65, STRUCTURAL, BARE, BXB, DURABOND, M&M DOM , MTRS	5,426
	30 X .625 DSAW API 5L X70, ARO, M&M DOM , BXB, MTRS	475
	30 X .625 DSAW API X70 CLAD, MTRS	2,360
	30 X .625 DSAW API X70 CLAD, DOM MTRS	8,033
	30 X .625 DSAW, SURPLUS, BARE/BLK LAQ, 0-1 MW	145
	30 X .625 SPIRALWELD A252 GR 3, BARE, DOM , MTRS	585
	30 X .625 SPIRALWELD API 5L X60, SURPLUS, BARE	229
	30 X .625 SPIRALWELD, SURPLUS, BARE	214
	30 X .625 STRAIGHT SEAM, SURPLUS, BARE, 0-1 MW	137
	30 X .625 API 5L X70, FBE/ARO, IMP, MTRS	230
	30 X .625 SPIRALWELD A252 GR 3, BARE, DOM , MTRS	102
	30 X .625 SPIRALWELD A252 GR 3, BARE, DOM , MTRS	477
	30 X .618 DSAW API 5L X70, ARO, M&M DOM , MTRS	1,681
	30 X .562 DSAW API 5L X65, FBE/ARO, IMP, MTRS	106
	30 X .562 DSAW API 5L X65 GR, ARO/FBE, IMP, BXB, MTRS	118
	30 X .562 DSAW API 5L X70, FBE, M&M DOM , BXB, MTRS	710
	30 X .500 SPIRALWELD, SURPLUS, BARE	133
	30 X .500 SPIRALWELD X70, ARO/FBE, IMP, BXB, MTRS	197
	30 X .441 DSAW API 5L X70, FBE	7,363
	30 X .441 DSAW API 5L X70, FBE, BERG, DOM , BXB, 0-1 MW, MTRS	814
	30 X .441 DSAW API 5L X70, FBE, MTRS	3,085
	30 X .441 SPIRALWELD A252, BARE, DOM	490
	30 X .441 SPIRALWELD A252, BARE, DOM MFR ONLY, SQXSQ, MTRS	1,307
	30 X .441 SPIRALWELD A252 GR 3, BARE, DOM , MTRS	4,045
	30 X .441 SPIRALWELD API 5L X70, FBE, MTRS	684
	30 X .429 SPIRALWELD API 5L X70, FBE, DOM , MTRS	180
	30 X .375 DSAW, USED, BARE, TCXTC, 0-2 MW	2,754
	30 X .375 DSAW, USED, SHORTS/CULVERT, BLK RESIDUE, 0-2 MW	3,265
	30 X .375 SPIRALWELD API 5L X70, SURPLUS, FBE, 0-2 MW	185
	30 X .375 USED, BLK PAINT, TCXTC, 0-2 MW	3,681
28	28 X .750 DSAW API 5L X56, BARE, IMP, MTRS	2,101
26	26 X .375 ERW API 5L X65, FBE, M&M DOM , MTRS	200
24	24 X .625 DSAW API 5L X60, ARO, IMP, BXB, MTRS	441
	24 X .625 SPIRALWELD A252 GR 3, BARE, DOM , MTRS	1,100
	24 X .625 SPIRALWELD, USED, BARE	151
	24 X .625 USED, BARE, 0-1 MW	466
	24 X .562 A252-3, ARO, IMP	120



THE BIG LIST

JULY 2023

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
24	24 X .562 ERW A252 GR 3, BARE, IMP, MTRS	1,020
	24 X .562 ERW, SURPLUS, CLEANED BARE	184
	24 X .500 ERW A252 GR 3, BARE, IMP, MTRS	157
	24 X .500 ERW API5L X60, ARO, M&M DOM , BXB, MTRS	328
	24 X .500 ERW API 5L X60 X70, SURPLUS, ARO/FBE, DOM , BXB	1,435
	24 X .500 ERW, SURPLUS, BARE	228
	24 X .500 SPIRALWELD, DRL, TRL, USED, BARE, TCXTC, M&M DOM , MTRS	1,523
	24 X .500 SPIRALWELD, SRL, USED, BARE, TCXTC, M&M DOM , MTRS	3,209
	24 X .500 SPIRALWELD, USED, BARE, 0-2 MW	297
	24 X .500 SURPLUS, CAT 483, FBE, IMP, MTRS	203
	24 X .375 API 5L X42, USED, BLK LAQ	284
	24 X .375 ERW API 5L X52 X70, FBE, DOM , BXB, MTRS	338
	24 X .375 ERW, STRUCTURAL, BARE, BXB, 1-2 MW	1,302
	24 X .375 ERW, SURPLUS, BARE, MIXED ENDS	190
	24 X .375 SPIRALWELD, SURPLUS, BARE, BXB/SQXSQ	610
	24 X .375 SURPLUS, BARE	757
	24 X .350 USED, FBE, PICKING EYES, 1-2 MW	503
	24 X .350 USED, FBE, WELDMENTS, 0-2 MW	313
	24 X .375 USED, HEAVY SALT & PEPPER, BXB	1,126
	22	22 X .669 API 5L X52, SURPLUS, BARE/BLK LAQ, IMP
22 X .625 SURPLUS API X52, BARE/BLK LAQ		411
22 X .375 API 5L X46, BARE, IMP, MTRS		4,454
22 X .375 ERW, API X60, SURPLUS, ARO/FBE		195
22 X .375 SPIRALWELD DSAW API 5L X46, BARE, IMP, MTRS		160
22 X .281 ERW API X70, SURPLUS, FBE, BXB		670
22 X .281 SURPLUS, FBE, BXB		8,273
20	20 X .812 API X56, NEW, MIXED ENDS, IMP	131
	20 X .812 ERW API 5L X50/X65, FBE, IMP	112
	20 X .688 SEAMLESS A106 GR B, BARE/BLK LAQ CTD, NO MW, HAS MTRS	142
	20 X .625 ERW A252 GR 2/3, BARE, DOM , MTRS	712
	20 X .625 ERW API 5L X65, ARO, IMP, MTRS	4,880
	20 X .625 ERW, ID SM, SURPLUS, BARE, BXSQ/BXB, 0-2 MW	171
	20 X .594 ERW API 5L X65, BARE, IMP, MTRS	175
	20 X .594 ERW API 5L X65 FBE	544
	20 X .594 SEAMLESS A106 GR B, BARE/BLK LAQ CTD,	153
	20 X .562 SURPLUS X70, FBE, BXB,	363
	20 X .500 SEAMLESS API 5L X52, ARO/FBE, DOM , BXB, MTRS	205
	20 X .500 A252 GR 2/3, BARE, DOM , BXB, MTRS	6,345

THE BIG LIST

JULY 2023

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
20	20 X .500 A252 GR 3, BARE, DOM , BXB, MTRS	974
	20 X .500 API 5L X70 SURPLUS FBE	399
	20 X .500 ERW, SURPLUS, BARE, BXB, 1-2 MW	5,291
	20 X .500 SEAMLESS A333 API5L X52, ARO, BXB	403
	20 X .500 SPIRALWELD, SURPLUS, BARE, SQXSQ	1,613
	20 X .500 SURPLUS, USED, ARO	811
	20 X .500 X60 X65, SURPLUS, BARE/BLK LAQ, IMP, BXB	273
	20 X .438 ERW API 5L X70, SURPLUS, FBE	469
	20 X .375 A252 GR 2/3, BARE, BXB, MTRS	596
	20 X .375 A252 GR 2/3, BARE, DOM , BXB, MTRS	12,406
	20 X .375 API 5L, ARO, M&M DOM , BXS, MTRS	298
	20 X .375 API 5L X60, ARO, M&M DOM , MTRS	503
	20 X .375 ERW API 5L X60, SURPLUS, 3LPP, BXB	353
	20 X .375 ERW API 5L X65, ARO/FBE, M&M DOM , BXB, MTRS	6,993
	20 X .375 ERW API 5L X65, FBE, BXB, MTRS	1,189
	20 X .375 ERW API X65, SURPLUS, FBE, BXB	323
	20 X .375 ERW, SURPLUS, BARE, BXB, 1-2 MW	1,202
	20 X .375 #2 USED, FBE/TAR, TCXTC, 0-3 MW	3,126
	20 X .312 A252 GR 2/3, BARE, BXB, MTRS	1,298
	20 X .312 ERW A252 GR 3, BARE, DOM , BXB, MTRS	325
	20 X .312 ERW A252 GR 3, NEW, BARE, DOM MFR ONLY, MTRS	561
	20 X .294 ERW API 5L X70, FBE, DOM , BXB, MTRS	248
	20 X .281 API 5L X65, FBE, M&M DOM , BXB, MTRS	702
18	18 X .750 ERW A252 GR 3, SURPLUS, BARE, BXB/SQXSQ	349
	18 X .625 ERW SURPLUS STRUCTURAL BARE	146
	18 X .625 ERW ID SEAM, SURPLUS, BARE, 2-5 MW	2,545
	18 X .562 ERW SURPLUS, BARE, BXB	230
	18 X .375 ERW API 5L X42 A53 B, BLK LAQ, IMP, BXB, MTRS	8,301
	18 X .375 ERW, SURPLUS, FBE, BXB	103
	18 X .375 SEAMLESS API 5L X42, FBE, IMP, BXB, MTRS	800
18 X .188 - .250 SPIRALWELD, USED, BARE, TCXTC, 0-1 MW	552	
16	16 X .188 DSAW, USED, BLK LAQ, TCXTC, 2-5 MW	2,486
	16 X .188 SPIRALWELD, USED, BLK LAQ, TCXTC, 0-2 MW	8,614
	16 X .844 SURPLUS SEAMLESS, FBE, SQXSQ	122
	16 X .688 SURPLUS, CLEANED	142
	16 X .656 SEAMLESS, FBE	151
	16 X .625 A252 GR 3, BARE, DOM , MTRS	313
16 X .625 ERW A252 GR 3, SURPLUS, BARE, SQXSQ/SQXTC	400	

THE BIG LIST

JULY 2023

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE	
16	16 X .625 ERW A500 GR C, BARE, M&M DOM , SQXSQ, MTRS	1,085	
	16 X .563 A252 GR 3, BARE, IMP, MTRS	347	
	16 X .500 ERW A252 GR 2/3, BARE, DOM , BXB, MTRS	3,615	
	16 X .500 ERW A53 GR B A252 GR 3, BARE, BXB, MTRS	722	
	16 X .500 ERW API 5L X60, ARO/FBE, DOM , BXB, MTRS	1,116	
	16 X .500 ERW, SURPLUS, BARE, MIXED ENDS	198	
	16 X .500 GALVANIZED	375	
	16 X .500 LIMITED SERVICE, BARE, M&M DOM , MTRS	254	
	16 X .500 SURPLUS, BARE	618	
	16 X .375 A252 GR 2/3, BARE, DOM , BXB, MTRS	10,215	
	16 X .375 A252 GR 2/3, NEW, BARE, DOM , MTRS	1,470	
	16 X .375 ERW A252 GR 2/GR 3, BARE, DOM , BXB, MTRS	800	
	16 X .375 ERW A252 GR2/3, BARE, DOM , BXB, MTRS	1,583	
	16 X .375 ERW ID SEAM A252 GR 3, BARE, SQXSQ, MTRS	200	
	16 X .375 ERW ID SEAM A252 GR 3, FBE, SQXSQ, MTRS	330	
	16 X .375 ERW, SURPLUS, BARE, MIXED ENDS	601	
	16 X .375 ERW, SURPLUS, BLK LAQ, MIXED ENDS	103	
	16 X .375 ERW, SURPLUS, RED FBE, BXB	419	
	16 X .375 SURPLUS, GALVANIZED	291	
	16 X .313 A500 GR B, BARE, IMP	223	
	16 X .312 ERW, LIMITED SERVICE, BARE, BXB/BXSQ	2,297	
	16 X .312 SURPLUS, BARE	204	
	16 X .295 API 5L X65, FBE, DOM , BXB, MTRS	260	
	16 X .281 ERW A500, BARE, BXB	366	
	16 X .250 ERW A252 GR 2/3 BARE, DOM , BXB, MTRS	896	
	16 X .250 A252 GR2/3, BARE, DOM , BXB, MTRS	8,130	
	14	14 X .625 DSAW SURPLUS STRUCTURAL BARE	180
		14 X .600 SEAMLESS API 5L X65, CLEANED BARE, M&M DOM , MIXED ENDS, MTRS	165
		14 X .500 A252 GR 2, BLK LAQ, IMP, MTRS	130
		14 X .500 ERW, ID SM, SURPLUS, BARE/BLK LAQ, SQXSQ	247
14 X .500 ERW, SURPLUS, ARO/TAR, MIXED ENDS		665	
14 X .500 ERW, SURPLUS, BARE, BXB		338	
14 X .438 ERW, SURPLUS, BARE, DOM , SQXSQ		495	
14 X .375 ERW, LIMITED SERVICE, BARE, DOM , BXB		1,700	
14 X .375 ERW, SURPLUS, YELLOW JACKET, BXB		169	
14 X .375 GALVANIZED		760	
14 X .250 ERW A500, BARE, BXB/BXSQ		30	
14 X .250 ERW, SURPLUS, BARE, SHORTS, SQXSQ		1,426	

THE BIG LIST

JULY 2023

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
14	14 X .600 SEAMLESS API 5L X65, BARE, M&M DOM , MTRS	926
	14 X .600 SEAMLESS API 5L X65, FBE, M&M DOM , MTRS	2,561
12	12 3/4 X .750 ERW, SURPLUS, BARE, WHITE FBE, ID LINER, SQXSQ	164
	12 3/4 X .650 SEAMLESS API X65, BARE	525
	12 3/4 X .625 A500, SURPLUS, BARE	420
	12 3/4 X .625 ERW A500 GR B/C, SURPLUS, BARE	230
	12 3/4 X .625 ERW, STRUCTURAL, BARE, SQXSQ	105
	12 3/4 X .625 ERW, STRUCTURAL, SURPLUS, BARE, SQXSQ	733
	12 3/4 X .562 ERW, SURPLUS, BARE, BXB	599
	12 3/4 X .480-.550 #2 USED SEAMLESS, FBE, 0-1 MW	184
	12 3/4 X .500 ERW A252 GR 3, BARE, M&M DOM , 0-1 MW MTRS	825
	12 3/4 X .500 ERW, SURPLUS, BARE, BXB, MTRS	283
	12 3/4 X .500 ERW, SURPLUS, BARE, BXB/BXSQ	111
	12 3/4 X .500 ERW, SURPLUS, BARE, MIXED ENDS, 0-1 MW	279
	12 3/4 X .500 ERW, SURPLUS, 3LPP CTD	162
	12 3/4 X .500 ERW, SURPLUS, FBE, TCXTC	372
	12 3/4 X .500 GALVANIZED, MIXED ENDS	367
	12 3/4 X .500 SEAMLESS A53 B/A106, BLK LAQ	210
	12 3/4 X .469 SEAMLESS API 5LB X65, ARO/FBE, IMP, BXB, MTRS	14,107
	12 3/4 X .469 SEAMLESS API 5LB X65, BARE, IMP, BXB, MTRS	8,558
	12 3/4 X .375 API X42/X52/X60/X65, SURPLUS, CLEANED BARE	751
	12 3/4 X .375 API 5L X42-X65, SURPLUS, BARE, MTRS	146
	12 3/4 X .375 ERW A500 GR C, BARE, M&M DOM , SQXSQ, MTRS	1,422
	12 3/4 X .375 ERW A53 B GALVANIZED, IMP, MTRS	191
	12 3/4 X .375 ERW A53 B GALVANIZED, DOM , MTRS	211
	12 3/4 X .375 ERW, LIMITED SERVICE, BARE, BXB	208
	12 3/4 X .375 ERW, SURPLUS, BARE	148
	12 3/4 X .375 ERW, SURPLUS, BARE, BXB/BXTC	392
12 3/4 X .375 ERW SURPLUS, FBE	410	
12 3/4 X .375 GALVANIZED, MIXED ENDS, 0-1 MW	454	
12 3/4 X .375 LIMITED SERVICE, MW	473	
12 3/4 X .344 A252 GR 2/3, NEW, BARE, DOM , PEB, MTRS	319	
12 3/4 X .344 A252 GR 3, BARE, DOM , MTRS	232	
12 3/4 X .330 ERW, SURPLUS, BARE, BXB	2,484	
12 3/4 X .312 A252 GR 2/3, BARE, DOM , PEB, MTRS	770	
12 3/4 X .312 ERW API 5L X42 PSL1, BARE, IMP, MTRS	2,311	
12 3/4 X .312 ERW API X52 X56, FBE, DOM , BXB, MTRS	280	
12 3/4 X .281 ERW, SURPLUS, BARE, BXB, 1-2 MW	763	

THE BIG LIST

JULY 2023

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
12	12 3/4 X .281 ERW, SURPLUS, YELLOW JACKET, BXB	503
	12 3/4 X .281 X SRL, NEW, STRUCTURAL, MW	1,086
	12 3/4 X .250 ERW A252 GR 2/3, DOM , BXB, MTRS	532
	12 3/4 X .250 ERW API 5L, BLK LAQ, IMP	290
	12 3/4 X .250 ERW API 5L X52, SURPLUS, FBE, IMP, BXB	6,337
	12 3/4 X .250 ERW API 5L X56, CLEANED BARE, MTRS	3,333
	12 3/4 X .250 ERW, STRUCTURAL, SURPLUS, FBE, TCXTC, MW	522
	12 3/4 X .250 ERW, SURPLUS, BARE, BXB	1,500
	12 3/4 X .250 ERW, SURPLUS, BLK LAQ, NOTCHED ENDS	660
	12 3/4 X .250 ERW, USED, BARE, SQXSQ, 1-2 MW	243
	12 3/4 X .250 LIMITED SERVICE, BARE	492
	12 3/4 X .250 USED, BARE, SLURRY LINED	407
	12 3/4 X .219 ERW 359, FBE, MIXED ENDS, MTR	510
	12 3/4 X .156 ERW, USED, BARE, SQXSQ, 1-2 MW	2,899
11	11 3/4 X .500 ERW, SURPLUS, BARE, CASING	159
10	10 3/4 X 1.125 SEAMLESS A106, BLK LAQ, IMP, MTRS	146
	10 3/4 X .719 SEAMLESS API, SURPLUS, BARE, BXB/BXTC	329
	10 3/4 X .500 ERW A53 GR B, IMP, MTRS	693
	10 3/4 X .500 ERW API 5L X52 FBE, IMP, MTRS	347
	10 3/4 X .500 ERW API 5L X52, SURPLUS, FBE, IMP	335
	10 3/4 X .500 ERW API 5L X65, ARO/FBE, DOM , MTRS	3,702
	10 3/4 X .500 ERW, STRUCTURAL, BARE	428
	10 3/4 X .500 ERW, STRUCTURAL, BARE, 2 MW	1,763
	10 3/4 X .500 ERW, STRUCTURAL, BARE, MIXED ENDS	1,500
	10 3/4 X .500 ERW, SURPLUS, BARE, BXB	636
	10 3/4 X .500 ERW, SURPLUS, BARE, BXB, 1-2 MW	192
	10 3/4 X .500 GALVANIZED, MIXED ENDS	253
	10 3/4 X .500 SEAMLESS API X42, FBE/ARO, IMP, MTRS	732
	10 3/4 X .469 SEAMLESS API5L X65, ARO/FBE, BXB, MTRS	273
	10 3/4 X .469 SEAMLESS API5L X65, BARE, BXB	223
	10 3/4 X .365 / .375 SURPLUS ERW API 5L X52 FBE IMP BXB NO MW S	687
	10 3/4 X .365 ERW, ARO/FBE, MIXED ENDS	333
	10 3/4 X .365 ERW, STRUCTURAL, SURPLUS, FBE, MIXED ENDS	337
	10 3/4 X .365 ERW, SURPLUS 3LPP	666
	10 3/4 X .365 ERW, SURPLUS 3LPP/PRITEC	1,866
	10 3/4 X .365 ERW, SURPLUS, BARE, ID LINER, BXB	504
10 3/4 X .365 ERW, SURPLUS, BXB	427	
10 3/4 X .365 ERW, SURPLUS, FBE, MIXED ENDS	210	

THE BIG LIST

JULY 2023

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
10	10 3/4 X .365 ERW, SURPLUS, PRITEC, BXB	445
	10 3/4 X .365 GALVANIZED, MIXED ENDS	1,021
	10 3/4 X .365 SEAMLESS A106 B A53 B X42, BLK LAQ, M&M DOM	187
	10 3/4 X .365 SEAMLESS API 5L X-42, FBE, DOM , BXB, MTRS	1,202
	10 3/4 X .312 STRAIGHT SEAM A252, BARE, DOM , MTRS	205
	10 3/4 X .279 ERW, SURPLUS, BARE, BXB	430
	10 3/4 X .165 ERW #1 USED A53 GR B, ROLL GROOVED ENDS	37,200
9	9 5/8 X .472 SURPLUS, BARE CASING	297
	9 5/8 X .434 36# USED, CASING, BARE/BLK LAQ	1,435
	9 5/8 X .350 40# NEW, CASING, BLK LAQ	742
8	8 5/8 X .500 SEAMLESS, USED, BARE, 1 MW	1,198
	8 5/8 X .500 ERW, SURPLUS, BARE, BXB	673
	8 5/8 X .438 - .450 SEAMLESS, USED, BARE, TCXTC 0-2 MW	374
	8 5/8 X .438 SEAMLESS X60, SURPLUS, BARE, BXB	7,381
	8 5/8 X .438 SEAMLESS API5L X60, FBE, IMP, BXB, MTRS	351
	8 5/8 X .438 SEAMLESS API5L X60, BARE, IMP, BXB, MTRS	839
	8 5/8 X .322 SEAMLESS A106, SURPLUS, FBE, IMP, BXB	473
	8 5/8 X .322 ERW, SURPLUS, FBE, BXB, MTRS	306
	8 5/8 X .322 SURPLUS ERW PRITEC / FOAM CTD NO MW S	565
	8 5/8 X .322 GALVANIZED	1,613
	8 5/8 X .322 ERW SURPLUS FBE	279
	8 5/8 X .322 ERW A53 GR B A252 GR 3, BARE, BXB, MTRS	1,784
	8 5/8 X .322 ERW, STRUCTURAL, SURPLUS, BARE, MIXED ENDS, 0-1 RW	7,677
	8 5/8 X .322 ERW SURPLUS, BARE CLND	402
	8 5/8 X .322 ERW A252 GR 3, BARE, BXB/BXS	512
	8 5/8 X .277 ERW, SURPLUS, BARE, SQXSQ	769
	8 5/8 X .250 STRUCTURAL, SURPLUS, BARE, MIXED ENDS, 0-3 MW	7,943
	8 5/8 X .250 ERW, STRUCTURAL, SURPLUS, BARE, ID SEAM, BXB, 2-5 MW	4,414
	8 5/8 X .250 ERW SURPLUS CLND TO BARE	576
	8 5/8 X .219 ERW, SURPLUS, BARE, MIXED ENDS, 0-3 MW	3,546
	8 5/8 X .219 ERW, SURPLUS. FBE, BXB, MTRS	1,235
	8 5/8 X .219 ERW, SURPLUS, BARE, BXB/BXSQ, 0-1 MW	894
	8 5/8 X .188 API X42 X52, SURPLUS, FBE	984
	8 5/8 X .188 ERW API 5L X42 X52, SURPLUS, FBE, DOM , BXB, MTRS	518
	8 5/8 X .188 ERW, STRUCTURAL, SURPLUS, BARE, BXB, 1-4 MW	5,067
	8 5/8 X .188 ERW, SURPLUS, BARE, BXSQ/SQXSQ	3,907
	8 5/8 X .188 ERW, SURPLUS, FBE	403
8 5/8 X .188 SURPLUS, BARE, BXB/BXSQ, 0-2 MW	697	

THE BIG LIST

JULY 2023

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
7	7 X .312 23# #1 USED, TUBING, FIBER-GLASS LINED, T&C	377
	7 X .250 ERW, SURPLUS, BARE, SQXSQ	3,527
	7 X .188 ERW, SURPLUS, BARE/BLK LAQ, SQXSQ/SQXTC	1,322
6	6 5/8 X .432 SEAMLESS, SURPLUS, FBE, BXB/BXSQ	144
	6 5/8 X .432 ERW SURPLUS, BARE	295
	6 5/8 X .432 ERW X52 GR, SURPLUS, FBE, IMP, BXB	326
	6 5/8 X .432 SURPLUS, BARE, TCXTC	584
	6 5/8 X .280 ERW, STRUCTURAL, BARE, SQXSQ, 0-1 MW	944
	6 5/8 X .280 ERW, SURPLUS, BARE, MIXED ENDS, 0-2 RW/MW	496
	6 5/8 X .280 ERW X52, USED, ARO/FBE, TCXTC	5,087
	6 5/8 X .280 USED, COAL TAR EPOXY	422
	6 5/8 X .280 USED, FBE	888
	6 5/8 X .280 #1 SEAMLESS, USED, BARE/BLK LAQ, BXB, 0-2 MW	1,511
	6 5/8 X .280 #1 USED, BARE/BLK LAQ, BXB, 0-1 MW	1,753
	6 5/8 X .188 ERW, SURPLUS, BARE, BXB/BXSQ, 0-1 MW	837
	6 5/8 X .188 ERW, STRUCTURAL, BARE, SQXSQ, 0-1 MW	1,253
	6 5/8 X .156 - .219 USED, FBE, T&CXTC, 1-2 MW	6,774
	6 5/8 X .156 - .219 USED, FBE, T&CXTC, 1-2 MW	2,494
	6 5/8 X .134 - .188 USED, COAL TAR	3,970
	6 5/8 X .134 ERW, SURPLUS, BARE, MIXED ENDS	887
	6 5/8 X .125 - .134 ERW, SURPLUS, BARE, SQXSQ	336
	6 X .250 ERW, SURPLUS, BARE, SQXSQ	2,278
	6 X .188 ERW, SURPLUS, BARE, SQXSQ	4,649
5	5 9/16 X .625 SEAMLESS A106, BARE/BLK LAQ	247
	5 9/16 X .375-.430 SEAMLESS A106/A53/X42, BLK LAQ, MTRS	242
	5 9/16 X .375 ERW A53 GR B, BLK LAQ, M&M DOM , BXB, MTRS	210
	5 9/16 X .375 ERW A53 B, SURPLUS, BLK, BXB	208
	5 9/16 X .188 ERW A53 A, SURPLUS, BARE	276
	5 9/16 X .134 ERW A795 GR A, GALVANIZED, MTRS	231
	5 9/16 X .134 ERW, SECONDARY, BARE	235
	5 9/16 X .134 A53 GR A, GALVENIZED, MTRS	5,376
4	5 1/2 X .244 15.5# USED, CASING, BARE, T&C	1,279
	4 1/2 X .438 SEAMLESS, USED, BARE, TCXTC, 0-2 MW	2,204
	4 1/2 X .437 SEAMLESS, NEW, SURPLUS, FBE	786
	4 1/2 X .337 SEAMLESS, USED, BARE, TCXTC, 0-1 MW	917
	4 1/2 X .237 10.5# USED, CASING, BARE, THXC, SCALING	8,925
	4 1/2 X .237 X 21' A53 GR A, BLK, T&C, IMP, MTRS	3,225
	4 1/2 X .237 X 21' A53 GR A, GALV, T&C, IMP, MTRS	3,276

THE BIG LIST

JULY 2023

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
4	4 1/2 X .188 - .237 STRUCTURAL, SURPLUS, SHORTS, BARE, MIXED ENDS, RW, OPEN/SPLIT, SMS	5,784
	4 1/2 X .188 ERW, STRUCTURAL, BARE, SQXSQ, 0-1 MW	507
	4 1/2 X .120 #1 ERW A53 GR A/B, USED, ROLL GROOVED ENDS, MTRS	1,058
3	3 1/2 X .625 SEAMLESS 4130 A519 L80, BARE/BLK LAQ, IMP, BXB/SQXSQ	1,737
	3 1/2 X .600 SEAMLESS API 5L/A53B SURPLUS FBE, DOM	907
	3 1/2 X .600 SEAMLESS, SURPLUS, FBE, IMP	1,216
	3 1/2 X .438 SEAMLESS, SURPLUS, FBE, BXB	1,323
	3 1/2 X .437 SEAMLESS A53/A106, SURPLUS, BARE/BLK LAQ, BXB,	786
	3 1/2 X .300 A106 B, SEAMLESS, BARE/BLK LAQ, M&M DOM , BXB, MTRS	13,231
	3 1/2 X .300 ERW A53 GR A, BLK LAQ, IMP, T&C, MTRS	2,394
	3 1/2 X .300 ERW A53 GR B, BLK LAQ, BXB, IMP, MTRS	609
	3 1/2 X .300 ERW API 5L X52, BARE, DOM , MTRS	1,069
	3 1/2 X .300 ERW API X52, SURPLUS, ARO/FBE, IMP, BXB	4,700
	3 1/2 X .300 ERW API X52, SURPLUS, BARE, IMP, BXB	4,252
	3 1/2 X .300 ERW, SURPLUS, BARE	958
	3 1/2 X .300 SEAMLESS, A106 GR B X42, FBE, IMP, BXB, MTRS	1,295
	3 1/2 X .254 9.2# STRUCTURAL, USED, TUBING, BARE, T&C, 0-1 MW	5,192
	3 1/2 X .254 X 31.5' AVG, USED	18,120
	3 1/2 X .254 X SHORTS, USED	2,140
	3 1/2 X .218 (4 OD) ERW, SECONDARY, BARE, TUBING	841
	3 1/2 X .216 A53 GR B, GALVANIZED, IMP, BXB, MTRS	861
	3 1/2 X .216 ERW API 5L X52, SURPLUS, BLK LAQ, IMP, BXB	1,764
	3 1/2 X .216 ERW API 5L X52, SURPLUS, FBE, IMP, BXB	4,944
3 1/2 X .216 ERW, SECONDARY, BARE	1,115	
3 1/2 X .216 SEAMLESS, SURPLUS, FBE, BXB	2,039	
3 1/2 X .216 X 21' A53 GR A, BLK, BXB, IMP, MTRS	945	
3 1/2 X .216 X 21' A53 GR A, BLK LAQ, IMP, T&C, (14 PCS PER BUNDLE)	1,617	
3 1/2 X .216 X 21' A53 GR A, GALVANIZED, IMP, T&C (14 PCS PER BUNDLE)	839	
3 1/2 X .188 ERW API/A53, BARE/BLK LAQ, IMP, BXB, MTRS	4,205	
3 1/2 X .156 SEAMLESS A106 GR B, FBE, BXB	1,804	
3 1/2 X .120 ERW, SECONDARY, BARE, SQXSQ	3,394	
3 X .250 ERW, SECONDARY, BARE, TUBING, TCXTC/SQXSQ	2,430	
2	2 7/8 X .375 SEAMLESS A106, BARE/BLK LAQ, IMP, BXB, MTRS	2,219
	2 7/8 X .286 X 31.5' AVG, 7.9#, USED	5,019
	2 7/8 X .276 ERW A53 GR A, BARE	1,214
	2 7/8 X .276 SEAMLESS API X42/X52, SURPLUS, BLK LAQ, IMP, BXB, MTRS	2,313
	2 7/8 X .217 USED	1,857
	2 7/8 X .217 USED, FIBERGLASS LINED	1,248

THE BIG LIST

JULY 2023

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE	
2	2 7/8 X .217 X 31.5' USED, T&C	1,575	
	2 7/8 X .217 X 31.5' AVG, USED	113,100	
	2 7/8 X .217 #1 6.5 X 31.5' AVG, USED, TUBING, T&C	26,660	
	2 7/8 X .203 ERW A53 GR B/F, GALVANIZED, M&M DOM , T&C, MTRS	2,835	
	2 7/8 X .217 #1 USED TUBING, LINED, BARE, T&C, 31.5' AVG	2,678	
	2 5/8 X .190-.225 X 24' DE-COILED TUBING	4,176	
	2 1/2 SCH 10 A53 GR A, BARE, IMP	2,807	
	2 3/8 X .250 5.95# X 31.5' AVG, USED	30,209	
	2 3/8 X .190 X 31.5' AVG, USED	43,873	
	2 3/8 X .140 X 32' NEW	7,493	
	2 3/8 X 11GA X 24' NEW, TUBING	1,392	
	2 3/8 X .110 STRUCTURAL, BARE, SQXSQ, 0-1 MW	6,182	
	2 3/8 X .090 X 24' NEW, BARE, SQXSQ	10,152	
	2 3/8 X .254 X 31.5' AVG, USED, TUBING, BARE, T&C	1,513	
	2 3/8 X 4.7 X 31.5' USED, TUBING, BARE, T&C, LIGHT PITTING	12,006	
	2 3/8 X 4.7# X 31.5' USED, TUBING, BARE, T&C, LIGHT PITTING	1,040	
	2 3/8 X .281 ERW, SURPLUS, BARE, TUBING, SQXSQ	13,503	
	2 3/8 X .154 ERW, STRUCTURAL, SURPLUS, BARE, BXB/SQXSQ	1,296	
	2 3/8 X .109 ERW, SECONDARY, BARE, SQXSQ	2,555	
	2 3/8 X .154 ERW A53 GR A, ASTM, GALV, T&C, IMP, MTRS	4,631	
	2 3/8 X .154 ERW A53 GR B, GALVANIZED, M&M DOM , BXB, MTRS	2,058	
	2 3/8 X .154 X 21' ERW A53 A, BLK LAQ, T&C, MTRS (26 PCS PER BUNDLE)	2,600	
	2 3/8 X .218 ERW A53 GR A, SURPLUS, BLK LAQ, IMP, T&C, MTRS	10,689	
	2 3/8 X .154 ERW A53 GR B, BLK LAQ, IMP, BXB, MTRS	1,554	
	2 1/16 X .154 X 32' AVG, USED, OCTG	1,645	
	2 X .120 STRUCTURAL BARE RUSTY X 24' (37 PCS PER BUNDLE)	1,272	
	1.9 X .110 X 24' NEW, SQXSQ	1,914	
	1.9 X .090 X 24' NEW, BARE, SQXSQ (61 PCS PER BUNDLE)	25,344	
	1	1.66 X .140 STRUCTURAL, BARE, SQXSQ, 0-1 MW	3,360
		1.66 X .120 X 21' NEW, TUBING, BARE	1,707
		1.66 X .109 STRUCTURAL, BARE, SQXSQ, 0-1 MW	10,857
		1.66 X .083 X 20' 14 GA, NEW	3,900
1.66 X .083 X 20' 14 GA NEW, TUBING, BARE, SQXSQ, (61 PCS PER BUNDLE)		22,170	
1.66 X .083 X 24' 14 GA, NEW		7,224	
1.66 X .083 X 24' 14 GA, NEW, TUBING, BARE, SQXSQ		44,537	
1 1/2 X .145 A53 GR A, BLK LAQ, IMP, T&C		1,166	
1 1/2 X .145 A53 GR A, GALVANIZED, T&C, IMP, MTRS (36 PCS PER BUNDLE)		1,491	
1 1/2 X .145 A53 GR A, BLK LAQ, IMP, T&C, MTRS		2,205	

THE
BIG LIST JULY 2023

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
1	1 1/2 X .145 A53 GR A, NEW, BLK LAQ, IMP, SQXSQ, MTRS	1,722
	1 1/2 X .083 14GA ERW, SURPLUS, BARE, TUBING, SQXSQ	12,904
	1.315 X .120 X 24' NEW (61 PCS PER BUNDLE)	10,050
	1 1/4 X .250 ERW A53 GR A/F, NEW, GALVANIZED, M&M DOM , BXB, MTRS	1,512
	1 1/4 X .140 A53 GR A, NEW, GALVANIZED, IMP, T&C, MTRS	1,596
	1 1/4 X .140 ERW A53 GR A, NEW, GALVANIZED, M&M DOM , T&C, MTRS	3,942
	1 1/4 X .083 X 20' 14GA, BARE, IMP, SQXSQ	10,500
	1 1/4 X .083 X 20' 14GA NEW, BARE, TUBING (127 PCS PER BUNDLE)	25,638
	1 1/4 X .083 X 24' 14GA, NEW, (127 PCS PER BUNDLE)	21,935
	1.05 X .083 X 20' NEW, BARE, SQXSQ	3,474
	1 X .179 SEAMLESS A106 GR B, NEW, GALVANIZED, T&C	2,564
	1 X .133 ERW A53 GR A, BARE/BLK LAQ, IMP	5,544
	1 X .133 ERW A53 GR A/F, GALVANIZED, M&M DOM , T&C, MTRS	9,792
	1 X .133 A53 GR A, BLK LAQ, IMP, SQXSQ, MTRS	2,688
	1 X .133 A53 GR A, GALVANIZED, IMP, T&C, MTRS	1,260
	1 X .133 SCH 40 A53 GR A, BLK LAQ, IMP, T&C, MTRS	2,268
	1 X .133 SCH 40 A53 GR A, NEW, BLK LAQ, IMP, SQXSQ, MTRS	1,575
	1 X .133 SEAMLESS A106 GR B, NEW, FBE, M&M DOM , MTRS	8,470
	3/4	3/4 X .219 SEAMLESS A106 GR B, NEW, BARE, SQXSQ
3/4 X .113 ERW A53 GR A, BLK LAQ, IMP, BXB/SQXSQ, MTRS		2,856
3/4 X .113 ERW A53 GR A, GALVANIZED, IMP, T&C, MTRS		2,037
3/4 X .154 ERW A53 GR A/F, NEW, GALVANIZED, M&M DOM , BXB, MTRS		2,583
3/4 X .113 SCH 40 A53 GR A, NEW, BLK LAQ, IMP, T&C, MTRS		2,100
3/4 X .113 SCH 40 ERW A53 GR F, NEW, GALVANIZED, M&M DOM , T&C, MTRS		1,260
3/4 X .065 16GA ERW, STRUCTURAL, SURPLUS, BARE, TUBING, SQXSQ		20,303
1/2	1/2 X .147 ERW A53 GR B/F, NEW, GALVANIZED, DOM , BXB, MTRS	3,255
	1/2 X .147 SEAMLESS A106 GR B, NEW, BARE/BLK LAQ, SQXSQ	3,581
	1/2 X .109 ERW A53 GR A, NEW, GALVANIZED, M&M DOM , MTRS	4,641
	1/2 X .109 ERW A53 GR A, NEW, GALVANIZED, IMP, SQXSQ, MTRS	2,919
	1/2 X .109 ERW A53 GR A, NEW, GALVANIZED, IMP, T&C, MTRS	4,326
	1/2 X .109 SCH 40 A53 GR A, SURPLUS, BLK LAQ, T&C	2,310
	1/2 X .109 SCH 40 A53 GR A, SURPLUS, BLK LAQ, SQXSQ	1,281
	1/2 X .109 SCH 40 ERW A53 GR F, NEW, FBE, DOM , TXT, MTRS	1,071

Don't see what you're looking for?

Call Today!
800-877-7453