

THE

# BIG LIST

AUGUST  
2023

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
<b>54</b>	54 X .688 DSAW API 5L X56, BLK LAQ, IMP, BXB, <b>MTRS</b>	140
	54 X .562 DSAW A672 GR C70 CLASS 22, BLK LAQ, IMP, <b>MTRS</b>	14
<b>48</b>	48 X 1.188 EFW A671 GR C60 CLASS 32, BLK LAQ	26
	48 X 1.00 SPIRALWELD A252, SURPLUS, BARE	100
	48 X 1.00 ROLLED & WELDED, SURPLUS, BARE, SQXSQ	312
	48 X .841 SPIRALWELD, GALVANIZED, BXB, <b>MTRS</b>	120
	48 X .750 DSAW, SURPLUS, GALVANIZED, INXB	18
	48 X .750 SPIRALWELD, BARE, MIXED ENDS	433
	48 X .750 SPIRALWELD, SECONDARY, BARE, BXSQ/SQXSQ	150
	48 X .750 SURPLUS, API X42, BARE, BXSQ,	26
	48 X .741 SPIRALWELD A252 GR 3, BARE, IMP, BXB/BXSQ	80
	48 X .720 A252 GR 3, SPIRALWELD, IMP, BXTC, <b>MTRS</b>	61
	48 X .598 SPIRALWELD A252 GR 3, ARO,	155
	48 X .598 SPIRALWELD A252 GR 3, BARE, MIXED ENDS, IMP, <b>MTRS</b>	107
	48 X .539 SPIRALWELD A252 GR 3, BARE, <b>M&amp;M DOM</b> , MIXED ENDS, <b>MTRS</b>	1,635
	48 X .539 SPIRALWELD A252 GR 3, FBE, <b>M&amp;M DOM</b> , MIXED ENDS, <b>MTRS</b>	78
	<b>42</b>	42 X .888 STRAIGHTSEAM X70, ARO/FBE, IMP, BXB
42 X .750 SPIRALWELD, SURPLUS, BARE, SQXSQ/BXB		281
42 X .750 SPIRALWELD, USED, BARE, BXB, <b>MTRS</b>		550
42 X .750 SURPLUS, FBE, ROUGH ENDS		111
42 X .740 SPIRALWELD X70, ARO/FBE, IMP, BXB		325
42 X .660 DSAW, BARE, SQXSQ		122
42 X .625 SPIRALWELD, SECONDARY, BARE, FLOWLINER, BXTC, 0-3 MW		162
42 X .625 SPIRALWELD, SECONDARY, BARE, MIXED ENDS, 0-3 MW		5,524
42 X .617 SPIRALWELD X70, SURPLUS, ARO/FBE, <b>DOM</b> , BXB/BXTC, 0-2 MW		1,871
42 X .375 DSAW API 5L X42, ARMA LOCK, IMP, BXB, <b>MTRS</b>		79
42 X .375 DSAW API 5L X42, BARE/MILL LAQ, IMP, <b>MTRS</b>		134
42 X .375 DSAW API 5L X42, FBE, IMP, BXB		145
42 X .375 DSAW, SURPLUS, BARE, SQXSQ		520
42 X .375 ERW API 5L X42, ARMA-LOCK, IMP, BXB, <b>MTRS</b>		1,324
42 X .375 ERW API 5L X42, FBE, IMP, BXB, <b>MTRS</b>	220	
42 X .375 ERW, SURPLUS, PRITEC, BXB	122	
<b>36</b>	36 X .875 SPIRALWELD, USED, ARO, 0-1 MIDS	188
	36 X .750 DSAW API 5L X65 RED FBE <b>MTRS</b>	195
	36 X .750 DSAW API X70, SURPLUS, FBE	386
	36 X .688 USED, SPIRALWELD, FLOWLINER	198
	36 X .634 API 5L X70, ARO	376
	36 X .625 A252 GR 3, BARE, <b>DOM</b> , <b>MTRS</b>	838

THE

# BIG LIST

AUGUST  
2023

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
<b>36</b>	36 X .625 SPIRALWELD A252 GR 3, BARE, <b>DOM, MTRS</b>	160
	36 X .625 SPIRALWELD A252 GR 3, BARE, <b>M&amp;M DOM, MTRS</b>	164
	36 X .618 SPIRALWELD A252 GR 3, SURPLUS, FBE, BXTC	360
	36 X .562 SPIRALWELD A252 GR 3, SURPLUS, BARE, MIXED ENDS	235
	36 X .531 SPIRALWELD, SURPLUS, BARE	140
	36 X .504 SPIRALWELD A252, BARE, IMP <b>MTRS</b>	453
	36 X .500 DSAW API 5L X70/X80, SURPLUS, BARE	142
	36 X .500 DSAW, SURPLUS, FBE, MIXED ENDS	320
	36 X .500 SPIRALWELD API 5L X70, ARO/FBE, BXB, <b>MTRS</b>	361
	36 X .500 SPIRALWELD, SURPLUS, FBE, 0-3 MIDS	133
	36 X .469 DSAW API 5L X70, BARE, IMP	350
	36 X .469 DSAW, SURPLUS, FBE, BLK ID LINER	161
	36 X .465 DSAW, SURPLUS, FBE, BXTC, 0-1 MW	1,448
	36 X .465 SPIRALWELD A252 GR 3, BARE, IMP <b>MTRS</b>	595
	36 X .465 SPIRALWELD API 5L X70, FBE, <b>DOM, MIXED ENDS, MTRS</b>	28,739
	36 X .465 SPIRALWELD, SURPLUS, FBE	174
	36 X .465 STRAIGHT SEAM API 5L X70, BARE/BLK LAQ, IMP	247
	36 X .465 STRAIGHT SEAM API 5L X70, FBE, IMP	5,422
	36 X .465 STRAIGHT SEAM, SURPLUS, FBE	121
	36 X .465 STRAIGHT SEAM API 5L X70, FBE	260
	36 X .429 SPIRALWELD A252 GR 3, BARE, <b>DOM, MTRS</b>	328
	36 X .412 SURPLUS STRAIGHT SEAM, FBE, 0-1 MIDS	232
	36 X .412 USED , FBE, PICKING EYES	210
	36 X .375 DSAW API 5L X42, ARMA-LOCK, IMP <b>MTRS</b>	120
	36 X .375 DSAW API 5L X42, FBE, IMP <b>MTRS</b>	208
	36 X .375 DSAW API 5L X42, SURPLUS, ARO/FBE, <b>DOM, BXB</b>	386
	36 X 1.00 STRAIGHT SEAM API X70, FBE, <b>MTRS</b>	1,829
	36 X .748 SPIRALWELD API X70, BARE, <b>MTRS</b>	189
	36 X .748 SPIRALWELD API X70, ARO, <b>MTRS</b>	3,573
	36 X .748 SPIRALWELD API X70, FBE, <b>MTRS</b>	4,325
	36 X .618 SPIRALWELD API X70, BARE, <b>MTRS</b>	113
	36 X .618 SPIRALWELD API X70, FBE, <b>MTRS</b>	811
	36 X .572 SPIRALWELD API X70, FBE, <b>MTRS</b>	4,940
	36 X .572 SPIRALWELD API X70, BARE, <b>MTRS</b>	638
	36 X .465 SPIRALWELD X70, FBE, WELSPUN, <b>MTRS</b>	7,621
	36 X .465 SPIRALWELD API X70, FBE, <b>DOM, MTRS</b>	46,189
36 X .465 SPIRALWELD API X70, FBE, <b>MTRS</b>	11,080	
<b>34</b>	34 X .680 SPIRALWELD API 5L X70, ARO, 0-1 MIDS, <b>MTRS</b>	1,461

THE

# BIG LIST

AUGUST  
2023

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
<b>34</b>	34 X .505 ERW API 5L X60, FBE, BERG, <b>DOM</b> , BXB, <b>MTRS</b>	312
<b>30</b>	30 X .656 SPIRALWELD API X70, FBE, <b>DOM</b> , <b>MTRS</b>	212
	30 X .625 DSAW API 5L X65, STRUCTURAL, BARE, BXB, DURABOND, <b>M&amp;M DOM</b> , <b>MTRS</b>	5,386
	30 X .625 DSAW API 5L X70, ARO, <b>M&amp;M DOM</b> , BXB, <b>MTRS</b>	475
	30 X .625 DSAW API X70, CLAD, <b>M&amp;M DOM</b> , BERG, <b>MTRS</b>	10,393
	30 X .625 SPIRALWELD A252 GR 3, BARE, <b>DOM</b> , <b>MTRS</b>	585
	30 X .625 SPIRALWELD API 5L X60, SURPLUS, BARE	229
	30 X .625 SPIRALWELD, SURPLUS, BARE	214
	30 X .625 API 5L X70, FBE/ARO, IMP <b>MTRS</b>	230
	30 X .625 SPIRALWELD A252 GR 3, BARE, <b>DOM</b> , <b>MTRS</b>	579
	30 X .625 STRAIGHT SEAM, SURPLUS, BARE, 0-1 MIDS	137
	30 X .618 DSAW API 5L X70, ARO, <b>M&amp;M DOM</b> , <b>MTRS</b>	1,681
	30 X .562 DSAW API 5L X70, FBE, <b>M&amp;M DOM</b> , BXB, <b>MTRS</b>	710
	30 X .500 SPIRALWELD X70, ARO/FBE, IMP, BXB, <b>MTRS</b>	244
	30 X .441 DSAW API 5L X70, FBE, <b>DOM</b> , BERG, BXB, <b>MTRS</b>	312
	30 X .441 DSAW API 5L X70, FBE, <b>DOM</b> , BERG, BXB, 0-1 MW, <b>MTRS</b>	614
	30 X .441 DSAW API 5L X70, FBE, SOME <b>MTRS</b>	9,263
	30 X .441 SPIRALWELD A252, BARE, <b>DOM</b>	490
	30 X .441 SPIRALWELD A252, BARE, <b>DOM</b> MAN ONLY, MIXED ENDS, <b>MTRS</b>	1,326
	30 X .441 SPIRALWELD A252 GR 3, BARE, <b>DOM</b> , <b>MTRS</b>	4,045
	30 X .441 SPIRALWELD API 5L X70, FBE, SOME <b>MTRS</b>	684
	30 X .375 DSAW, USED, BARE, TCXTC, 0-2 MW	2,199
	30 X .375 DSAW, USED, SHORTS/CULVERT, BLK RESIDUE, 0-2 MW	3,265
	30 X .375 SPIRALWELD API 5L X70, SURPLUS, FBE, 0-2 MIDS	185
	30 X .375 USED, BLK PAINT, TCXTC, 0-2 MW	3,562
<b>28</b>	28 X .750 DSAW API 5L X56, BARE, IMP, <b>MTRS</b>	2,101
<b>26</b>	26 X .375 ERW API 5L X65, FBE, <b>M&amp;M DOM</b> , <b>MTRS</b>	200
<b>24</b>	24 X 1.00 ERW A252 GR 3, SURPLUS, BARE, BXB/BXSQ	60
	24 X .750 SPIRALWELD, USED, BARE	50
	24 X .625 DSAW API 5L X60, ARO, IMP, BXB, <b>MTRS</b>	441
	24 X .625 SPIRALWELD A252 GR 3, BARE, <b>DOM</b> , <b>MTRS</b>	1,100
	24 X .625 SPIRALWELD, USED, BARE	151
	24 X .625 USED BARE , 0-1 MIDS	466
	24 X .562 ERW A252 GR 3, BARE, IMP, <b>MTRS</b>	963
	24 X .562 ERW, SURPLUS, CLEANED BARE	184
	24 X .500 ERW API 5L X60 X70, SURPLUS, ARO/FBE, <b>DOM</b> , BXB	1,405
	24 X .500 ERW, SURPLUS, BARE	228
	24 X .500 SPIRALWELD, DRL, SRL, TRL, USED, BARE, TCXTC, <b>M&amp;M DOM</b> , <b>MTRS</b>	4,902

THE

# BIG LIST

AUGUST  
2023

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
24	24 X .375 API 5L X42, USED, BLK LAQ	284
	24 X .375 ERW API 5L X52 X70, FBE, <b>DOM</b> , BXB, <b>MTRS</b>	334
	24 X .375 ERW, STRUCTURAL, BARE, BXB, 1-2 MW	1,102
	24 X .375 ERW, SURPLUS, BARE, MIXED ENDS	190
	24 X .375 SPIRALWELD, SURPLUS, BARE, BXB/SQXSQ	610
	24 X .375 SURPLUS, BARE	677
	24 X .375 USED, HEAVY SALT & PEPPER, BXB	1,126
	24 X .350 USED, FBE, PICKING EYES, 1-2 MIDS	466
	24 X .350 USED, FBE, WELDMENTS, 0-2 MIDS	256
	24 X .350 USED, FBE, WELD TABS, 1-2 MIDS	151
	24 X .312 API 5L X65, FBE, <b>DOM</b> , BXS, <b>MTRS</b>	158
	24 X .281 ERW API 5L X70, BARE, <b>DOM</b> M&M <b>MTRS</b>	161
	22	22 X .625 SURPLUS API X52, BARE/BLK LAQ
22 X .375 DSAW SPIRALWELD API 5L X46, BARE, IMP		4,390
22 X .375 SPIRALWELD DSAW API 5L X46, BARE, IMP, <b>MTRS</b>		160
22 X .281 ERW API X70, SURPLUS, FBE, BXB		650
20	22 X .281 SURPLUS, FBE, BXB	8,273
	20 X .812 ERW API 5L X50/X65, FBE, IMP	112
	20 X .812 API X56, NEW, MIXED ENDS, IMP	131
	20 X .688 SEAMLESS A106 GR B, BARE/BLK LAQ, <b>MTRS</b>	142
	20 X .625 ERW, ID SM, SURPLUS, BARE, BXSQ/BXB, 0-2 MW	171
	20 X .625 ERW A252 GR 2/3, BARE, <b>DOM</b> , <b>MTRS</b>	712
	20 X .625 ERW API 5L X65, ARO, IMP, <b>MTRS</b>	4,880
	20 X .594 ERW API 5L X65 FBE	544
	20 X .594 ERW API 5L X65, BARE, IMP <b>MTRS</b>	175
	20 X .594 SEAMLESS A106 GR B, BARE/BLK LAQ	153
	20 X .562 SURPLUS X70, FBE, BXB	363
	20 X .500 A252 GR 2/3, BARE, <b>DOM</b> , BXB, <b>MTRS</b>	7,319
	20 X .500 API 5L X70 SURPLUS FBE	399
	20 X .500 ERW API 5L X52, ARO/FBE, BXB, IMP, <b>MTRS</b>	161
	20 X .500 ERW X60, FBE, BXB, <b>MTRS</b>	167
	20 X .500 ERW X65, SURPLUS, ARO, BXB	146
	20 X .500 ERW, SURPLUS, BARE, BXB, 1-2 MW	5,291
20 X .500 ERW, SURPLUS, FBE, BXB	431	
20 X .500 ERW, SURPLUS, FBE, BXB/BXTC	202	
20 X .500 SEAMLESS A333 API-5L X52, ARO, BXB	403	
20 X .500 SEAMLESS API 5L X52, ARO/FBE, <b>DOM</b> , BXB, <b>MTRS</b>	205	
20 X .500 SPIRALWELD, SURPLUS, BARE, SQXSQ	1,613	

THE

# BIG LIST

AUGUST  
2023

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
<b>20</b>	20 X .500 USED, SURPLUS, ARO	811
	20 X .500 X60 X65, SURPLUS, BARE/BLK LAQ, IMP, BXB	273
	20 X .438 ERW SURPLUS API 5L X70 FBE	469
	20 X .375 A252 GR 2/3, BARE, <b>DOM</b> , BXB, <b>MTRS</b>	1,681
	20 X .375 API 5L, ARO, <b>M&amp;M DOM</b> , BXS, <b>MTRS</b>	298
	20 X .375 API 5L X60, ARO, <b>M&amp;M DOM</b> , <b>MTRS</b>	503
	20 X .375 ERW API 5L X60, SURPLUS, 3LPP, BXB	148
	20 X .375 ERW API X65, SURPLUS, FBE, BXB	323
	20 X .375 ERW, SURPLUS, BARE, BXB, 1-2 MW	1,202
	20 X .375 #2 USED, FBE/TAR, TCXTC, 0-3 MW	4,808
	20 X .312 ERW A252 GR 3, NEW, BARE, <b>DOM</b> MAN ONLY, <b>MTRS</b>	509
	20 X .294 ERW API 5L X70, FBE, <b>DOM</b> , BXB, <b>MTRS</b>	248
	20 X .281 API 5L X65, FBE, <b>M&amp;M DOM</b> , BXB, <b>MTRS</b>	663
	20 X .375 A252 GR 2/3, BARE, BXB, <b>DOM</b> , <b>MTRS</b>	11,622
	20 X .375 ERW API 5L X65, ARO/FBE, <b>M&amp;M DOM</b> , BXB, <b>MTRS</b>	6,993
	20 X .375 ERW API 5L X65, FBE, BXB, <b>MTRS</b>	1,189
	20 X .375 A252 GR 2/3, BARE, BXB, <b>MTRS</b>	596
	20 X .312 A252 GR 2/3, BARE, BXB, <b>MTRS</b>	568
	20 X .312 ERW A252 GR 3, BARE, <b>DOM</b> , BXB, <b>MTRS</b>	892
	<b>18</b>	18 X .750 ERW A252 GR 3, SURPLUS, BARE, BXB/SQXSQ
18 X .625 ERW ID SEAM, SURPLUS, BARE, 2-5 MW		2,545
18 X .562 ERW, SURPLUS, BARE, BXB		230
18 X .375 ERW API 5L X42 A53 B, BLK LAQ, IMP, BXB, <b>MTRS</b>		7,999
18 X .375 SEAMLESS API 5L X42, FBE, IMP, BXB, <b>MTRS</b>		600
18 X .188 - .250 SPIRALWELD, USED, BARE, TCXTC, 0-1 MW		552
<b>16</b>	16 X .844 SURPLUS SEAMLESS, FBE, SQUARE ENDS,	122
	16 X .688 SURPLUS, CLEANED	142
	16 X .656 SEAMLESS FBE	151
	16 X .625 A252 GR 3, BARE, <b>DOM</b> , <b>MTRS</b>	313
	16 X .625 ERW A500 GR C, BARE, <b>M&amp;M DOM</b> , SQXSQ, <b>MTRS</b>	1,085
	16 X .625 ERW A252 GR 3, SURPLUS, BARE, SQXSQ/SQXTC	400
	16 X .500 A252, SURPLUS, BARE	197
	16 x .500 API X60 ARO BXB <b>DOM</b> W/ SOME <b>MTRS</b>	209
	16 X .500 ERW A252 GR2/3, BARE, <b>DOM</b> , BXB, <b>MTRS</b>	3,615
	16 X .500 ERW A53 GR B A252 GR 3, BARE, BXB, <b>MTRS</b>	722
	16 X .500 ERW API 5L X60, ARO/FBE, <b>DOM</b> , BXB, <b>MTRS</b>	907
	16 X .500 ERW, SURPLUS, BARE, MIXED ENDS	310
16 X .500 GALVANIZED	375	

THE

# BIG LIST

AUGUST  
2023

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
16	16 X .500 LIMITED SERVICE, BARE, <b>M&amp;M DOM, MTRS</b>	254
	16 X .500 SURPLUS, BARE	618
	16 X .375 A252 GR 2/3, NEW, BARE, <b>DOM, MTRS</b>	1,462
	16 X .375 A252 GR 2/3, BARE, <b>DOM, BXB, MTRS</b>	10,215
	16 X .375 ERW A252 GR 2/3, BARE, <b>DOM, BXB, MTRS</b>	2,018
	16 X .375 ERW A53 GR B A252 GR 3, BARE, IMP, BXB, <b>MTRS</b>	625
	16 X .375 ERW, SURPLUS, BARE, MIXED ENDS	601
	16 X .375 ERW, SURPLUS, RED FBE, BXB	419
	16 X .375 ERW ID SEAM A252 GR 3, FBE, SQXSQ, <b>MTRS</b>	300
	16 X .375 SURPLUS, GALVANIZED	291
	16 X .313 A500 GR B, BARE, IMP	223
	16 X .312 ERW, LIMITED SERVICE, BARE, BXB/BXSQ	2,297
	16 X .295 API 5L X65, FBE, <b>DOM, BXB, MTRS</b>	260
	16 X .250 ERW A252 GR 2/3 BARE, <b>DOM, BXB, MTRS</b>	814
	16 X .250 A252 GR2/3, BARE, <b>DOM, BXB, MTRS</b>	6,952
	14	16 X .188 DSAW, USED, BLK LAQ, TCXTC, 2-5 MW
16 X .188 SPIRALWELD, USED, BLK LAQ, TCXTC, 0-2 MW		8,614
14 X .625 DSAW, STRUCTURAL, SURPLUS, BARE		180
14 X .600 SEAMLESS API 5L X65, BARE, <b>M&amp;M DOM, MTRS</b>		926
14 X .600 SEAMLESS API 5L X65, CLEANED BARE, <b>M&amp;M DOM, MIXED ENDS, MTRS</b>		165
14 X .600 SEAMLESS API 5L X65, FBE, <b>M&amp;M DOM, MIXED ENDS, MTRS</b>		125
14 X .600 SEAMLESS API 5L X65, FBE, <b>M&amp;M DOM, MTRS</b>		2,561
14 X .500 ERW, ID SM, SURPLUS, BARE/BLK LAQ, SQXSQ		247
14 X .500 ERW, SURPLUS, ARO/TAR, MIXED ENDS		665
14 X .500 ERW, SURPLUS, BARE, BXB		350
14 X .500 ERW API 5L X52, BARE, <b>DOM, BXB, MTRS</b>		2,819
14 X .500 ERW API 5L X52, FBE, <b>DOM, BXB, MTRS</b>		1,728
14 X .500 ERW API 5L X52, POWERCRETE, <b>DOM, BXB, MTRS</b>		1,163
14 X .438 ERW, SURPLUS, BARE, <b>DOM, SQXSQ</b>		495
14 X .375 ERW, LIMITED SERVICE, BARE, <b>DOM, BXB</b>		1,633
14 X .375 LIMITED SERVICE, NEW, BARE, M&M DOM		1,700
14 X .375 GALVANIZED	760	
14 X .250 ERW, SURPLUS, BARE, SHORTS, SQXSQ	1,427	
12	12 3/4 X .750 ERW, SURPLUS, BARE, WHITE FBE, ID LINER, SQXSQ	164
	12 3/4 X .650 SEAMLESS API X65, BARE	525
	12 3/4 X .625 A500, SURPLUS, BARE	420
	12 3/4 X .625 ERW, STRUCTURAL, SURPLUS, BARE, SQXSQ	733
	12 3/4 X .625 ERW A500 GR B/C, SURPLUS, BARE	230

THE

# BIG LIST

AUGUST  
2023

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
12	12 3/4 X .562 ERW, SURPLUS, BARE, BXB	599
	12 3/4 X .500 ERW A252 GR 3, BARE, <b>M&amp;M DOM</b> , 0-1 MW <b>MTRS</b>	825
	12 3/4 X .500 ERW A53 GR B A252 GR 3, BARE, BXB, <b>MTRS</b>	2,045
	12 3/4 X .500 ERW, SURPLUS, BARE, BXB, <b>MTRS</b>	283
	12 3/4 X .500 ERW, SURPLUS, BARE, MIXED ENDS, 0-1 MW	279
	12 3/4 X .500 ERW, SURPLUS, FBE, TCXTC	372
	12 3/4 X .500 GALVANIZED, MIXED ENDS	367
	12 3/4 X .469 SEAMLESS API 5LB X65, ARO/FBE, IMP, BXB, <b>MTRS</b>	14,244
	12 3/4 X .469 SEAMLESS API 5LB X65, BARE, IMP, BXB, <b>MTRS</b>	9,272
	12 3/4 X .406 ERW, SURPLUS, BARE, BXB	509
	12 3/4 X .375 API X42/X52/X60/X65, SURPLUS, CLEANED BARE	751
	12 3/4 X .375 ERW A500 GR C, BARE, <b>M&amp;M DOM</b> , SQXSQ, <b>MTRS</b>	1,372
	12 3/4 X .375 ERW A53 B A252 GR 3, BARE, BXB, <b>MTRS</b>	722
	12 3/4 X .375 ERW, LIMITED SERVICE, BARE, BXB	208
	12 3/4 X .375 ERW, SURPLUS, FBE	410
	12 3/4 X .375 GALVANIZED, MIXED ENDS, 0-1 MW	455
	12 3/4 X .375 LIMITED SERVICE, MW	473
	12 3/4 X .375 ERW, SURPLUS, BARE, MIXED ENDS	633
	12 3/4 X .375 SURPLUS, BARE, BXB/SQXSQ	847
	12 3/4 X .344 NEW A252 GR 2/3, BARE, <b>DOM</b> , PEB, <b>MTRS</b>	319
	12 3/4 X .330 ERW, SURPLUS, BARE, BXB	2,484
	12 3/4 X .312 ERW API 5L X42 PSL1, BARE, IMP, <b>MTRS</b>	2,311
	12 3/4 X .312 A252 GR 2/3, BARE, <b>DOM</b> , PEB, <b>MTRS</b>	770
	12 3/4 X .250 USED, BARE, SLURRY LINED	386
	12 3/4 X .156 ERW, USED, BARE, SQXSQ, 1-2 MW	2,899
	12 3/4 X .281 ERW, SURPLUS, YELLOW JACKET, BXB	503
	12 3/4 X .281 ERW, SURPLUS, BARE, BXB, 1-2 MW	763
	12 3/4 X .281 X SRL, NEW, STRUCTURAL, MW	1,086
	12 3/4 X .250 ERW A252 GR 2/3, <b>DOM</b> , BXB, <b>MTRS</b>	532
	12 3/4 X .250 ERW API 5L X52, SURPLUS, FBE, IMP, BXB	6,428
	12 3/4 X .250 ERW API 5L X56, CLEANED BARE, <b>MTRS</b>	1,853
	12 3/4 X .250 ERW, STRUCTURAL, SURPLUS, FBE, TCXTC, MW	522
	12 3/4 X .250 ERW, SURPLUS, BARE, BXB	1,640
	12 3/4 X .250 ERW, SURPLUS, BLK LAQ, NOTCHED ENDS	660
	12 3/4 X .250 ERW, SURPLUS, FBE	432
	12 3/4 X .219 ERW 359, FBE, MIXED ENDS, MTR	510
11	11 3/4 X .500 ERW, SURPLUS, BARE, CASING	159
10	10 3/4 X 1.125 SEAMLESS A106, BLK LAQ, IMP, <b>MTRS</b>	146

THE

# BIG LIST

AUGUST  
2023

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
10	10 3/4 X .719 SEAMLESS API, SURPLUS, BARE, BXB/BXTC	329
	10 3/4 X .594 SEAMLESS, SURPLUS, BARE/BLK LAQ	137
	10 3/4 X .500 ERW A53 GR B, IMP <b>MTRS</b>	693
	10 3/4 X .500 ERW API 5L X52 FBE, IMP <b>MTRS</b>	347
	10 3/4 X .500 ERW API 5L X65, ARO/FBE, <b>DOM, MTRS</b>	3,702
	10 3/4 X .500 ERW, STRUCTURAL, BARE	468
	10 3/4 X .500 ERW, STRUCTURAL, BARE, 2 MW	1,522
	10 3/4 X .500 ERW, STRUCTURAL, BARE, MIXED ENDS	1,500
	10 3/4 X .500 ERW, SURPLUS, BARE, BXB	636
	10 3/4 X .500 SEAMLESS API X42, FBE/ARO, IMP <b>MTRS</b>	732
	10 3/4 X .365/.375 ERW API 5L X52, SURPLUS, FBE, IMP, BXB	687
	10 3/4 X .365 ERW API 5L X52, USED, ARO/FBE, IMP, TCXTC	2,538
	10 3/4 X .365 ERW, SURPLUS, 3LPP	666
	10 3/4 X .365 ERW, SURPLUS, 3LPP/PRITEC	1,866
	10 3/4 X .365 ERW, SURPLUS, BARE, ID LINER, BXB	504
	10 3/4 X .365 GALVANIZED, MIXED ENDS	620
	10 3/4 X .365 SEAMLESS API 5L X-42, FBE, <b>DOM, BXB, MTRS</b>	1,202
10 3/4 X .312 STRAIGHT SEAM A252, BARE, <b>DOM, MTRS</b>	205	
10 3/4 X .165 ERW #1 USED A53 GR B, ROLL GROOVED ENDS	37,200	
9	9 5/8 X .472 SURPLUS, CASING, BARE	297
	9 5/8 36# USED, CASING, BARE/BLK LAQ	1,435
	9 5/8 X .350 40# CASING, BLK LAQ	742
8	8 5/8 X .500 ERW, SURPLUS, BARE, BXB	673
	8 5/8 X .500 SEAMLESS, USED, BARE, 1 MW	1,198
	8 5/8 X .438 SEAMLESS API 5L X60, BARE, IMP, BXB, <b>MTRS</b>	859
	8 5/8 X .438 SEAMLESS X60, SURPLUS, BARE, BXB	7,381
	8 5/8 X .322 ERW A53 GR B A252 GR 3, BARE, BXB, <b>MTRS</b>	1,784
	8 5/8 X .322 ERW, SURPLUS, FOAM/PRITEC	564
	8 5/8 X .322 ERW, STRUCTURAL, SURPLUS, BARE, MIXED ENDS, 0-1 RW/MW	10,969
	8 5/8 X .322 ERW, STRUCTURAL, SURPLUS, BARE, SQXSQ, 1-2 MW	3,109
	8 5/8 X .322 GALVANIZED	1,413
	8 5/8 X .277 ERW, SURPLUS, BARE, SQXSQ	747
	8 5/8 X .250 ERW, STRUCTURAL, SURPLUS, BARE, ID SEAM, BXB, 2-5 MW	4,414
	8 5/8 X .250 STRUCTURAL, SURPLUS, BARE, MIXED ENDS, 0-3 MW	7,943
	8 5/8 X .219 ERW, SURPLUS, BARE, BXB/BXSQ, 0-1 MW	964
	8 5/8 X .219 ERW, SURPLUS, BARE, MIXED ENDS, 0-3 MW	3,837
	8 5/8 X .219 ERW, SURPLUS, FBE, BXB, <b>MTRS</b>	1,235
8 5/8 X .188 API X42 X52, SURPLUS, FBE	984	



THE

# BIG LIST

AUGUST  
2023

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
8	8 5/8 X .188 ERW API 5L X42 X52, SURPLUS, FBE, <b>DOM</b> , BXB, <b>MTRS</b>	518
	8 5/8 X .188 ERW, SURPLUS, BARE, BXSQ/SQXSQ	2,895
	8 5/8 X .188 ERW, STRUCTURAL, SURPLUS, BARE, BXB, 1-4 MW	5,067
	8 5/8 X .188 SURPLUS, BARE, BXB/BXSQ, 0-2 MW	697
7	7 X .312 23# #1 USED, TUBING, FIBERGLASS LINED, T&C	377
	7 X .250 ERW, SURPLUS, BARE, SQXSQ	5,380
	7 X .188 ERW, SURPLUS, BARE, SQXSQ	1,161
6	6 5/8 X .280 USED, FBE	888
	6 5/8 X .280 #1 SEAMLESS, USED, BARE/BLK LAQ, BXB, 0-2 MW	1,511
	6 5/8 X .156 - .219 USED, FBE, TXCTC, 1-2 MW	2,494
	6 5/8 X .188 ERW, SURPLUS, BARE, BXB/BXSQ, 0-1 MW	861
	6 5/8 X .188 ERW, STRUCTURAL, BARE, SQXSQ, 0-1 MW	1,147
	6 5/8 X .134 - .188 USED, COAL TAR	3,970
	6 5/8 X .134 ERW, SURPLUS, BARE, MIXED ENDS	863
	6 X .250 ERW, SURPLUS, BARE, SQXSQ	3,341
	6 X .188 ERW, SURPLUS, BARE, SQXSQ	5,021
	5	5 9/16 X .258 SEAMLESS A106 X52, BLK LAQ, IMP, BXB, <b>MTRS</b>
5 9/16 X .134 A53 GR A, GALVENIZED, <b>MTRS</b>		5,376
5 1/2 X 15.5# USED, CASING, BARE, T&C		1,199
4	4 1/2 X .438 SEAMLESS, USED, BARE, TCXTC, 0-2 MW	2,204
	4 1/2 X .337 SEAMLESS, USED, BARE, TCXTC, 0-1 MW	917
	4 1/2 X .237 X 21' A53 GR A, BLK, T&C, IMP, <b>MTRS</b>	3,015
	4 1/2 X .237 X 21' A53 GR A, GALV, T&C, IMP, <b>MTRS</b>	3,234
	4 1/2 X .237 10.5# ERW, USED, CASING, BARE, THXC, SCALING	8,202
	4 1/2 X .188 - .237 STRUCTURAL, SURPLUS, SHORTS, BARE, MIXED ENDS, RW, OPEN/SPLIT, SMS	5,784
	4 1/2 X .120 #1 ERW A53 GR A/B, USED, ROLL GROOVED ENDS, <b>MTRS</b>	1,058
	3 1/2 X .625 SEAMLESS 4130 A519 L80, BARE/BLK LAQ, IMP, BXB/SQXSQ	1,737
3	3 1/2 X .600 SEAMLESS API 5L/A53B SURPLUS, FBE, <b>DOM</b>	907
	3 1/2 X .600 SEAMLESS, SURPLUS, FBE, IMP	1,216
	3 1/2 X .300 A106 B, SEAMLESS, BARE/BLK LAQ, <b>M&amp;M DOM</b> , BXB, <b>MTRS</b>	13,231
	3 1/2 X .300 ERW A53 GR A, BLK LAQ, IMP, T&C, <b>MTRS</b>	2,394
	3 1/2 X .300 ERW API 5L X52, BARE, <b>DOM</b> , <b>MTRS</b>	1,069
	3 1/2 X .300 ERW API X52, SURPLUS, ARO/FBE, IMP, BXB	4,700
	3 1/2 X .300 ERW API X52, SURPLUS, BARE, IMP, BXB	4,207
	3 1/2 X .254 9.2# STRUCTURAL, USED, TUBING, BARE, T&C, 0-1 MW	5,192
	3 1/2 X .254 X 31.5' AVG, USED	16,126
	3 1/2 X .254 X SHORTS, USED	2,140
	3 1/2 X .216 ERW API 5L X52, SURPLUS, BLK LAQ, IMP, BXB	1,764

THE

# BIG LIST

AUGUST  
2023

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
<b>3</b>	3 1/2 X .216 ERW API 5L X52, SURPLUS, FBE, IMP, BXB	4,819
	3 1/2 X .216 ERW, SECONDARY, BARE	1,115
	3 1/2 X .216 SEAMLESS, SURPLUS, FBE, BXB, <b>MTRS</b>	2,128
	3 1/2 X .188 ERW API/A53, BARE/BLK LAQ, IMP, BXB, <b>MTRS</b>	4,205
	3 1/2 X .156 SEAMLESS A106 GR B, FBE, BXB	1,804
	3 1/2 X .120 ERW, SECONDARY, BARE, SQXSQ	3,394
	3 X .250 ERW, SECONDARY, BARE, TUBING, TCXTC/SQXSQ	2,430
<b>2</b>	2 7/8 X .375 SEAMLESS A106, BARE/BLK LAQ, IMP, BXB, <b>MTRS</b>	2,219
	2 7/8 X .286 X 31.5' AVG, 7.9#, USED	5,019
	2 7/8 X .276 SEAMLESS API X42/X52, SURPLUS, BLK LAQ, IMP, BXB, <b>MTRS</b>	2,313
	2 7/8 X .217 #1 6.5 X 31.5' AVG, USED, TUBING, T&C	134,783
	2 7/8 X .217 #1 31.5' AVG, USED, TUBING, LINED, BARE, T&C,	2,678
	2 7/8 X .203 ERW A53 GR B/F, GALVANIZED, <b>M&amp;M DOM</b> , T&C, <b>MTRS</b>	2,835
	2 5/8 X .190-.225 X 24' DECOILED, TUBING	4,176
	2 1/2 SCH 10 A53 GR A, BARE, IMP	2,807
	2 3/8 X .281 ERW, SURPLUS, BARE, TUBING, SQXSQ	13,503
	2 3/8 X .250 5.95# X 31.5' AVG, USED	30,209
	2 3/8 X .218 ERW A53 GR A, SURPLUS, BLK LAQ, IMP, T&C, <b>MTRS</b>	10,689
	2 3/8 X .190 X 31.5' AVG, USED	56,127
	2 3/8 X 4.7# X 31.5' USED, TUBING, BARE, T&C, LIGHT PITTING	12,983
	2 3/8 X .154 ERW A53 GR A, ASTM, GALV, T&C, IMP, <b>MTRS</b>	4,568
	2 3/8 X .154 ERW A53 GR B, BLK LAQ, IMP, BXB, <b>MTRS</b>	1,554
	2 3/8 X .154 ERW A53 GR B, GALVANIZED, <b>M&amp;M DOM</b> , BXB, <b>MTRS</b>	2,058
	2 3/8 X .154 X 21' ERW A53 A, BLK LAQ, T&C, <b>MTRS</b> (26 PCS PER BUNDLE)	2,096
	2 3/8 X .140 X 32' NEW	13,472
	2 3/8 X .110 STRUCTURAL, BARE, SQXSQ, 0-1 MW	6,182
	2 3/8 X .109 ERW, SECONDARY, BARE, SQXSQ	2,555
2 3/8 X .090 X 24' NEW, BARE, SQXSQ	39,744	
<b>1</b>	1.9 X .090 X 24' NEW, BARE, SQXSQ (61 PCS PER BUNDLE)	28,968
	1.66 X .140 STRUCTURAL, BARE, SQXSQ, 0-1 MW	2,793
	1.66 X .120 X 21' NEW, TUBING, BARE	11,396
	1.66 X .109 STRUCTURAL, BARE, SQXSQ, 0-1 MW	10,857
	1.66 X .083 X 20' 14 GA, NEW, TUBING, BARE, SQXSQ, (61 PCS PER BUNDLE)	16,590
	1.66 X .083 X 24' 14 GA, NEW, TUBING, BARE, SQXSQ	65,451
	1 1/2 X .145 A53 GR A, BLK LAQ, IMP, T&C, SOME <b>MTRS</b>	3,224
	1 1/2 X .145 A53 GR A, GALVANIZED, IMP, T&C, <b>MTRS</b> (36 PCS PER BUNDLE)	2,247
	1 1/2 X .083 14GA ERW, SURPLUS, BARE, TUBING, SQXSQ	12,904
	1.315 X .120 X 24' NEW (61 PCS PER BUNDLE)	17,370

THE

# BIG LIST

AUGUST  
2023

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
<b>1</b>	1 1/4 X .140 ERW A53 GR A, NEW, GALVANIZED, <b>M&amp;M DOM</b> , T&C, <b>MTRS</b>	3,942
	1 1/4 X .083 X 20' 14GA NEW, BARE, TUBING (127 PCS PER BUNDLE)	20,354
	1 1/4 X .083 X 24' 14GA, NEW, (127 PCS PER BUNDLE)	21,775
	1.05 X .083 X 20' NEW, BARE, SQXSQ	2,574
	1 X .179 SEAMLESS A106 GR B, NEW, GALVANIZED, T&C	2,564
	1 X .133 A53 GR A, BLK LAQ, IMP, SQXSQ, <b>MTRS</b>	2,688
	1 X .133 ERW A53 GR A, BARE/BLK LAQ, IMP	5,544
	1 X .133 ERW A53 GR A/F, GALVANIZED, <b>M&amp;M DOM</b> , T&C, <b>MTRS</b>	9,792
	1 X .133 SCH 40 A53 GR A, BLK LAQ, IMP, T&C, <b>MTRS</b>	2,247
	1 X .133 SEAMLESS A106 GR B, NEW, FBE, <b>M&amp;M DOM</b> , <b>MTRS</b>	8,470
<b>3/4</b>	3/4 X .219 SEAMLESS A106 GR B, NEW, BARE, SQXSQ	2,274
	3/4 X .154 ERW A53 GR A/F, NEW, GALVANIZED, <b>M&amp;M DOM</b> , BXB, <b>MTRS</b>	2,583
	3/4 X .113 ERW A53 GR A, BLK LAQ, IMP, BXB/SQXSQ, <b>MTRS</b>	2,856
	3/4 X .113 ERW A53 GR A, GALVANIZED, IMP, T&C, <b>MTRS</b>	2,037
	3/4 X .113 SCH 40 A53 GR A, NEW, BLK LAQ, IMP, T&C, <b>MTRS</b>	2,100
	3/4 X .113 SCH 40 ERW A53 GR F, NEW, GALVANIZED, <b>M&amp;M DOM</b> , T&C, <b>MTRS</b>	1,260
	3/4 X .065 16GA ERW, STRUCTURAL, SURPLUS, BARE, TUBING, SQXSQ	20,303
<b>1/2</b>	1/2 X .147 ERW A53 GR B/F, NEW, GALVANIZED, <b>DOM</b> , BXB, <b>MTRS</b>	3,255
	1/2 X .147 SEAMLESS A106 GR B, NEW, BARE/BLK LAQ, SQXSQ	3,581
	1/2 X .109 SCH 40 A53 GR A, SURPLUS, BLK LAQ, T&C	2,310
	1/2 X .109 SCH 40 A53 GR A, SURPLUS, BLK LAQ, SQXSQ	1,281
	1/2 X .109 SCH 40 ERW A53 GR F, NEW, FBE, <b>DOM</b> , TXT, <b>MTRS</b>	1,071
	1/2 X .109 ERW A53 GR A, NEW, GALVANIZED, IMP, SQXSQ <b>MTRS</b>	2,919
	1/2 X .109 ERW A53 GR A, NEW, GALVANIZED, IMP, T&C, <b>MTRS</b>	4,326
	1/2 X .109 ERW A53 GR A, NEW, GALVANIZED, <b>M&amp;M DOM</b> , <b>MTRS</b>	4,641

Don't see what you're  
looking for?

*Call Today!*

**800-877-7453**