

THE

BIGFOOT-AGE LIST

SEPTEMBER
2023

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
54	54 X .688 DSAW API 5L X56, BLK LAQ, IMP, BXB, MTRS	140
	54 X .562 DSAW A672 GR C70 CLASS 22, BLK LAQ, IMP, MTRS	14
48	48 X 1.188 EFW A671 GR C60 CLASS 32, BLK LAQ	26
	48 X 1.00 ROLLED & WELDED, SURPLUS, BARE, SQXSQ	272
	48 X 1.00 SPIRALWELD A252, SURPLUS, BARE	100
	48 X .841 SPIRALWELD, GALVANIZED, BXB, MTRS	120
	48 X .750 DSAW, SURPLUS, GALV, BXINV	18
	48 X .750 SPIRALWELD, BARE, MIXED ENDS	433
	48 X .750 SPIRALWELD, SECONDARY, BARE, BXSQ/SQXSQ	148
	48 X .750 SURPLUS, API X42, BARE, BXSQ	26
	48 X .741 SPIRALWELD A252 GR 3, BARE, IMP, BXB/BXSQ	80
	48 X .720 SPIRALWELD A252 GR 3, IMP, BXTC, MTRS	61
	48 X .598 SPIRALWELD A252 GR 3, ARO	155
	48 X .598 SPIRALWELD A252 GR 3, BARE, IMP, MIXED ENDS, MTRS	107
	48 X .539 SPIRALWELD A252 GR 3, BARE, M&M DOM , MIXED ENDS, MTRS	1,598
	48 X .539 SPIRALWELD A252 GR 3, FBE, M&M DOM , MIXED ENDS, MTRS	78
42	42 X .888 STRAIGHT SEAM X70, ARO/FBE, IMP, BXB	114
	42 X .750 SPIRALWELD, SURPLUS, BARE, SQXSQ/BXB	281
	42 X .750 SPIRALWELD, USED, BARE, BXB, MTRS	430
	42 X .750 SURPLUS, FBE, ROUGH ENDS	111
	42 X .740 SPIRALWELD X70 ARO/FBE, IMP, BXB	325
	42 X .660 DSAW, BARE, SQXSQ	122
	42 X .625 SPIRALWELD, SECONDARY, BARE, FLOWLINER, BXTC, 0-3 MW	162
	42 X .625 SPIRALWELD, SECONDARY, BARE, MIXED ENDS, 0-3 MW	5,506
	42 X .617 SPIRALWELD X70, SURPLUS, ARO/FBE, DOM , BXB/BXTC, 0-2 MW	1,711
	42 X .617 SPIRALWELD X70, SURPLUS, FBE, DOM , 2 MW	161
	42 X .600 SPIRALWELD A252, GR 3, BARE, BXSQ, MTRS	157
	42 X .375 DSAW API 5L X42, ARMA LOCK, IMP, BXB, MTRS	79
	42 X .375 DSAW API 5L X42, FBE, IMP, BXB	145
	42 X .375 DSAW, SURPLUS, BARE, SQXSQ	200
	42 X .375 ERW API 5L X42, FBE, IMP, BXB, MTRS	220
	42 X .375 ERW, SURPLUS, PRITEC, BXB	122
42 X .375 DSAW API 5L X42, BARE/MILL LAQ, IMP, MTRS	134	
42 X .375 ERW API 5L X42, ARMA-LOCK, IMP, BXB, MTRS	1,324	
36	36 X 1.00 STRAIGHT SEAM API X70, FBE, MTRS	886
	36 X .875 SPIRALWELD, USED, ARO, 0-1 MW	188

THE

BIGFOOT PIPE & PILING FOOT-AGE LIST

SEPTEMBER
2023

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
36	36 X .750 DSAW API 5L X65 RED FBE, MTRS	195
	36 X .750 DSAW API X70, SURPLUS, FBE	386
	36 X .750 SPIRALWELD A252 GR 3, BARE/CTD MTRS	70
	36 X .748 SPIRALWELD API X70, ARO, MTRS	3,573
	36 X .748 SPIRALWELD API X70, BARE, MTRS	189
	36 X .748 SPIRALWELD API X70, FBE, MTRS	4,325
	36 X .688 SPIRALWELD, USED, FLOWLINER	198
	36 X .634 API 5L X70, ARO	376
	36 X .625 A252 GR 3, BARE, DOM, MTRS	838
	36 X .625 SPIRALWELD A252 GR 3, BARE, DOM, MTRS	160
	36 X .625 SPIRALWELD A252 GR 3, BARE, M&M DOM, MTRS	164
	36 X .618 SPIRALWELD A252 GR 3, SURPLUS, FBE, BXTC	360
	36 X .618 SPIRALWELD API X70, FBE, MTRS	811
	36 X .412 USED, FBE, PICKING EYES	210
	36 X .579 ERW CSA Z245.1-8 GR 483 CAT II, FBE, IMP, BXB, 0-1 MW, MTRS	11,452
	36 X .572 SPIRALWELD API X70, FBE, MTRS	4,270
	36 X .572 SPIRALWELD API X70, BARE, MTRS	352
	36 X .562 SPIRALWELD A252 GR 3, SURPLUS, BARE, MIXED ENDS	235
	36 X .531 SPIRALWELD, SURPLUS, BARE	140
	36 X .504 SPIRALWELD A252, BARE, IMP, MTRS	523
	36 X .500 DSAW, SURPLUS, FBE, MIXED ENDS	320
	36 X .500 SPIRALWELD API 5L X70, ARO/FBE, BXB, MTRS	241
	36 X .469 DSAW API 5L X70, BARE, IMP	350
	36 X .469 DSAW, SURPLUS, FBE, BLACK ID LINER	161
	36 X .465 DSAW, SURPLUS, FBE, BXTC, 0-1 MW	1,448
	36 X .465 SPIRALWELD A252 GR 3, BARE, IMP, MTRS	595
	36 X .465 SPIRALWELD API 5L X70, FBE, DOM, MIXED ENDS, MTRS	28,739
	36 X .465 SPIRALWELD API X70 BARE, MTRS	287
	36 X .465 SPIRALWELD API X70, FBE, MTRS	11,120
	36 X .465 SPIRALWELD API X70, FBE, DOM, MTRS	44,784
	36 X .465 SPIRALWELD X70, FBE, WELSPUN, MTRS	7,621
	36 X .465 STRAIGHT SEAM API 5L X70, BARE/BLK LAQ, IMP	208
	36 X .465 STRAIGHT SEAM API 5L X70, FBE, IMP	5,683
	36 X .429 SPIRALWELD A252 GR 3, BARE, DOM, MTRS	328
	36 X .412 STRAIGHT SEAM, SURPLUS, FBE, 0-1 MW	232
	36 X .375 DSAW API 5L X42, FBE, IMP, MTRS	208

THE

BIGFOOT PIPE & PILING FOOT-AGE LIST

SEPTEMBER
2023

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
34	34 X .680 SPIRALWELD API 5L X70, ARO, 0-1 MW, MTRS	1,461
34	34 X .505 ERW API 5L X60, FBE, BERG, DOM , BXB, MTRS	312
30	30 X .656 SPIRALWELD API X70, FBE, DOM , MTRS	212
	30 X .625 API 5L X70, FBE/ARO, IMP, MTRS	230
	30 X .625 DSAW API 5L X65, STRUCTURAL, BARE, BXB, DURABOND, M&M DOM , MTRS	5,386
	30 X .625 DSAW API 5L X70, ARO, M&M DOM , BXB, MTRS	475
	30 X .625 DSAW API X70, CLAD, M&M DOM , BERG, MTRS	6,320
	30 X .625 DSAW API X70, CLAD, MTRS	4,074
	30 X .625 SPIRALWELD A252 GR 3, BARE, DOM , MTRS	1,164
	30 X .625 SPIRALWELD API 5L X60, SURPLUS, BARE	229
	30 X .625 SPIRALWELD, SURPLUS, BARE	214
	30 X .618 DSAW API 5L X70, ARO, M&M DOM , MTRS	1,641
	30 X .562 DSAW API 5L X65, FBE/ARO, IMP, MTRS	106
	30 X .562 DSAW API 5L X70, FBE, M&M DOM , BXB, MTRS	710
	30 X .441 DSAW API 5L X70, FBE	2,128
	30 X .441 DSAW API 5L X70, FBE, BERG, DOM , BXB, 0-1 MW, MTRS	614
	30 X .441 DSAW API 5L X70, FBE, BERG, DOM , BXB, MTRS	312
	30 X .441 DSAW API 5L X70, FBE, MTRS	5,234
	30 X .441 SPIRALWELD A252, BARE, DOM	490
	30 X .441 SPIRALWELD A252, BARE, DOM , BXSQ, SHORTS	231
	30 X .441 SPIRALWELD A252, BARE, DOM MFR ONLY, SQXSQ, MTRS	1,095
	30 X .441 SPIRALWELD A252 GR 3, BARE, DOM , MTRS	4,045
	30 X .441 SPIRALWELD API 5L X70, FBE, MTRS	846
	30 X .429 SPIRALWELD API 5L X70, FBE, DOM , MTRS	180
	30 X .375 DSAW, USED, BARE, TCXTC, 0-2 MW	2,159
	30 X .375 DSAW, USED, SHORTS/CULVERT, BLK RES, 0-2 MW	3,265
	30 X .375 SPIRALWELD API 5L X70, SURPLUS, FBE, 0-2 MW	185
	30 X .375 USED, BLK PAINT, TCXTC, 0-2 MW	3,562
28	28 X .750 DSAW API 5L X56, BARE, IMP, MTRS	2,101
26	26 X .375 ERW API 5L X65, FBE, M&M DOM , MTRS	100
24	24 X 1.00 ERW A252 GR 3, SURPLUS, BARE, BXB/BXSQ	20
	24 X .750 SPIRALWELD, USED, BARE	50
	24 X .625 DSAW API 5L X60, ARO, IMP, BXB, MTRS	183
	24 X .625 SPIRALWELD A252 GR 3, BARE, DOM , MTRS	1,100
	24 X .625 SPIRALWELD, USED, BARE	151
	24 X .625 USED, BARE, 0-1 MW	466

THE

BIGFOOT PIPE & PILING FOOT-AGE LIST

SEPTEMBER
2023

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
24	24 X .562 A252-3, ARO, IMP	39
	24 X .562 ERW A252 GR 3, BARE, IMP, MTRS	871
	24 X .562 ERW, SURPLUS, CLEANED BARE	184
	24 X .500 CAT 483, ARO/FBE, IMP, MTRS	50
	24 X .500 ERW A252 GR 3, BARE, IMP, MTRS	153
	24 X .500 ERW API 5L X60, ARO, M&M DOM , BXB, MTRS	168
	24 X .500 ERW API 5L X60 X70, SURPLUS, ARO/FBE, DOM , BXB	1,342
	24 X .500 ERW, SURPLUS, BARE, MIXED ENDS	403
	24 X .500 SPIRALWELD, DRL, TRL, USED, BARE, TCXTC, M&M DOM , MTRS	192
	24 X .500 SPIRALWELD, USED, BARE	297
	24 X .500 SPIRALWELD, USED, SRL, BARE, TCXTC, M&M DOM , MTRS	3,150
	24 X .375 API 5L X42, USED, BLK LAQ	284
	24 X .375 ERW, STRUCTURAL, BARE, BXB, 1-2 MW	1,102
	24 X .375 SPIRALWELD, SURPLUS, BARE, BXB/SQXSQ	610
	24 X .375 SURPLUS, BARE	617
	24 X .375 USED, HEAVY SALT & PEPPER, BXB	1,126
	24 X .350 FBE, PICKING EYES, 1-2 MW	466
	24 X .350 FBE, WELDMENTS, 0-2 MW	256
	24 X .350 FBE, WELD TABS, 1-2 MW	151
	24 X .312 API 5L X65, FBE, DOM , BXS, MTRS	158
24 X .281 ERW API 5L X70, BARE, M&M DOM , MTRS	161	
22	22 X .669 API 5L X52, SURPLUS, BARE/BLK LAQ, IMP	109
	22 X .625 API X52 SURPLUS, BARE/BLK LAQ	411
	22 X .375 DSAW SPIRALWELD API 5L X46, BARE, IMP	4,390
	22 X .375 DSAW SPIRALWELD API 5L X46, BARE, IMP, MTRS	160
	22 X .375 ERW, API X60, SURPLUS, ARO/FBE	106
	22 X .281 ERW API X70, SURPLUS, FBE, BXB	650
	22 X .281 SURPLUS, FBE, BXB	8,273
20	20 X .812 API X56, NEW, MIXED ENDS, IMP	131
	20 X .812 ERW API 5L X50/X65, FBE, IMP	112
	20 X .688 SEAMLESS A106 GR B, BARE/BLK LAQ, MTRS	142
	20 X .625 ERW A252 GR 2/3, BARE, DOM , MTRS	712
	20 X .625 ERW API 5L X65, ARO, IMP, MTRS	4,880
	20 X .625 ERW, ID SM, SURPLUS, BARE, BXSQ/BXB, 0-2 MW	171
	20 X .562 X70, SURPLUS, FBE, BXB,	363
20 X .594 ERW API 5L X65, BARE, IMP, MTRS	175	

THE

BIGFOOT PIPE & PILING FOOT-AGE LIST

SEPTEMBER
2023

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
	20 X .594 ERW API 5L X65, FBE	544
	20 X .594 SEAMLESS A106 GR B, BARE/BLK LAQ,	153
	20 X .500 A252 GR 2/3, BARE, DOM , BXB, MTRS	6,345
	20 X .500 A252 GR 3, BARE, DOM , BXB, MTRS	974
	20 X .500 API 5L X70, SURPLUS, FBE	399
	20 X .500 ERW API 5L X52, ARO/FBE, BXB, IMP, MTRS	161
	20 X .500 ERW, SURPLUS, BARE, BXB, 1-2 MW	5,291
	20 X .500 ERW, SURPLUS, FBE, BXB	633
	20 X .500 ERW X60, FBE, BXB, MTRS	167
	20 X .500 ERW X65, SURPLUS, ARO, BXB	146
	20 X .500 SEAMLESS API 5L X52 A333, ARO, BXB	403
	20 X .500 SEAMLESS API 5L X52, ARO/FBE, DOM , BXB, MTRS	205
	20 X .500 SEAMLESS, SURPLUS, ARO	193
	20 X .500 SPIRALWELD, SURPLUS, BARE, SQXSQ	1,613
	20 X .500 SURPLUS, USED, ARO	811
	20 X .500 X60 X65, SURPLUS, BARE/BLK LAQ, IMP, BXB	273
	20 X .438 ERW API 5L X70, SURPLUS, FBE	469
	20 X .406 A252 GR 2/3, BARE, DOM , MTRS	107
	20 X .375 #2 USED, FBE/TAR, TCXTC, 0-3 MW	3,126
	20 X .375 A252 GR 2/3, BARE, DOM , BXB, MTRS	13,899
	20 X .375 API 5L X60, ARO, M&M DOM , MTRS	640
	20 X .375 ERW API 5L X60, SURPLUS, 3LPP, BXB	353
	20 X .375 ERW API 5L X65, ARO/FBE, M&M DOM , BXB, MTRS	6,486
	20 X .375 ERW API 5L X65, FBE, BXB, MTRS	1,189
	20 X .375 ERW API X65, SURPLUS, FBE, BXB	323
	20 X .375 ERW, SURPLUS, BARE, BXB, 1-2 MW	1,202
	20 X .375 ERW, SURPLUS, BARE, MIXED ENDS	25
	20 X .344 A252 GR 3, BARE, EVRAZ, IMP, BXS	104
	20 X .312 A252 GR 2/3, BARE, BXB, MTRS	568
	20 X .312 ERW A252 GR 3, NEW, BARE, DOM MFR ONLY, MTRS	509
	20 X .312 ERW A252 GR 3, BARE, DOM , BXB, MTRS	771
	20 X .312 ERW, SURPLUS, RED FBE, BXB	41
	20 X .294 ERW API 5L X70, FBE, DOM , BXB, MTRS	248
	20 X .281 API 5L X65, FBE, M&M DOM , BXB, MTRS	663
18	18 X .750 ERW A252 GR 3, SURPLUS, BARE, BXB/SQXSQ	349
	18 X .625 ERW, SURPLUS, STRUCTURAL, BARE	128

THE

BIGFOOT PIPE & PILING FOOT-AGE LIST

SEPTEMBER
2023

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
18	18 X .625 ERW ID SEAM, SURPLUS, BARE, 2-5 MW	2,545
	18 X .562 ERW, SURPLUS, BARE, BXB	230
	18 X .375 #2 SEAMLESS, USED, BLK LAQ/BARE, BXB	131
	18 X .375 ERW API 5L X42 A53 B, BLK LAQ, IMP, BXB, MTRS	7,980
	18 X .375 SEAMLESS API 5L X42, FBE, IMP, BXB, MTRS	800
16	18 X .188 - .250 SPIRALWELD, USED, BARE, TCXTC, 0-1 MW	526
	16 X .844 SEAMLESS, SURPLUS, FBE, SQXSQ	122
	16 X .688 SURPLUS, CLEANED	142
	16 X .656 SEAMLESS FBE	151
	16 X .625 A252 GR 3, BARE, DOM, MTRS	179
	16 X .625 ERW A252 GR 3, SURPLUS, BARE, SQXSQ/SQXTC	400
	16 X .625 ERW A500 GR C, BARE, M&M DOM, MTRS	1,085
	16 X .563 A252 GR 3, BARE, IMP, MTRS	143
	16 X .500 A252, SURPLUS, BARE	197
	16 X .500 ERW A252 GR 2/3, BARE, DOM, BXB, MTRS	3,615
	16 X .500 ERW A53 GR B A252 GR 3, BARE, BXB, MTRS	722
	16 X .500 ERW API 5L X60, ARO/FBE, DOM, BXB, MTRS	864
	16 X .500 ERW, SURPLUS, BARE, MIXED ENDS	310
	16 X .500 GALVANIZED	375
	16 X .500 LIMITED SERVICE, BARE, M&M DOM, MTRS	254
	16 X .500 SURPLUS, BARE	618
	16 X .375 A252 GR 2/3, BARE, DOM, BXB, MTRS	11,677
	16 X .375 ERW A252 GR 2/3, BARE, DOM, BXB, MTRS	1,100
	16 X .375 ERW A53 GR B A252 GR 3, BARE, IMP, BXB, MTRS	585
	16 X .375 ERW API 5L X52, BLK LAQ, IMP, BXB, MTRS	934
	16 X .375 ERW, SURPLUS, BARE, MIXED ENDS	601
	16 X .375 ERW, SURPLUS, RED FBE, BXB	419
	16 X .375 SURPLUS, GALVANIZED	291
	16 X .313 A500 GR B, BARE, IMP	223
	16 X .312 ERW LIMITED SERVICE, BARE, BXB/BXSQ	2,335
	16 X .312 SURPLUS, BARE	204
	16 X .295 API 5L X65, FBE, DOM, BXB, MTRS	260
16 X .281 ERW A500, BARE, BXB	366	
16 X .250 A252 GR2/3, BARE, DOM, BXB, MTRS	6,952	
16 X .250 ERW A252 GR 2/3 BARE, DOM, BXB, MTRS	280	
16 X .188 DSAW, USED, BLK LAQ, TCXTC, 2-5 MW	2,486	

THE

BIGFOOT PIPE & PILING FOOT-AGE LIST

SEPTEMBER
2023

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
16	16 X .188 SPIRALWELD, USED, BLK LAQ, TCXTC, 0-2 MW	5,830
14	14 X .625 DSAW, SURPLUS, STRUCTURAL, BARE	180
	14 X .600 SEAMLESS API 5L X65, BARE, M&M DOM , MTRS	1,092
	14 X .600 SEAMLESS API 5L X65, FBE, M&M DOM , MTRS	2,644
	14 X .500 ERW API 5L X52, BARE, DOM , BXB , MTRS	2,819
	14 X .500 ERW API 5L X52, FBE, DOM , BXB , MTRS	1,727
	14 X .500 ERW API 5L X52, POWERCRETE, DOM , BXB , MTRS	1,154
	14 X .500 ERW, ID SM, SURPLUS, BARE/BLK LAQ, SQXSQ	247
	14 X .500 ERW, SURPLUS, ARO/TAR, MIXED ENDS	665
	14 X .500 ERW, SURPLUS, BARE, BXB	350
	14 X .438 ERW, SURPLUS, BARE, DOM , SQXSQ	495
	14 X .375 ERW, LIMITED SERVICE, BARE, DOM , BXB	3,115
	14 X .375 ERW, SURPLUS, YELLOW JACKET, BXB	169
	14 X .375 GALVANIZED	760
	14 X .250 ERW, SURPLUS, BARE, SHORTS, SQXSQ	1,428
12	12 3/4 X .750 ERW, SURPLUS, BARE, WHITE FBE, ID LINER, SQXSQ	164
	12 3/4 X .650 SEAMLESS API X65, BARE	525
	12 3/4 X .625 ERW, STRUCTURAL, BARE, SQXSQ	105
	12 3/4 X .625 ERW, STRUCTURAL, SURPLUS, BARE, SQXSQ	733
	12 3/4 X .625 ERW SURPLUS A500 GR B/C, BARE	230
	12 3/4 X .625 SURPLUS A500 BARE	420
	12 3/4 X .562 ERW, SURPLUS, BARE, BXB	599
	12 3/4 X .500 ERW, SURPLUS, FBE, TCXTC	372
	12 3/4 X .500 ERW A53 GR B A252 GR 3, BARE, BXB , MTRS	2,045
	12 3/4 X .500 ERW A252 GR 3, BARE, M&M DOM , 0-1 MW MTRS	825
	12 3/4 X .500 GALVANIZED, MIXED ENDS	326
	12 3/4 X .469 SEAMLESS API 5LB X65, BARE, IMP , BXB , MTRS	572
	12 3/4 X .469 SEAMLESS API 5LB X65, ARO/FBE, IMP , BXB , MTRS	14,090
	12 3/4 X .469 SEAMLESS, API 5LB X65, BARE, IMP , BXB , MTRS	7,474
	12 3/4 X .406 ERW, SURPLUS, BARE, BXB	509
	12 3/4 X .375 ERW A500 GR C, BARE, M&M DOM , SQXSQ, MTRS	1,067
	12 3/4 X .375 LIMITED SERVICE, MW	473
	12 3/4 X .375 ERW, SURPLUS, BARE, BXB / BXTC	392
	12 3/4 X .375 ERW SURPLUS, FBE	410
	12 3/4 X .375 GALVANIZED, MIXED ENDS, 0-1 MW	455
	12 3/4 X .375 SURPLUS, BARE, BXB /SQXSQ	469

THE

BIGFOOT PIPE & PILING FOOT-AGE LIST

SEPTEMBER
2023

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
12	12 3/4 X .375 SURPLUS, GREEN/RED FBE	305
	12 3/4 X .344 A252 GR 2/3, NEW, BARE, DOM , PEB, MTRS	319
	12 3/4 X .330 ERW, SURPLUS, BARE, BXB	2,484
	12 3/4 X .312 A252 GR 2/3, BARE, DOM , PEB, MTRS	770
	12 3/4 X .312 ERW API 5L X42 PSL1, BARE, IMP, MTRS	2,101
	12 3/4 X .281 ERW, SURPLUS, BARE, BXB, 1-2 MW	763
	12 3/4 X .281 ERW, SURPLUS, YELLOW JACKET, BXB	503
	12 3/4 X .281 X SRL, NEW, STRUCTURAL, MW	1,086
	12 3/4 X .250 ERW A252 GR 2/3, DOM , BXB, MTRS	532
	12 3/4 X .250 ERW API 5L X52, SURPLUS, FBE, IMP, BXB	6,428
	12 3/4 X .250 ERW API 5L X56, CLEANED BARE, SOME MTRS	629
	12 3/4 X .250 ERW, STRUCTURAL, SURPLUS, FBE, TCXTC, MW	522
	12 3/4 X .250 ERW, SURPLUS, BARE, BXB	1,397
	12 3/4 X .250 ERW SURPLUS, BLK LAQ, NOTCHED ENDS	660
	12 3/4 X .250 ERW, SURPLUS, FBE	432
	12 3/4 X .219 ERW 359, FBE, MIXED ENDS, MTR	510
	12 3/4 X .156 ERW, USED, BARE, SQXSQ, 1-2 MW	2,899
10	10 3/4 X .500 ERW A53 GR B, IMP, MTRS	693
	10 3/4 X .500 ERW API 5L X52 FBE, IMP, MTRS	682
	10 3/4 X .500 ERW API 5L X65, ARO/FBE, DOM , MTRS	3,702
	10 3/4 X .500 ERW, STRUCTURAL, BARE, MIXED ENDS	3,572
	10 3/4 X .500 ERW, SURPLUS, BARE, BXB	636
	10 3/4 X .500 SEAMLESS API X42, FBE/ARO, IMP, MTRS	732
	10 3/4 X .500, SURPLUS, BARE, MIXED ENDS	598
	10 3/4 X .365 / .375 SURPLUS ERW API 5L X52 FBE IMP BXB	801
	10 3/4 X .365 ERW API 5L X52, USED, ARO/FBE, IMP, TCXTC	2,538
	10 3/4 X .365 ERW, STRUCTURAL, SURPLUS, FBE, MIXED ENDS	547
	10 3/4 X .365 ERW, SURPLUS, 3LPP	666
	10 3/4 X .365 ERW, SURPLUS, 3LPP/PRITEC	1,866
	10 3/4 X .365 ERW, SURPLUS, BARE, ID LINER, BXB	504
	10 3/4 X .365 ERW, SURPLUS, BXB	387
	10 3/4 X .365 ERW, SURPLUS, PRITEC, BXB	444
	10 3/4 X .365 GALVANIZED, MIXED ENDS	454
	10 3/4 X .365 SEAMLESS API 5L X-42, FBE, DOM , BXB, MTRS	996
10 3/4 X .279 ERW, SURPLUS, BARE, BXB	430	
10 3/4 X .165 ERW #1 USED A53 GR B, ROLL GROOVED ENDS	34,640	

THE

BIGFOOT-AGE LIST

SEPTEMBER
2023

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
9	9 5/8 X .472 SURPLUS, BARE CASING	297
	9 5/8 X .434 36# USED CASING, BARE/BLK LAQ	1,435
	9 5/8 X .350 40# NEW, CASING, BLK LAQ	742
8	8 5/8 X .500 ERW, SURPLUS, BARE, BXB	1,207
	8 5/8 X .500 SEAMLESS, USED, BARE, 1 MW	1,198
	8 5/8 X .438 SEAMLESS API 5L X60, BARE, IMP, BXB, MTRS	859
	8 5/8 X .438 SEAMLESS X60, SURPLUS, BARE, BXB	7,356
	8 5/8 X .322 ERW A53 GR B A252 GR 3, BARE, BXB, MTRS	1,744
	8 5/8 X .322 ERW, STRUCTURAL, SURPLUS, BARE, MIXED ENDS, 0-1 RW/MW	10,927
	8 5/8 X .322 ERW, STRUCTURAL, SURPLUS, BARE, SQXSQ, 1-2 MW, BUNDLED	3,109
	8 5/8 X .322 GALVANIZED	1,183
	8 5/8 X .277 ERW, SURPLUS, BARE, SQXSQ	726
	8 5/8 X .250 ERW, STRUCTURAL, SURPLUS, BARE, ID SEAM, BXB, 2-5 MW	4,414
	8 5/8 X .250 STRUCTURAL, SURPLUS, BARE, MIXED ENDS, 0-3 MW	8,011
	8 5/8 X .219 ERW, SURPLUS, BARE, MIXED ENDS, 0-3 MW	3,837
	8 5/8 X .219 ERW, SURPLUS, FBE, BXB, MTRS	1,235
	8 5/8 X .219 ERW, SURPLUS, BARE, BXB/BXSQ, 0-1 MW	1,025
	8 5/8 X .188 API X42 X52, SURPLUS, FBE	984
8 5/8 X .188 ERW, STRUCTURAL, SURPLUS, BARE, BXB, 1-4 MW	5,067	
8 5/8 X .188 ERW, SURPLUS, BARE, BXSQ/SQXSQ	2,895	
8 5/8 X .188 SURPLUS, BARE, BXB/BXSQ, 0-2 MW	697	
7	7 X .250 ERW, SURPLUS, BARE, SQXSQ	5,380
	7 X .188 ERW, SURPLUS, BARE, SQXSQ	1,161
6	6 5/8 X .432 SURPLUS, BARE, TCXTC	584
	6 5/8 X .280 ERW, STRUCTURAL, BARE, SQXSQ, 0-1 MW	944
	6 5/8 X .280 #1 SEAMLESS, USED, BARE/BLK LAQ, BXB, 0-2 MW	1,469
	6 5/8 X .280 #1 USED, BARE/BLK LAQ, BXB, 0-1 MW	1,753
	6 5/8 X .280 ERW API X52 A53 B, USED, ARO/FBE, TCXTC	7,152
	6 5/8 X .280 USED, FBE	888
	6 X .250 ERW, SURPLUS, BARE, SQXSQ	3,358
	6 5/8 X .188 ERW, SURPLUS, BARE, BXB/BXSQ, 0-1 MW	861
	6 5/8 X .188 ERW, STRUCTURAL, BARE, SQXSQ, 0-1 MW	1,060
	6 5/8 X .156 - .219 USED, FBE, TXCTC, 1-2 MW	9,027
	6 5/8 X .134 - .188 USED, COAL TAR	3,970
	6 5/8 X .134 ERW, SURPLUS, BARE, MIXED ENDS	822
	6 X .188 ERW, SURPLUS, BARE, SQXSQ	5,021

THE

BIGFOOT PIPE & PILING FOOT-AGE LIST

SEPTEMBER
2023

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
5	5 9/16 X .258 SEAMLESS A106 X52, BLK LAQ, IMP, BXB, MTRS	380
	5 9/16 X .134 A53 GR A, GALVENIZED, MTRS	5,376
4	5 1/2 X .244 15.5# USED, CASING, BARE, T&C	1,098
	4 1/2 X .438 SEAMLESS, USED, BARE, TCXTC, 0-2 MW	2,204
	4 1/2 X .237 10.5# ERW, USED, CASING, BARE, THXC, SCALING	5,120
	4 1/2 X .237 X 21' A53 GR A, GALV, T&C, IMP, MTRS	3,150
	4 1/2 X .237 X 21' A53 GR A, BLK, T&C, IMP, MTRS	3,015
3	4 1/2 X .188 - .237 STRUCTURAL, SURPLUS, SHORTS, BARE, MIXED ENDS, RW, OPEN/SPLIT, SMS	5,620
	3 1/2 X .625 SEAMLESS 4130 A519 L80, BARE/BLK LAQ, IMP, BXB/SQXSQ	1,737
	3 1/2 X .600 SEAMLESS, SURPLUS, FBE, IMP	1,216
	3 1/2 X .438 SEAMLESS, SURPLUS, FBE, BXB	1,323
	3 1/2 X .300 ERW A53 GR A, BLK LAQ, IMP, T&C, MTRS	2,289
	3 1/2 X .300 ERW API X52, SURPLUS, BARE, IMP, BXB	4,207
	3 1/2 X .300 ERW API X52, SURPLUS, ARO/FBE, IMP, BXB	4,700
	3 1/2 X .300 SEAMLESS, A106 GR B, BARE/BLK LAQ, M&M DOM , BXB, MTRS	13,231
	3 1/2 X .300 SEAMLESS, A106 GR B X42, FBE, IMP, BXB, MTRS	1,295
	3 1/2 X .254 9.2# STRUCTURAL, USED, TUBING, BARE, T&C, 0-1 MW	5,192
	3 1/2 X .254 X 31.5' AVG, USED	12,756
	3 1/2 X .254 X SHORTS, USED	2,140
	3 1/2 X .216 ERW API 5L X52, SURPLUS, FBE, IMP, BXB	4,819
	3 1/2 X .216 ERW API 5L X52, SURPLUS, BLK LAQ, IMP, BXB	1,596
	3 1/2 X .216 SEAMLESS, SURPLUS, FBE, BXB, MTRS	2,128
	3 1/2 X .188 ERW API/A53, BARE/BLK LAQ, IMP, BXB, MTRS	4,205
	2	3 1/2 X .156 SEAMLESS A106 GR B, FBE, BXB
3 1/2 X .120 ERW, SECONDARY, BARE, SQXSQ		3,394
3 X .250 ERW SECONDARY, BARE, TUBING, TCXTC/SQXSQ		2,430
2 7/8 X .375 SEAMLESS A106, BARE/BLK LAQ, IMP, BXB, MTRS		2,219
2 7/8 X .286 X 31.5' AVG, 7.9#, USED		1,292
2 7/8 X .286 X 31.5' AVG, 7.9#, USED		3,129
2 7/8 X .276 ERW A53 GR A, BARE		1,214
2 7/8 X .276 SEAMLESS API X42/X52, SURPLUS, BLK LAQ, IMP, BXB, MTRS		2,313
2 7/8 X .217 USED, FIBERGLASS LINED		1,248
2 7/8 X .217 USED		1,857
2 7/8 X .217 X 31.5' USED, T&C		1,575
2 7/8 X .217 X 31.5' AVG, ERW, USED, BARE	95,051	
2 7/8 X .217 #1 X 31.5' AVG, USED, TUBING, LINED, BARE, T&C	2,678	

THE

BIGFOOT PIPE & PILING FOOT-AGE LIST

SEPTEMBER
2023

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE	
2	2 7/8 X .217 #1 6.5 X 31.5' AVG, USED, TUBING, T&C	40,016	
	2 7/8 X .203 ERW A53 GR B/F, GALVANIZED, M&M DOM , T&C, MTRS	2,835	
	2 5/8 X .190-.225 X 24' DE-COILED TUBING	4,176	
	2 1/2 SCH 10 A53 GR A, BARE, IMP	2,543	
	2 3/8 X .250 5.95# X 31.5' AVG, USED	30,209	
	2 3/8 X .190 X 31.5' AVG, USED	59,308	
	2 3/8 X .140 X 32' ERW, BARE	13,472	
	2 3/8 X 11GA X 24' NEW, TUBING	1,392	
	2 3/8 X .110 STRUCTURAL, BARE, SQXSQ, 0-1 MW	6,182	
	2 3/8 X .090 X 24' NEW, BARE, SQXSQ	39,696	
	2 1/16 X .154 X 32' AVG, USED, OCTG	1,557	
	2 3/8 X .254 X 31.5' AVG, USED, TUBING, BARE, T&C	1,261	
	2 3/8 X .281 ERW, SURPLUS, BARE, TUBING, SQXSQ	13,503	
	2 3/8 X .218 ERW A53 GR A, SURPLUS, BLK LAQ, IMP, T&C, MTRS	6,783	
	2 3/8 X .190 4.7# X 31.5' USED, TUBING, BARE, T&C, LIGHT PITTING	12,416	
	2 3/8 X .154 ERW A53 GR A, ASTM, GALV, T&C, IMP, MTRS	4,547	
	2 3/8 X .154 ERW A53 GR B, BARE/BLK LAQ, BXB	1,323	
	2 3/8 X .154 ERW A53 GR B, BLK LAQ, IMP, BXB, MTRS	1,512	
	2 3/8 X .154 ERW A53 GR B, GALVANIZED, M&M DOM , BXB, MTRS	2,058	
	2 3/8 X .154 ERW, STRUCTURAL, SURPLUS, BARE, BXB/SQXSQ	1,296	
	2 3/8 X .109 ERW, SECONDARY, BARE, SQXSQ	2,555	
	2 X .120 STRUCTURAL BARE RUSTY X 24' (37 PCS PER BUNDLE)	1,272	
	1.9 X .110 X 24' NEW, SQXSQ	1,914	
	1.9 X .090 X 24' NEW, BARE, SQXSQ (61 PCS PER BUNDLE)	11,880	
	1	1.66 X .140 STRUCTURAL, BARE, SQXSQ, 0-1 MW	2,793
		1.66 X .120 X 21' NEW, TUBING, BARE	8,749
		1.66 X .109 STRUCTURAL, BARE, SQXSQ, 0-1 MW	10,857
1.66 X .083 X 24' 14 GA, NEW, TUBING, BARE, SQXSQ		60,187	
1.66 X .083 X 20' 14 GA NEW, TUBING, BARE, SQXSQ, (61 PCS PER BUNDLE)		17,803	
1 1/2 X .145 A53 GR A, BLK LAQ, IMP, T&C, MTRS		2,058	
1 1/2 X .145 A53 GR A, GALVANIZED, IMP, T&C, MTRS (36 PCS PER BUNDLE)		2,247	
1 1/2 X .145 A53 GR A, NEW, BLK LAQ, IMP, SQXSQ, MTRS		1,722	
1 1/2 X .083 14GA ERW, SURPLUS, BARE, TUBING, SQXSQ		12,904	
1.315 X .120 X 24' NEW (61 PCS PER BUNDLE)		17,370	
1 1/4 X .083 X 20' 14GA NEW, BARE, TUBING (127 PCS PER BUNDLE)		17,794	
1 1/4 X .083 X 20' 14GA, BARE, IMP, SQXSQ		1,760	

THE

BIGFOOT-AGE LIST

**SEPTEMBER
2023**

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
1	1 1/4 X .083 14GA, X 24' NEW, (127 PCS PER BUNDLE)	21,655
	1 1/4 X .140 A53 GR A, NEW, GALVANIZED, IMP, T&C, MTRS	1,491
	1 1/4 X .250 ERW A53 GR A/F, NEW, GALVANIZED, M&M DOM , BXB, MTRS	1,512
	1 1/4 X .140 ERW A53 GR A, NEW, GALVANIZED, M&M DOM , T&C, MTRS	3,942
	1.05 X .083 X 20' NEW, BARE, SQXSQ	2,514
	1 X .133 ERW A53 GR A, BARE/BLK LAQ, IMP	5,544
	1 X .179 SEAMLESS A106 GR B, NEW, GALVANIZED, T&C	2,564
	1 X .133 A53 GR A, BLK LAQ, IMP, SQXSQ, MTRS	2,688
	1 X .133 ERW A53 GR A/F, GALVANIZED, M&M DOM , T&C, MTRS	9,792
	1 X .133 SCH 40 A53 GR A, BLK LAQ, IMP, T&C, MTRS	1,827
	1 X .133 SCH 40 A53 GR A, NEW, BLK LAQ, IMP, SQXSQ, MTRS	1,575
	1 X .133 SEAMLESS A106 GR B, NEW, FBE, M&M DOM , MTRS	8,470
	3/4	3/4 X .219 SEAMLESS A106 GR B, NEW, BARE, SQXSQ
3/4 X .154 ERW A53 GR A/F, NEW, GALVANIZED, M&M DOM , BXB, MTRS		2,583
3/4 X .113 ERW A53 GR A, GALVANIZED, IMP, T&C, MTRS		2,037
3/4 X .113 SCH 40 A53 GR A, NEW, BLK LAQ, IMP, T&C, MTRS		2,100
3/4 X .113 ERW A53 GR A, BLK LAQ, IMP, BXB/SQXSQ, MTRS		2,856
3/4 X .065 16 GA ERW, STRUCTURAL/SURPLUS, BARE, TUBING, SQXSQ		20,303
1/2	1/2 X .147 ERW A53 GR B/F, NEW, GALVANIZED, DOM , BXB, MTRS	3,255
	1/2 X .147 SEAMLESS A106 GR B, NEW, BARE/BLK LAQ, SQXSQ	3,581
	1/2 X .109 SCH 40 A53 GR A, SURPLUS, BLK LAQ, T&C	3,444
	1/2 X .109 ERW A53 GR A, NEW, GALVANIZED, IMP, SQXSQ MTRS	2,919
	1/2 X .109 ERW A53 GR A, NEW, GALVANIZED, IMP, T&C, MTRS	4,326
	1/2 X .109 ERW A53 GR A, NEW, GALVANIZED, M&M DOM , MTRS	4,641

Don't see what you're
looking for?

Call Today!

800-877-7453