

THE

# BIG LIST

OCTOBER  
2023

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
<b>54</b>	54 X .688 DSAW API 5L X56, BLK LAQ, IMP, BXB, MTRS	100
	54 X .562 DSAW A672 GR C70 CLASS 22, BLK LAQ, IMP, MTRS	14
<b>48</b>	48 X 1.188 EFW A671 GR C60 CLASS 32, BLK LAQ	26
	48 X 1.00 ROLLED & WELDED, SURPLUS, BARE, SQXSQ	273
	48 X 1.00 SPIRALWELD A252, SURPLUS, BARE	100
	48 X .841 SPIRALWELD, GALVANIZED, BXB, MTRS	120
	48 X .750 DSAW, SURPLUS, GALV, INXB	18
	48 X .750 SPIRALWELD, SECONDARY, BARE, BXSQ /SQXSQ	581
	48 X .750 SURPLUS, API X42, BARE, BXSQ,	26
	48 X .720 A252 GR 3, SPIRALWELD, IMP, BXTC, MTRS	61
	48 X .598 A252 GR 3, SPIRALWELD, ARO,	155
	48 X .598 SPIRALWELD A252 GR 3, BARE, IMP, MIXED ENDS, MTRS	107
	48 X .539 SPIRALWELD A252 GR 3, BARE, <b>M&amp;M DOM</b> , MIXED ENDS, MTRS	1,598
	48 X .539 SPIRALWELD A252 GR 3, FBE, <b>M&amp;M DOM</b> , MIXED ENDS, MTRS	78
<b>42</b>	42 X .888 STRAIGHTSEAM X70, ARO/FBE, IMP, BXB	114
	42 X .750 SPIRALWELD, USED, BARE, BXB, MTRS	417
	42 X .750 SPIRALWELD, SURPLUS, BARE, SQXSQ/BXB	198
	42 X .750 SURPLUS, FBE, ROUGH ENDS	111
	42 X .740 SPIRALWELD X70, ARO/FBE, IMP, BXB	325
	42 X .660 DSAW, BARE, SQXSQ	122
	42 X .625 SPIRALWELD, SECONDARY, BARE, FLOWLINER, BXTC, 0-3 MW	162
	42 X .625 SPIRALWELD, SECONDARY, BARE, MIXED ENDS, 0-3 MW	5,506
	42 X .617 SPIRALWELD X70, SURPLUS, ARO/FBE, <b>DOM</b> , BXB/BXTC, 0-2 MW	1,108
	42 X .617 SPIRALWELD X70, SURPLUS, FBE, <b>DOM</b> , 2 MW	161
	42 X .600 SPIRALWELD A252, GR 3, BARE, BXSQ, MTRS	19
	42 X .375 DSAW API 5L X42, ARMA LOCK, IMP, BXB, MTRS	79
	42 X .375 DSAW API 5L X42, BARE/MILL LAQ, IMP, MTRS	134
	42 X .375 DSAW, SURPLUS, BARE, SQXSQ	199
	42 X .375 ERW API 5L X42, ARMA-LOCK, IMP, BXB, MTRS	1,324
42 X .375 ERW API 5L X42, FBE, IMP, BXB, MTRS	220	
<b>36</b>	36 X 1.00 STRAIGHT SEAM API X70, FBE, MTRS	591
	36 X .875 SPIRALWELD, USED, ARO, 0-1 MIDS	188
	36 X .750 SPIRALWELD A252 GR 3 BARE/CTD, MTRS	70
	36 X .750 DSAW API X70, SURPLUS, FBE	386
	36 X .750 DSAW API 5L X65, FBE, MTRS	195
	36 X .748 SPIRALWELD API X70, ARO/FBE, MTRS	6,916

THE

# BIG LIST

OCTOBER  
2023

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
<b>36</b>	36 X .748 SPIRALWELD API X70, BARE, MTRS	189
	36 X .688 SPIRALWELD, USED, FLOWLINER	198
	36 X .634 API 5L X70, ARO	376
	36 X .625 SPIRALWELD A252 GR 3, BARE, <b>DOM</b> , MTRS	160
	36 X .625 A252 GR 3, BARE, <b>DOM</b> , MTRS	690
	36 X .625 SPIRALWELD A252 GR 3, BARE, <b>M&amp;M DOM</b> , MTRS	164
	36 X .618 SPIRALWELD A252 GR 3, SURPLUS, FBE, BXTC	360
	36 X .618 SPIRALWELD API X70, FBE, MTRS	811
	36 X .618 SPIRALWELD API X70, BARE, MTRS	113
	36 X .579 ERW CSA Z245.1-8 GR 483 CAT II, FBE, IMP, BXB, 0-1 MW, MTRS	5,000
	36 X .572 SPIRALWELD API X70, FBE, MTRS	4,257
	36 X .572 SPIRALWELD API X70, BARE, MTRS	352
	36 X .562 SPIRALWELD A252 GR 3, SURPLUS, BARE, MIXED ENDS	235
	36 X .504 SPIRALWELD A252, BARE, IMP, MTRS	453
	36 X .500 DSAW, SURPLUS, FBE, MIXED ENDS	320
	36 X .500 SPIRALWELD API 5L X70, ARO/FBE, BXB, MTRS	163
	36 X .469 DSAW API 5L X70, BARE, IMP	350
	36 X .469 DSAW, SURPLUS, FBE, BLACK ID LINER	161
	36 X .465 STRAIGHT SEAM API 5L X70, BARE/BLK LAQ, IMP	169
	36 X .465 DSAW, SURPLUS, FBE, BXTC, 0-1 MW	1,448
	36 X .465 SPIRALWELD A252 GR 3, BARE, IMP, MTRS	595
	36 X .465 SPIRALWELD API 5L X70, FBE, <b>DOM</b> , MIXED ENDS, MTRS	73,475
	36 X .465 SPIRALWELD API X70 BARE, MTRS	287
	36 X .465 SPIRALWELD API X70, FBE, MTRS	11,294
	36 X .465 SPIRALWELD X70, FBE, WELSPUN, MTRS	7,621
	36 X .465 STRAIGHT SEAM API 5L X70, FBE, IMP	5,421
	36 X .465 STRAIGHT SEAM API 5L X70, FBE	260
	36 X .429 SPIRALWELD A252 GR 3, BARE, <b>DOM</b> , MTRS	328
	36 X .412 STRAIGHT SEAM, SURPLUS, USED, FBE, 0-1 MIDS	293
	36 X .412 USED, FBE, PICKING EYES	210
	36 X .375 DSAW API 5L X42, FBE, IMP, MTRS	208
	36 X .375 DSAW API 5L X42, SURPLUS, ARO, <b>DOM</b> , BXB	282
	<b>34</b>	34 X .680 SPIRALWELD API 5L X70, ARO, 0-1 MIDS, MTRS
34 X .505 ERW API 5L X60, FBE, BERG, <b>DOM</b> , BXB, MTRS		312
<b>30</b>	30 X .656 SPIRALWELD API X70, FBE, <b>DOM</b> , MTRS	212
	30 X .625 API 5L X70, FBE/ARO, IMP, MTRS	230

THE

# BIG LIST

**OCTOBER  
2023**

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
<b>30</b>	30 X .625 DSAW API 5L X65, STRUCTURAL, BARE, BXB, DURABOND, <b>M&amp;M DOM</b> , MTRS	6,412
	30 X .625 DSAW API 5L X70 ARO, <b>M&amp;M DOM</b> , BXB MTRS	225
	30 X .625 DSAW API X70, CLAD, <b>M&amp;M DOM</b> , BERG, MTRS	5,845
	30 X .625 DSAW API X70, CLAD, MTRS	4,109
	30 X .625 SPIRALWELD A252 GR 3, BARE, <b>DOM</b> , MTRS	1,164
	30 X .625 SPIRALWELD API 5L X60, SURPLUS, BARE	229
	30 X .625 SPIRALWELD, SURPLUS, BARE	214
	30 X .625 STRAIGHT SEAM, SURPLUS, BARE, 0-1 MIDS	137
	30 X .618 DSAW API 5L X70, ARO, <b>M&amp;M DOM</b> , MTRS	1,641
	30 X .562 DSAW API 5L X70, FBE, <b>M&amp;M DOM</b> , BXB, MTRS	710
	30 X .441 DSAW API 5L X70, FBE, BERG, <b>DOM</b> , BXB, 0-1 MW, MTRS	614
	30 X .441 DSAW API 5L X70, FBE, MTRS	5,705
	30 X .441 SPIRALWELD A252, BARE, <b>DOM</b> , BXSQ, SHORTS	231
	30 X .441 SPIRALWELD A252, BARE, <b>DOM</b> MAN ONLY, SQXSQ, MTRS	629
	30 X .441 SPIRALWELD A252 GR 3, BARE, <b>DOM</b> , MTRS	4,535
	30 X .441 SPIRALWELD API 5L X70, FBE, MTRS	725
	30 X .429 SPIRALWELD API 5L X70, FBE, <b>DOM</b> , MTRS	180
	30 X .375 DSAW, USED, BARE, TCXTC, 0-2 MW	2,159
	30 X .375 DSAW, USED, SHORTS/CULVERT, BLK RESIDUE, 0-2 MW	3,265
	30 X .375 SPIRALWELD API 5L X70, SURPLUS, FBE, 0-2 MIDS	185
30 X .375 USED, BLK PAINT, TCXTC, 0-2 MW	3,562	
<b>28</b>	28 X .750 DSAW API 5L X56, BARE, IMP, MTRS	2,101
<b>26</b>	26 X .375 ERW API 5L X65, FBE, <b>M&amp;M DOM</b> , MTRS	100
<b>24</b>	24 X 1.00 ERW A252 GR 3, SURPLUS, BARE, BXB/BXSQ	20
	24 X .750 SPIRALWELD, USED, BARE	50
	24 X .625 DSAW API 5L X60, ARO, IMP, BXB, MTRS	183
	24 X .625 SPIRALWELD A252 GR 3, BARE, <b>DOM</b> , MTRS	1,100
	24 X .625 SPIRALWELD, USED, BARE	151
	24 X .625 USED, BARE, 0-1 MIDS	466
	24 X .562 ERW A252 GR 3, BARE, IMP, MTRS	651
	24 X .562 ERW, SURPLUS, CLEANED BARE	184
	24 X .500 ERW A252 GR 3, BARE, IMP, MTRS	153
	24 X .500 ERW API 5L X60, ARO, <b>M&amp;M DOM</b> , BXB, MTRS	168
	24 X .500 ERW API 5L X60 X70, SURPLUS, ARO/FBE, <b>DOM</b> , BXB	1,300
	24 X .500 ERW, SURPLUS, BARE	228
	24 X .500 ERW, SURPLUS, BARE, MIXED ENDS	175

THE

# BIG LIST

**OCTOBER  
2023**

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
<b>24</b>	24 X .500 SPIRALWELD, DRL, TRL, USED, BARE, TCXTC, <b>M&amp;M DOM</b> , MTRS	191
	24 X .500 SPIRALWELD, SRL, USED, BARE, TCXTC, <b>M&amp;M DOM</b> , MTRS	3,480
	24 X .500 SPIRALWELD, USED, BARE	157
	24 X .375 A252 GR 3, SURPLUS, BARE, SOME MTRS	204
	24 X .375 API 5L X42, USED, BLK LAQ	284
	24 X .375 ERW API 5L X52 X70, FBE, <b>DOM</b> , BXB, MTRS	192
	24 X .375 ERW, STRUCTURAL, BARE, BXB, 1-2 MW	560
	24 X .375 ERW, SURPLUS, BARE, MIXED ENDS	157
	24 X .375 SPIRALWELD, SURPLUS, BARE, BXB/SQXSQ	610
	24 X .375 SURPLUS, BARE	617
	24 X .350 USED FBE W/PICKING EYES, 1-2 MIDS	873
	24 X .375 USED, HEAVY SALT & PEPPER, BXB	1,126
	24 X .312 API 5L X65, FBE, <b>DOM</b> , BXS, MTRS	158
	24 X .281 ERW API 5L X70, BARE, <b>DOM</b> M&M, MTRS	161
	<b>22</b>	22 X .669 SURPLUS API 5L X52, BARE/BLK LAQ, IMP
22 X .625 SURPLUS API X52, BARE/BLK LAQ		411
22 X .375 DSAW SPIRALWELD API 5L X46, BARE, IMP, SOME MTRS		4,550
22 X .375 ERW API X60, SURPLUS, ARO/FBE		106
22 X .281 ERW API X70, SURPLUS, FBE, BXB		650
22 X .281 SURPLUS, FBE, BXB		8,273
<b>20</b>	20 X .812 API X56, NEW, MIXED ENDS, IMP,	131
	20 X .812 ERW API 5L X50/X65, FBE, IMP	112
	20 X .688 SEAMLESS A106 GR B, BARE/BLK LAQ, MTRS	142
	20 X .625 ERW, ID SM, SURPLUS, BARE, BXSQ/BXB, 0-2 MW	171
	20 X .625 ERW A252 GR 2/3, BARE, <b>DOM</b> , MTRS	712
	20 X .625 ERW API 5L X65, ARO, IMP, MTRS	4,880
	20 X .594 ERW API 5L X65, BARE, IMP, MTRS	175
	20 X .594 ERW API 5L X65, FBE	544
	20 X .594 SEAMLESS A106 GR B, BARE/BLK LAQ,	153
	20 X .562 X70, SURPLUS, FBE, BXB	363
	20 X .500 A252 GR 2/3, BARE, <b>DOM</b> , BXB, MTRS	6,345
	20 X .500 A252 GR 3, BARE, <b>DOM</b> , BXB, MTRS	934
	20 X .500 API 5L X70 SURPLUS, FBE	399
	20 X .500 ERW API 5L X52, ARO/FBE, BXB, IMP, MTRS	161
	20 X .500 ERW, SURPLUS, BARE, BXB, 1-2 MW	5,291
20 X .500 ERW, SURPLUS, FBE, MIXED ENDS	633	

THE

# BIG LIST

**OCTOBER  
2023**

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
<b>20</b>	20 X .500 ERW X60, FBE, BXB, MTRS	167
	20 X .500 ERW X65, SURPLUS, ARO, BXB	146
	20 X .500 SEAMLESS A333 API 5L X52, ARO, BXB	403
	20 X .500 SEAMLESS API 5L X52, ARO/FBE, <b>DOM</b> , BXB, MTRS	205
	20 X .500 SEAMLESS, SURPLUS, ARO	193
	20 X .500 SPIRALWELD, SURPLUS, BARE, SQXSQ	1,613
	20 X .500 SURPLUS, USED, ARO	811
	20 X .500 X60 X65, SURPLUS, BARE/BLK LAQ, IMP, BXB	273
	20 X .438 ERW API 5L X70, SURPLUS, FBE	469
	20 X .375 A252 GR 2/3, BARE, <b>DOM</b> , BXB, MTRS	13,303
	20 X .375 A252 GR 2/3, BARE, BXB, MTRS	596
	20 X .375 API 5L, ARO, <b>M&amp;M DOM</b> , BXS, MTRS	298
	20 X .375 ERW API 5L X60, SURPLUS, 3LPP, BXB	353
	20 X .375 ERW API 5L X65, ARO/FBE, <b>M&amp;M DOM</b> , BXB, MTRS	6,082
	20 X .375 ERW API 5L X65, FBE, BXB, MTRS	1,189
	20 X .375 ERW API X65, SURPLUS, FBE, BXB	323
	20 X .375 ERW, SURPLUS, BARE, BXB, 1-2 MW	1,202
	20 X .375 #2 USED, FBE/TAR, TCXTC, 0-3 MW	1,387
	20 X .312 ERW A252 GR 3, BARE, <b>DOM</b> , BXB, MTRS	771
	20 X .312 ERW A252 GR 3, NEW, BARE, <b>DOM</b> MFR ONLY, MTRS	509
	20 X .300 - .375 #2, USED, BARE, HVY PITTING, TCXTC, 0-1 MW	1,151
	20 X .294 ERW API 5L X70, FBE, <b>DOM</b> , BXB, MTRS	248
	20 X .281 API 5L X65, FBE, <b>M&amp;M DOM</b> , BXB, MTRS	663
	<b>18</b>	18 X .750 ERW A252 GR 3, SURPLUS, BARE, BXB/SQXSQ
18 X .625 ERW ID SEAM, SURPLUS, BARE, 2-5 MW		2,545
18 X .625 ERW, STRUCTURAL, SURPLUS, BARE		199
18 X .562 ERW, SURPLUS, BARE, BXB		230
18 X .375 ERW API 5L X42 A53 B, BLK LAQ, IMP, BXB, MTRS		7,960
18 X .375 ERW, SURPLUS, FBE, BXB		103
18 X .375 SEAMLESS API 5L X42, FBE, IMP, BXB, MTRS		752
18 X .188 - .250 SPIRALWELD, USED, BARE, TCXTC, 0-1 MW		526
18 X .375 #2 SEAMLESS, USED, BARE/BLK LAQ, BXB		131
<b>16</b>		16 X .844 SEAMLESS, SURPLUS, FBE, SQXSQ
	16 X .688 SURPLUS, CLEANED	142
	16 X .656 SEAMLESS, FBE	151
	16 X .625 A252 GR 3, BARE, <b>DOM</b> , MTRS	179

THE

# BIG LIST

**OCTOBER  
2023**

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE	
<b>16</b>	16 X .625 ERW A252 GR 3, SURPLUS, BARE, SQXSQ/SQXTC	400	
	16 X .625 ERW A500 GR C, BARE, <b>M&amp;M DOM</b> , SQXSQ, MTRS	1,085	
	16 X .500 A252, SURPLUS, BARE	197	
	16 X .500 ERW A252 GR 2/3, BARE, <b>DOM</b> , BXB, MTRS	2,111	
	16 X .500 ERW A53 GR B A252 GR 3, BARE, BXB, MTRS	722	
	16 X .500 ERW API 5L X60, ARO/FBE, <b>DOM</b> , BXB, MTRS	864	
	16 X .500 ERW, SURPLUS, BARE, MIXED ENDS	310	
	16 X .500 GALVANIZED	374	
	16 X .500 LIMITED SERVICE, BARE, <b>M&amp;M DOM</b> , MTRS	254	
	16 X .500 SURPLUS, BARE	618	
	16 X .375 A252 GR 2/3, BARE, <b>DOM</b> , BXB, MTRS	10,215	
	16 X .375 A252 GR 2/3, NEW, BARE, <b>DOM</b> , MTRS	1,462	
	16 X .375 ERW A252 GR 2/3, BARE, <b>DOM</b> , BXB, MTRS	1,044	
	16 X .375 ERW A53 GR B A252 GR 3, BARE, IMP, BXB, MTRS	585	
	16 X .375 ERW ID SEAM A252 GR 3, FBE, SQXSQ, MTRS	300	
	16 X .375 ERW, SURPLUS, BARE, MIXED ENDS	601	
	16 X .375 ERW, SURPLUS, RED FBE, BXB	419	
	16 X .375 SURPLUS, GALVANIZED	291	
	16 X .313 A500 GR B, BARE, IMP	223	
	16 X .312 ERW, LIMITED SERVICE, BARE, BXB/BXSQ	2,333	
	16 X .295 API 5L X65, FBE, <b>DOM</b> , BXB, MTRS	260	
	16 X .281 ERW A500, BARE, MIXED ENDS	366	
	16 X .250 A252 GR 2/3, BARE, <b>DOM</b> , BXB, MTRS	6,586	
	16 X .188 DSAW, USED, BLK LAQ, TCXTC, 2-5 MW	1,566	
	16 X .188 SPIRALWELD, USED, BLK LAQ, TCXTC, 0-2 MW	5,481	
	<b>14</b>	14 X .625 DSAW, STRUCTURAL, SURPLUS, BARE	180
		14 X .600 SEAMLESS API 5L X65, BARE, <b>M&amp;M DOM</b> , MTRS	1,092
14 X .600 SEAMLESS API 5L X65, FBE, <b>M&amp;M DOM</b> , MTRS		2,644	
14 X .500 ERW API 5L X52, BARE, <b>DOM</b> , BXB, MTRS		2,819	
14 X .500 ERW API 5L X52, FBE, <b>DOM</b> , BXB, MTRS		1,727	
14 X .500 ERW API 5L X52, POWERCRETE, <b>DOM</b> , BXB, MTRS		1,153	
14 X .500 ERW, ID SEAM, SURPLUS, BARE/BLK LAQ, SQXSQ		247	
14 X .500 ERW, SURPLUS, ARO/TAR, MIXED ENDS		665	
14 X .500 ERW, SURPLUS, BARE, BXB		350	
14 X .438 ERW, SURPLUS, BARE, <b>DOM</b> , SQXSQ		495	
14 X .375 ERW, LIMITED SERVICE, BARE, <b>DOM</b> , BXB		2,831	

THE

# BIG LIST

**OCTOBER  
2023**

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
<b>14</b>	14 X .375 GALVANIZED	760
	14 X .250 ERW, SURPLUS, BARE, SHORTS, SQXSQ	1,428
<b>12</b>	12 3/4 X .650 SEAMLESS API X65, BARE	525
	12 3/4 X .625 ERW, STRUCTURAL, SURPLUS, BARE, SQXSQ	838
	12 3/4 X .625 A500, SURPLUS, BARE	420
	12 3/4 X .562 ERW, SURPLUS, BARE, BXB	599
	12 3/4 X .500 ERW A252 GR 3, BARE, <b>M&amp;M DOM</b> , 0-1 MW MTRS	825
	12 3/4 X .500 ERW A53 GR B A252 GR 3, BARE, BXB, MTRS	1,885
	12 3/4 X .500 ERW, SURPLUS, BARE, MIXED ENDS, MTRS	394
	12 3/4 X .500 ERW, SURPLUS, BARE, MIXED ENDS, 0-1 MW	279
	12 3/4 X .500 ERW, SURPLUS, FBE, TCXTC	372
	12 3/4 X .500 GALVANIZED, MIXED ENDS	486
	12 3/4 X .469 SEAMLESS API 5LB X65, ARO/FBE, IMP, BXB, MTRS	14,073
	12 3/4 X .469 SEAMLESS API 5LB X65, BARE, IMP, BXB, MTRS	6,866
	12 3/4 X .406 ERW, SURPLUS, BARE, BXB	509
	12 3/4 X .375 ERW A500 GR C, BARE, <b>M&amp;M DOM</b> , SQXSQ, MTRS	864
	12 3/4 X .375 ERW, SURPLUS, BARE, BXB/BXTC	533
	12 3/4 X .375 ERW, SURPLUS, FBE	410
	12 3/4 X .375 GALVANIZED, MIXED ENDS, 0-1 MW	455
	12 3/4 X .375 LIMITED SERVICE, MW	473
	12 3/4 X .375 SURPLUS, BARE, BXB/SQXSQ	384
	12 3/4 X .375 SURPLUS, FBE	305
	12 3/4 X .344 A252 GR 2/3, NEW, BARE, <b>DOM</b> , PEB, MTRS	319
	12 3/4 X .344 A252 GR 3, BARE, <b>DOM</b> , MTRS	232
	12 3/4 X .330 ERW, SURPLUS, BARE, BXB	1,491
	12 3/4 X .312 A252 GR 2/3, BARE, <b>DOM</b> , PEB, MTRS	770
	12 3/4 X .312 ERW API 5L X42 PSL1, BARE, IMP, MTRS	1,723
	12 3/4 X .312 ERW API X52 X56, FBE, <b>DOM</b> , BXB, MTRS	280
	12 3/4 X .312 ERW, SURPLUS, BARE, BXB	232
	12 3/4 X .281 A252 GR 2/3, NEW, BARE, <b>DOM</b> , MTRS	242
	12 3/4 X .281 ERW, SURPLUS, BARE, BXB, 1-2 MW	763
	12 3/4 X .281 ERW, SURPLUS, YELLOW JACKET, BXB	503
	12 3/4 X .281 X SRL, NEW, STRUCTURAL, MW	1,086
	12 3/4 X .250 ERW A252 GR 2/3, <b>DOM</b> , BXB, MTRS	532
	12 3/4 X .250 ERW API 5L, BLK LAQ, IMP	290
	12 3/4 X .250 ERW API 5L X52, SURPLUS, FBE, IMP, BXB	6,311

THE

# BIG LIST

**OCTOBER  
2023**

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
<b>12</b>	12 3/4 X .250 ERW API 5L X56, CLEANED BARE, MTRS	469
	12 3/4 X .250 ERW, SURPLUS, BARE, BXB	1,397
	12 3/4 X .250 ERW, SURPLUS, BLK LAQ, NOTCHED ENDS	660
	12 3/4 X .250 ERW, SURPLUS, FBE	432
	12 3/4 X .250 ERW, USED, BARE, SQXSQ, 1-2 MW	243
	12 3/4 X .250 USED, BARE, SLURRY LINED	386
	12 3/4 X .156 ERW, USED, BARE, SQXSQ, 1-2 MW	2,899
<b>11</b>	11 3/4 X .500 ERW, SURPLUS, BARE, CASING	159
<b>10</b>	10 3/4 X 1.125 SEAMLESS A106, BLK LAQ, IMP, MTRS	146
	10 3/4 X .719 SEAMLESS API, SURPLUS, BARE, BXB/BXTC	85
	10 3/4 X .594 SEAMLESS, SURPLUS, BARE/BLK LAQ	137
	10 3/4 X .500 ERW A53 GR B, IMP, MTRS	693
	10 3/4 X .500 ERW API 5L X52, FBE, IMP, MTRS	347
	10 3/4 X .500 ERW API 5L X52, SURPLUS, FBE, IMP	335
	10 3/4 X .500 ERW API 5L X65, ARO/FBE, <b>DOM</b> , MTRS	3,702
	10 3/4 X .500 ERW, STRUCTURAL, BARE, MIXED ENDS	2,050
	10 3/4 X .500 ERW, STRUCTURAL, BARE, 2 MW	1,522
	10 3/4 X .500 ERW, SURPLUS, BARE, BXB	636
	10 3/4 X .500 SEAMLESS API X42, FBE/ARO, IMP, MTRS	732
	10 3/4 X .500 SURPLUS, BARE, MIXED ENDS	598
	10 3/4 X .365/.375 ERW API 5L X52, SURPLUS, FBE, IMP, BXB	801
	10 3/4 X .365 ERW API 5L X52, USED, ARO/FBE, IMP, TCXTC	2,538
	10 3/4 X .365 ERW, ARO/FBE, MIXED ENDS	333
	10 3/4 X .365 ERW, SURPLUS, 3LPP/PRITEC	2,532
	10 3/4 X .365 ERW, SURPLUS, BARE, ID LINER, BXB	504
	10 3/4 X .365 ERW, SURPLUS, FBE, MIXED ENDS	569
	10 3/4 X .365 GALVANIZED, MIXED ENDS	333
	10 3/4 X .365 SEAMLESS API 5L X-42, FBE, <b>DOM</b> , BXB, MTRS	872
	10 3/4 X .279 ERW, SURPLUS, BARE, BXB	430
	10 3/4 X .165 ERW #1 USED A53 GR B, ROLL GROOVED ENDS	34,640
	<b>9</b>	9 5/8 X .472 SURPLUS BARE CASING
9 5/8 X .434 (36#) USED, CASING, BARE/BLK LAQ		1,435
9 5/8 X .350 40# NEW, CASING, BLK LAQ		742
<b>8</b>	8 5/8 X .500 ERW, SURPLUS, BARE, BXB	1,207
	8 5/8 X .500 SEAMLESS, USED, BARE, 1 MW	1,198
	8 5/8 X .438 - .450 SEAMLESS, USED, BARE, TCXTC 0-2 MW	374



THE

# BIG LIST

**OCTOBER  
2023**

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
<b>8</b>	8 5/8 X .438 SEAMLESS API 5L X60, BARE, IMP, BXB, MTRS	859
	8 5/8 X .438 SEAMLESS API 5L X60, FBE, IMP, BXB, MTRS	351
	8 5/8 X .438 SEAMLESS X60, SURPLUS, BARE, BXB	2,323
	8 5/8 X .322 ERW A252 GR 3, BARE, BXB/BXS	476
	8 5/8 X .322 ERW A53 GR B A252 GR 3, BARE, BXB, MTRS	1,744
	8 5/8 X .322 ERW, STRUCTURAL, SURPLUS, BARE, MIXED ENDS, 0-2 RW/MW, BUNDLED	13975
	8 5/8 X .322 ERW, SURPLUS, CLEANED BARE, BXB, MTRS	689
	8 5/8 X .322 GALVANIZED	969
	8 5/8 X .280 ERW, USED, FBE, MIXED ENDS, 0-2 MW	299
	8 5/8 X .277 ERW, SURPLUS, BARE, SQXSQ	726
	8 5/8 X .250 ERW, STRUCTURAL, SURPLUS, BARE, ID SEAM, BXB, 2-5 MW	4,414
	8 5/8 X .250 ERW, SURPLUS, CLEANED BARE	576
	8 5/8 X .250 STRUCTURAL, SURPLUS, BARE, MIXED ENDS, 0-3 MW	8,011
	8 5/8 X .219 ERW, SURPLUS, BARE, BXB/BXSQ, 0-1 MW	1,025
	8 5/8 X .219 ERW, SURPLUS, BARE, MIXED ENDS, 0-3 MW	3,837
	8 5/8 X .219 ERW, SURPLUS, FBE, BXB, MTRS	1,235
	8 5/8 X .188 ERW, SURPLUS, BARE, BXSQ/SQXSQ	2,696
	8 5/8 X .188 SURPLUS, BARE, BXB/BXSQ, 0-2 MW	697
	8 5/8 X .188 API X42 X52, SURPLUS, FBE	984
	8 5/8 X .188 ERW API 5L X42 X52, SURPLUS, FBE, <b>DOM</b> , BXB, MTRS	518
8 5/8 X .188 ERW, STRUCTURAL, SURPLUS, BARE, BXB, 1-4 MW	5,067	
8 5/8 X .188 ERW, SURPLUS, FBE	360	
<b>7</b>	7 X .312 23# #1 USED, TUBING, FIBER-GLASS LINED, T&C	377
	7 X .250 ERW, SURPLUS, BARE, SQXSQ	5,380
	7 X .188 ERW, SURPLUS, BARE, SQXSQ	1,161
<b>6</b>	6 5/8 X .432 ERW X52, SURPLUS, FBE, IMP, BXB	326
	6 5/8 X .432 SURPLUS, BARE, TCXTC	584
	6 5/8 X .280 #1 SEAMLESS, USED, BARE/BLK LAQ, BXB, 0-2 MW	1,457
	6 5/8 X .280 #1 USED, BARE/BLK LAQ, BXB, 0-1 MW	1,753
	6 5/8 X .280 ERW API X52 A53 B, USED, ARO/FBE, TCXTC	7,138
	6 5/8 X .280 ERW, STRUCTURAL, BARE, SQXSQ, 0-1 MW	944
	6 5/8 X .280 ERW, SURPLUS, BARE, MIXED ENDS, 0-2 RW/MW	417
	6 5/8 X .280 USED, COAL TAR EPOXY	422
	6 5/8 X .280 USED, FBE	888
	6 5/8 X .188 ERW, STRUCTURAL, BARE, SQXSQ, 0-1 MW	1,060
	6 5/8 X .188 ERW, SURPLUS, BARE, BXB/BXSQ, 0-1 MW	798

THE

# BIG LIST

OCTOBER  
2023

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
6	6 5/8 X .156 - .219 USED, FBE, TXCTC, 1-2 MW	9,027
	6 5/8 X .134 - .188 USED, COAL TAR	3,970
	6 5/8 X .134 ERW, SURPLUS, BARE, MIXED ENDS	864
	6 X .250 ERW, SURPLUS, BARE, SQXSQ	3,358
	6 X .188 ERW, SURPLUS, BARE, SQXSQ	5,021
5	5 9/16 X .375-.430 SEAMLESS A106/A53/X42, BLK LAQ, MTRS	242
	5 9/16 X .375 ERW A53 B, BLK LAQ, <b>M&amp;M DOM</b> , BXB, MTRS	210
	5 9/16 X .258 SEAMLESS A106 X52, BLK LAQ, IMP, BXB, MTRS	380
	5 9/16 X .188 ERW A53 A, SURPLUS, BARE	276
	5 9/16 X .134 A53 GR A, GALVENIZED, MTRS	5,376
	5 1/2 X .244 15.5# USED, CASING, BARE, T&C	744
4	4 1/2 X .438 SEAMLESS, USED, BARE, TCXTC, 0-2 MW	2,204
	4 1/2 X .437 SEAMLESS, NEW, SURPLUS, FBE	786
	4 1/2 X .337 SEAMLESS, USED, BARE, TCXTC, 0-1 MW	917
	4 1/2 X .237 10.5# ERW, USED, CASING, BARE, THXC, SCALING	4,165
	4 1/2 X .237 X 21' A53 GR A, BLK, T&C, IMP, MTRS	2,805
	4 1/2 X .237 X 21' A53 GR A, GALVANIZED, T&C, IMP, MTRS	2,037
	4 1/2 X .188 - .237 STRUCTURAL, SURPLUS, SHORTS, BARE, MIXED ENDS, RW, OPEN/SPLIT, SMS	5,166
	4 1/2 X .120 #1 ERW A53 GR A/B, USED, ROLL GROOVED ENDS, MTRS	1,058
3	4 X .218 ERW, SECONDARY, BARE, TUBING	828
	3 1/2 X .625 SEAMLESS 4130 A519 L80, BARE/BLK LAQ, IMP, BXB/SQXSQ	1,716
	3 1/2 X .600 SEAMLESS API 5L/A53B SURPLUS, FBE, <b>DOM</b>	907
	3 1/2 X .600 SEAMLESS, SURPLUS, FBE, IMP	1,216
	3 1/2 X .438 SEAMLESS, SURPLUS, FBE, BXB	1,323
	3 1/2 X .437 SEAMLESS A53/A106 SURPLUS, BARE/BLK LAQ, BEVELED ENDS,	786
	3 1/2 X .300 A106 B, SEAMLESS, BARE/BLK LAQ, <b>M&amp;M DOM</b> , BXB, MTRS	13,231
	3 1/2 X .300 ERW A53 GR A, BLK LAQ, IMP, T&C, MTRS	2,289
	3 1/2 X .300 ERW API 5L X52, BARE, <b>DOM</b> , MTRS	1,069
	3 1/2 X .300 ERW API X52, SURPLUS, BARE, IMP, BXB	4,207
	3 1/2 X .300 ERW API X52, SURPLUS, ARO/FBE, IMP, BXB	4,700
	3 1/2 X .300 ERW, SURPLUS, BARE, BXB	975
	3 1/2 X .300 SEAMLESS, A106 GR B X42, FBE, IMP, BXB, MTRS	1,295
	3 1/2 X .254 9.2# STRUCTURAL, USED, TUBING, BARE, T&C, 0-1 MW	5,192
	3 1/2 X .254 X 31.5' AVG, USED	11,622
3 1/2 X .254 X SHORTS, USED	2,140	
3 1/2 X .216 ERW API 5L X52, SURPLUS, BLK LAQ, IMP, BXB	1,512	

THE

# BIG LIST

OCTOBER  
2023

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE	
3	3 1/2 X .216 ERW API 5L X52, SURPLUS, FBE, IMP, BXB	4,819	
	3 1/2 X .216 ERW, SECONDARY, BARE	1,115	
	3 1/2 X .216 SEAMLESS, SURPLUS, FBE, BXB, MTRS	2,128	
	3 1/2 X .216 X 21' A53 A, BLK, BXB, IMP, MTRS	903	
	3 1/2 X .216 X 21' A53 A, BLK LAQ, IMP, T&C, (14 PCS PER BUNDLE)	1,848	
	3 1/2 X .216 X 21' A53 A, GALVANIZED, IMP, T&C (14 PCS PER BUNDLE)	1,133	
	3 1/2 X .188 ERW API/A53, BARE/BLK LAQ, IMP, BXB, MTRS	4,205	
	3 1/2 X .156 SEAMLESS A106 GR B, FBE, BXB	1,804	
	3 1/2 X .120 ERW, SECONDARY, BARE, SQXSQ	3,394	
	3 1/2 X .093 ERW A53 A, SURPLUS, BARE/BLK LAQ, BXB	831	
	3 X .250 ERW, SECONDARY, BARE, TUBING, TCXTC/SQXSQ	2,430	
	2	2 7/8 X .375 SEAMLESS A106, BARE/BLK LAQ, IMP, BXB, MTRS	2,219
		2 7/8 X .286 X 31.5' AVG, 7.9#, USED	1,292
2 7/8 X .286 X 31.5' AVG, 7.9#, USED		3,129	
2 7/8 X .276 ERW A53 GR A BARE		1,214	
2 7/8 X .276 SEAMLESS API X42/X52, SURPLUS, BLK LAQ, IMP, BXB, MTRS		2,313	
2 7/8 X .217 #1 31.5' AVG, USED TUBING, LINED, BARE, T&C		2,678	
2 7/8 X .217 #1 6.5 X 31.5' AVG, USED, TUBING, T&C		32,610	
2 7/8 X .217 USED, FIBERGLASS LINED		1,248	
2 7/8 X .217 X 31.5' ERW, USED, BARE, PLASTIC		2,237	
2 7/8 X .217 X 31.5' ERW, USED, BARE		84,530	
2 7/8 X .217 X 31.5' USED, T&C		1,575	
2 7/8 X .217 USED		1,857	
2 7/8 X .203 ERW A53 GR B/F, GALVANIZED, <b>M&amp;M DOM</b> , T&C, MTRS		2,835	
2 7/8 X .120 ERW A53 A, SURPLUS, BARE/BLK LAQ, BXB		1,176	
2 7/8 X .086 ERW A53 A, SURPLUS, BARE/BLK LAQ, ROLL GROOVED ENDS		1,320	
2 5/8 X .190-.225 X 24' DE-COILED TUBING		4,176	
2 1/2 SCH 10 A53 GR A, BARE, IMP		2,543	
2 3/8 X .250 5.95# X 31.5' AVG, USED		30,209	
2 3/8 X .218 ERW A53 GR A, SURPLUS, BLK LAQ, IMP, T&C, MTRS		6,783	
2 3/8 X .190 X 31.5' AVG, USED		71,797	
2 3/8 X .140 X 32' ERW, BARE		13,472	
2 3/8 X 11GA X 24' NEW, TUBING		1,392	
2 3/8 X .110 STRUCTURAL, BARE, SQXSQ, 0-1 MW		6,182	
2 3/8 X .090 X 24' NEW, BARE, SQXSQ		27,048	
2 3/8 X .254 X 31.5' AVG, USED, TUBING, BARE, T&C		1,261	



# THE BIG LIST

OCTOBER 2023

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
<b>2</b>	2 3/8 X 4.7 X 31.5' USED, TUBING, BARE, T&C, LIGHT PITTING	14,904
	2 3/8 X 4.7# X 31.5' USED, TUBING, BARE, T&C, LIGHT PITTING	1,040
	2 3/8 X .281 ERW, SURPLUS, BARE, TUBING, SQXSQ	13,503
	2 3/8 X .154 ERW A53 GR A, ASTM, GALVANIZED, T&C, IMP, MTRS	4,526
	2 3/8 X .154 ERW A53 GR B, BLK LAQ, IMP, BXB, MTRS	1,512
	2 3/8 X .154 ERW A53 GR B, GALVANIZED, <b>M&amp;M DOM</b> , BXB, MTRS	2,058
	2 3/8 X .154 ERW, STRUCTURAL, SURPLUS, BARE, BXB/SQXSQ	1,296
	2 3/8 X .109 ERW, SECONDARY, BARE, SQXSQ	2,555
	2 3/8 X .086 SURPLUS ERW BARE / BLK LAQ BXB	888
	2 1/16 X .154 X 32' AVG, USED, OCTG	1,557
	2 X .120 X 24' STRUCTURAL, BARE, RUSTY (37 PCS PER BUNDLE)	1,272
	1.9 X .110 X 24' NEW, SQXSQ	1,914
	1.9 X .090 X 21' 14 GA ERW, BARE, TUBING, SQXSQ (61 PCS PER BUNDLE)	7,686
	1.9 X .090 X 24' NEW, BARE, SQXSQ (61 PCS PER BUNDLE)	1,920
	<b>1</b>	1.66 X .120 X 21' NEW, TUBING, BARE
1.66 X .109 STRUCTURAL, BARE, SQXSQ, 0-1 MW		10,857
1.66 X .083 X 20' 14 GA, NEW, TUBING, BARE, SQXSQ, (61 PCS PER BUNDLE)		65,995
1 1/2 X .145 A53 GR A, BLK LAQ, IMP, T&C, SOME MTRS		3,224
1 1/2 X .145 A53 GR A, GALVANIZED, IMP, T&C, MTRS (36 PCS PER BUNDLE)		2,247
1 1/2 X .145 A53 GR A, NEW, BLK LAQ, IMP, SQXSQ, MTRS		1,722
1 1/2 X .083 14GA ERW, SURPLUS, BARE, TUBING, SQXSQ		12,804
1.315 X .120 X 24' NEW (61 PCS PER BUNDLE)		13,606
1 1/4 X .083 X 20' 14 GA, BARE, IMP, SQXSQ		1,760
1 1/4 X .083 X 20' 14 GA, NEW, BARE, TUBING (127 PCS PER BUNDLE)		16,984
1 1/4 X .083 X 24' 14 GA, NEW, (127 PCS PER BUNDLE)		16,855
1 1/4 X .140 A53 GR A, NEW, GALVANIZED, IMP, T&C, MTRS		1,365
1 1/4 X .250 ERW A53 GR A/F, NEW, GALVANIZED, <b>M&amp;M DOM</b> , BXB, MTRS		1,512
1 1/4 X .140 ERW A53 GR A, NEW, GALVANIZED, <b>M&amp;M DOM</b> , T&C, MTRS		3,942
1.05 X .083 X 20' NEW, BARE, SQXSQ		2,509
1 X .179 SEAMLESS A106 GR B, NEW, GALVANIZED, T&C		2,564
1 X .133 A53 GR A, BLK LAQ, IMP, SQXSQ, MTRS		2,688
1 X .133 A53 GR A, GALVANIZED, IMP, T&C, MTRS		1,260
1 X .133 ERW A53 GR A, BARE/BLK LAQ, IMP		5,544
1 X .133 ERW A53 GR A, BLK LAQ, IMP, T&C, MTRS		3,087
1 X .133 ERW A53 GR A, SURPLUS, BARE/BLK LAQ, T&C		3,786
1 X .133 ERW A53 GR A/F, GALVANIZED, <b>M&amp;M DOM</b> , T&C, MTRS		9,792

THE

# BIG LIST

OCTOBER  
2023

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
<b>1</b>	1 X .133 SCH 40 A53 GR A, NEW, BLK LAQ, IMP, SQXSQ, MTRS	1,575
	1 X .133 SEAMLESS A106 GR B, NEW, FBE, <b>M&amp;M DOM</b> , MTRS	8,470
<b>3/4</b>	3/4 X .219 SEAMLESS A106 GR B, NEW, BARE, SQXSQ	1,607
	3/4 X .154 ERW A53 GR A/F, NEW, GALVANIZED, <b>M&amp;M DOM</b> , BXB, MTRS	2,583
	3/4 X .113 ERW A53 A, GALVANIZED, IMP, T&C, MTRS	2,037
	3/4 X .113 ERW A53 A, SURPLUS, BARE/BLK LAQ, T&C	3,528
	3/4 X .113 ERW A53 GR A, BLK LAQ, IMP, BXB/SQXSQ, MTRS	2,856
	3/4 X .113 SCH 40, A53 GR A, NEW, BLK LAQ, IMP, T&C, MTRS	2,100
	3/4 X .113 SCH 40, ERW A53 GR F, NEW, GALVANIZED, <b>M&amp;M DOM</b> , T&C, MTRS	1,260
	3/4 X .065 16GA ERW, STRUCTURAL/SURPLUS, BARE, TUBING, SQXSQ	20,303
<b>1/2</b>	1/2 X .109 ERW A53 A, BLK LAQ, T&C (120 PCS PER BUNDLE)	3,444
	1/2 X SCH 40 (.109) ERW A53 GR F, NEW, FBE, <b>DOM</b> , TXT, MTRS	1,071
	1/2 X SCH 40 (.109) A53 GR A, SURPLUS, BLK LAQ, SQXSQ	1,281
	1/2 X .147 ERW A53 GR B/F, NEW, GALVANIZED, <b>DOM</b> , BXB, MTRS	3,255
	1/2 X .147 SEAMLESS A106 GR B, NEW, BARE/BLK LAQ, SQXSQ	3,581
	1/2 X .109 ERW A53 GR A, NEW, GALVANIZED, <b>M&amp;M DOM</b> , MTRS	4,641
	1/2 X .109 ERW A53 GR A, NEW, GALVANIZED, IMP, SQXSQ MTRS	2,919
	1/2 X .109 ERW A53 GR A, NEW, GALVANIZED, IMP, T&C, MTRS	4,326

Don't see what  
you're looking for?

*Call Today!*

**800-877-7453**