

*the*

# BIG LIST

**BIGFOOT PIPE & PILING**

**DECEMBER 2023**

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
54	54 X .688 DSAW API 5L X56, BLK LAQ, IMP, BXB, <b>MTRS</b>	100
	54 X .562 DSAW A672 GR C70 CLASS 22, BLK LAQ, IMP, <b>MTRS</b>	14
48	48 X 1.188 EFW A671 GR C60 CLASS 32, BLK LAQ	26
	48 X 1.00 ROLLED & WELDED, SURPLUS, BARE, SQXSQ	273
	48 X 1.00 SPIRALWELD A252, SURPLUS, BARE	100
	48 X .841 SPIRALWELD, GALVANIZED, BXB, <b>MTRS</b>	120
	48 X .750 DSAW, SURPLUS, GALV, INXB	18
	48 X .750 SPIRALWELD, SECONDARY, BARE, MIXED ENDS	580
	48 X .750 SURPLUS, API X42, BARE, BXSQ,	26
	48 X .720 A252 GR 3, SPIRALWELD, IMP, BXTC, <b>MTRS</b>	61
	48 X .598 SPIRALWELD A252 GR 3, ARO	155
	48 X .539 SPIRALWELD A252 GR 3, BARE, <b>M&amp;M DOM</b> , MIXED ENDS, <b>MTRS</b>	1,435
	48 X .539 SPIRALWELD A252 GR 3, FBE, <b>M&amp;M DOM</b> , MIXED ENDS, <b>MTRS</b>	78
	42	42 X .888 STRAIGHTSEAM X70, ARO/FBE, IMP, BXB
42 X .750 SPIRALWELD, SURPLUS, BARE, SQXSQ/BXB		198
42 X .750 SURPLUS, FBE, ROUGH ENDS		111
42 X .740 SPIRALWELD X70, ARO/FBE, IMP, BXB		325
42 X .660 DSAW, BARE, SQXSQ		122
42 X .625 SPIRALWELD, SECONDARY, BARE, FLOWLINER, BXTC, 0-3 MW		162
42 X .625 SPIRALWELD, SECONDARY, BARE, MIXED ENDS, 0-3 MW		5,304
42 X .617 SPIRALWELD X70, SURPLUS, ARO/FBE, <b>DOM</b> , BXB/BXTC, 0-2 MW		703
42 X .375 DSAW, SURPLUS, BARE, SQXSQ		199
42 X .375 DSAW API 5L X42, ARMA LOCK, IMP, BXB, <b>MTRS</b>		79
42 X .375 DSAW API 5L X42, BARE/MILL LAQ, IMP, <b>MTRS</b>		134
42 X .375 ERW API 5L X42, ARMA-LOCK, IMP, BXB, <b>MTRS</b>		1,244
36	42 X .375 ERW API 5L X42, FBE, IMP, BXB, <b>MTRS</b>	180
	36 X 1.500 X56, BARE, <b>MTRS</b>	630
	36 X 1.00 STRAIGHT SEAM API X70, FBE, <b>MTRS</b>	591
	36 X .875 SPIRALWELD, USED, ARO, 0-1 MW	188
	36 X .750 DSAW API 5L X65, RED FBE, <b>MTRS</b>	195
	36 X .750 DSAW API X70, SURPLUS, FBE	386
	36 X .748 SPIRALWELD API X70, ARO/FBE, <b>MTRS</b>	6,916
	36 X .748 SPIRALWELD API X70, BARE, <b>MTRS</b>	189
	36 X .688 SPIRALWELD, USED FLOWLINER	198
	36 X .634 API 5L X70, ARO	376
36 X .625 A252 GR 3, BARE, <b>DOM</b> , <b>MTRS</b>	690	

the

# BIG LIST

**BIGFOOT PIPE & PILING**

**DECEMBER 2023**

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
	36 X .625 SPIRALWELD A252 GR 3, BARE, <b>M&amp;M DOM, MTRS</b>	324
	36 X .618 SPIRALWELD A252 GR 3, SURPLUS, FBE, BXTC	360
	36 X .618 SPIRALWELD API X70, FBE, <b>MTRS</b>	811
	36 X .579 STRAIGHT SEAM CSA Z245.1-8 GR 483 CAT II, FBE, IMP, BXB, 0-1 MW, <b>MTRS</b>	10,000
	36 X .572 SPIRALWELD API X70, BARE, <b>MTRS</b>	352
	36 X .572 SPIRALWELD API X70, FBE, <b>MTRS</b>	4,257
	36 X .562 SPIRALWELD A252 GR 3, SURPLUS, BARE, MIXED ENDS	235
	36 X .531 SPIRALWELD SURPLUS BARE	140
	36 X .504 SPIRALWELD A252, BARE, IMP, <b>MTRS</b>	453
	36 X .500 DSAW API 5L X70/X80, SURPLUS, BARE	142
	36 X .500 DSAW, SURPLUS, FBE, MIXED ENDS	320
	36 X .500 SPIRALWELD API 5L X70, ARO/FBE, BXB, <b>MTRS</b>	241
	36 X .469 DSAW API 5L X70, BARE, IMP	350
	36 X .465 DSAW, SURPLUS, FBE, BXTC, 0-1 MW	1,448
	36 X .465 SPIRALWELD A252 GR 3, BARE, IMP, <b>MTRS</b>	641
	36 X .465 SPIRALWELD API 5L X70, FBE, <b>DOM, MIXED ENDS, MTRS</b>	54,395
	36 X .465 SPIRALWELD API X70 BARE, <b>MTRS</b>	287
	36 X .465 SPIRALWELD API X70 FBE, <b>MTRS</b>	33,903
	36 X .465 SPIRALWELD, SURPLUS, FBE	174
	36 X .465 STRAIGHT SEAM API 5L X70, FBE, IMP	5,655
	36 X .429 SPIRALWELD A252 GR 3, BARE, <b>DOM, MTRS</b>	368
	36 X .412 STRAIGHT SEAM, SURPLUS, USED, FBE, 0-1 MW	293
	36 X .412 USED, FBE, PICKING EYES	210
	36 X .375 DSAW API 5L X42, FBE, IMP, <b>MTRS</b>	208
	36 X .375 DSAW API 5L X42, SURPLUS, ARO/FBE, <b>DOM, BXB</b>	242
<b>34</b>	34 X .680 SPIRALWELD API 5L X70, ARO, 0-1 MW, <b>MTRS</b>	1,461
	34 X .505 ERW API 5L X60, FBE, BERG, <b>DOM, BXB, MTRS</b>	312
<b>30</b>	30 X .656 SPIRALWELD API X70, FBE, <b>DOM, MTRS</b>	212
	30 X .625 API 5L X70, ARO/FBE, IMP, <b>MTRS</b>	230
	30 X .625 DSAW API 5L X65, STRUCTURAL, BARE, BXB, DURABOND, <b>M&amp;M DOM, MTRS</b>	577
	30 X .625 DSAW API 5L X70, ARO, <b>M&amp;M DOM, BXB, MTRS</b>	225
	30 X .625 DSAW API X70, CLAD, <b>MTRS</b>	917
	30 X .625 DSAW, SURPLUS, BARE/BLK LAQ, 0-1 MW	145
	30 X .625 SPIRALWELD A252 GR 3, BARE, <b>DOM, MTRS</b>	1,128
	30 X .625 SPIRALWELD API 5L X60, SURPLUS, BARE	229
	30 X .625 SPIRALWELD, SURPLUS, BARE	215

# the BIG LIST

**BIGFOOT PIPE & PILING**

**DECEMBER 2023**

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
	30 X .618 DSAW API 5L X70, ARO, <b>M&amp;M DOM, MTRS</b>	1,674
	30 X .562 DSAW API 5L X70, FBE, <b>M&amp;M DOM, BXB, MTRS</b>	710
	30 X .441 DSAW API 5L X70, FBE, BERG, <b>DOM, BXB, MTRS</b>	409
	30 X .441 DSAW API 5L X70, FBE, <b>MTRS</b>	909
	30 X .441 SPIRALWELD A252, BARE, <b>DOM</b>	332
	30 X .441 SPIRALWELD A252, BARE, <b>DOM, BXSQ, SHORTS</b>	213
	30 X .441 SPIRALWELD A252, BARE, <b>DOM MFR ONLY, SQXSQ, MTRS</b>	616
	30 X .441 SPIRALWELD A252 GR 3, BARE, <b>DOM, MTRS</b>	3,785
	30 X .441 SPIRALWELD API 5L X70, FBE, <b>MTRS</b>	725
	30 X .429 SPIRALWELD API 5L X70, FBE, <b>DOM, MTRS</b>	180
	30 X .375 DSAW, USED, CULVERT, BLK RESIDUE, 0-2 MW	4,328
	30 X .375 SPIRALWELD API 5L X70, SURPLUS, FBE, 0-2 MW	185
	30 X .375 USED, BLK PAINT, TCXTC, 0-2 MW	3,326
<b>28</b>	28 X .750 DSAW API 5L X56, BARE, IMP, <b>MTRS</b>	2,101
<b>26</b>	26 X .375 ERW API 5L X65, FBE, <b>M&amp;M DOM, MTRS</b>	100
<b>24</b>	24 X .750 SPIRALWELD, USED, BARE	50
	24 X .625 SPIRALWELD, USED, BARE	151
	24 X .625 USED, BARE, 0-1 MW	474
	24 X .500 SPIRALWELD, SRL, USED, BARE, TCXTC, <b>M&amp;M DOM, MTRS</b>	2,541
	24 X .500 SPIRALWELD, USED, BARE	157
	24 X .375 API 5L X42, USED, BLK LAQ	284
	24 X .375 USED, HEAVY SALT & PEPPER, BXB	955
	24 X .350 USED, FBE, PICKING EYES, 1-2 MW	722
	24 X .625 SPIRALWELD A252 GR 3, BARE, <b>DOM, MTRS</b>	1,100
	24 X .625 DSAW API 5L X60, ARO, IMP, BXB, <b>MTRS</b>	104
	24 X .562 ERW A252 GR 3, BARE, IMP, <b>MTRS</b>	651
	24 X .562 ERW, SURPLUS, CLEANED BARE	184
	24 X .500 ERW A252 GR 3, BARE, IMP, <b>MTRS</b>	153
	24 X .500 ERW API 5L X60, ARO, <b>M&amp;M DOM, BXB, MTRS</b>	168
	24 X .500 ERW API 5L X60 X70, SURPLUS, ARO/FBE, <b>DOM, BXB</b>	712
	24 X .500 ERW, SURPLUS, BARE, MIXED ENDS	403
	24 X .375 SURPLUS, BARE	597
	24 X .375 ERW, STRUCTURAL, BARE, BXB, 1-2 MW	299
	24 X .281 ERW API 5L X70, BARE, <b>DOM M&amp;M MTRS</b>	161
<b>22</b>	22 X .669 SURPLUS API 5L X52, BARE/BLK LAQ, IMP	109
	22 X .625 SURPLUS API X52, BARE/BLK LAQ	411

# the BIG LIST

**BIGFOOT PIPE & PILING**

**DECEMBER 2023**

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
	22 X .375 DSAW SPIRALWELD API 5L X46, BARE, IMP	4,550
	22 X .375 ERW API X60, SURPLUS, ARO/FBE	106
	22 X .281 SURPLUS, FBE, BXB	8,812
<b>20</b>	20 X .812 NEW API X56, MIXED ENDS, IMP,	131
	20 X .812 ERW API 5L X50/X65, FBE, IMP	112
	20 X .688 SEAMLESS A106 GR B, BARE/BLK LAQ, <b>MTRS</b>	142
	20 X .625 ERW A252 GR 2/3, BARE, <b>DOM, MTRS</b>	712
	20 X .625 ERW API 5L X65, ARO, IMP, <b>MTRS</b>	4,880
	20 X .625 ERW API X65, SURPLUS, ARO, IMP, BXB	36
	20 X .625 ERW, ID SM, SURPLUS, BARE,BXSQ/BXB, 0-2 MW	171
	20 X .594 ERW API 5L X65 FBE	718
	20 X .594 SEAMLESS A106 GR B, BARE/BLK LAQ,	153
	20 X .562 SURPLUS X70, FBE, BXB,	363
	20 X .500 API 5L X70, SURPLUS, FBE	399
	20 X .500 A252 GR 2/3, BARE, <b>DOM, BXB, MTRS</b>	7,298
	20 X .500 ERW API 5L X52, ARO/FBE, BXB, IMP, <b>MTRS</b>	161
	20 X .500 ERW, SURPLUS, ARO/FBE, BXB/BXTC	675
	20 X .500 ERW, SURPLUS, BARE, BXB, 1-2 MW	5,291
	20 X .500 ERW X60, FBE, BXB, <b>MTRS</b>	167
	20 X .500 SEAMLESS A333 API 5L X52, ARO, BXB	403
	20 X .500 SEAMLESS API 5L X52, ARO/FBE, <b>DOM, BXB, MTRS</b>	205
	20 X .500 SEAMLESS, SURPLUS, ARO	193
	20 X .500 SPIRALWELD, SURPLUS, BARE, SQXSQ	1,613
	20 X .500 USED, SURPLUS, ARO	811
	20 X .500 X60 X65, SURPLUS, BARE/BLK LAQ, IMP, BXB	273
	20 X .438 ERW API 5L X70, SURPLUS, FBE	469
	20 X .375 #2 USED, FBE/TAR, TCXTC, 0-3 MW	441
	20 X .375 A252 GR 2/3, BARE, <b>DOM, BXB, MTRS</b>	13,633
	20 X .375 API 5L, ARO, <b>M&amp;M DOM, BXS, MTRS</b>	298
	20 X .375 ERW API 5L X60, SURPLUS, 3LPP, BXB	353
	20 X .375 ERW API 5L X65, ARO/FBE, <b>M&amp;M DOM, BXB, MTRS</b>	498
	20 X .375 ERW API X65, SURPLUS, FBE, BXB	323
	20 X .300 - .375 #2, USED, BARE, HEAVY PITTING, TCXTC, 0-1 MW	1,486
	20 X .312 ERW A252 GR 3, BARE, <b>DOM, BXB, MTRS</b>	750
	20 X .312 ERW A252 GR 3, NEW, BARE, <b>DOM MFR ONLY, MTRS</b>	325
	20 X .294 ERW API 5L X70, FBE, <b>DOM, BXB, MTRS</b>	249

the

# BIG LIST

**BIGFOOT PIPE & PILING**

**DECEMBER 2023**

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
	20 X .281 API 5L X65, FBE, <b>M&amp;M DOM</b> , BXB, <b>MTRS</b>	682
<b>18</b>	18 X .750 ERW A252 GR 3, SURPLUS, BARE, BXB/SQXSQ	277
	18 X .625 ERW ID SEAM, SURPLUS, BARE, 2-5 MW	2,545
	18 X .625 ERW, STRUCTURAL, SURPLUS, BARE	199
	18 X .562 ERW, SURPLUS, BARE, BXB	230
	18 X .375 ERW API 5L X42 A53 B, BLK LAQ, IMP, BXB, <b>MTRS</b>	7,590
	18 X .375 ERW API 5L X52/X42, FBE, IMP, BXB, <b>MTRS</b>	1,508
	18 X .375 ERW, SURPLUS, FBE, BXB	103
	18 X .375 SEAMLESS API 5L X42, FBE, IMP, BXB, <b>MTRS</b>	652
	18 X .188 - .250 SPIRALWELD, USED, BARE, TCXTC, 0-1 MW	486
<b>16</b>	16 X .844 SEAMLESS, SURPLUS, FBE, SQXSQ	122
	16 X .688 SURPLUS, CLEANED BARE	142
	16 X .656 SEAMLESS, FBE	151
	16 X .625 A252 GR 3, BARE, <b>DOM</b> , <b>MTRS</b>	179
	16 X .625 ERW A252 GR 3, SURPLUS, BARE, SQXSQ/SQXTC	400
	16 X .625 ERW A500 GR C, BARE, <b>M&amp;M DOM</b> , SQXSQ, <b>MTRS</b>	1,085
	16 X .500 A252, SURPLUS, BARE	197
	16 X .500 API 5L X52, BARE, IMP, <b>MTRS</b>	137
	16 X .500 ERW A252 GR 2/3, BARE, <b>DOM</b> , BXB, <b>MTRS</b>	2,242
	16 X .500 ERW API 5L X60, ARO/FBE, <b>DOM</b> , BXB, <b>MTRS</b>	864
	16 X .500 ERW A53 GR B A252 GR 3, BARE, BXB, <b>MTRS</b>	672
	16 X .500 ERW A53/API, BARE/BLK LAQ, IMP, <b>MTRS</b>	165
	16 X .500 ERW, SURPLUS, BARE, MIXED ENDS	310
	16 X .500 GALVANIZED	1,004
	16 X .500 LIMITED SERVICE, BARE, <b>M&amp;M DOM</b> ., <b>MTRS</b>	254
	16 X .500 SURPLUS, BARE	618
	16 X .375 A252 GR 2/3, BARE, <b>DOM</b> , BXB, <b>MTRS</b>	10,445
	16 X .375 ERW A252 GR 2/3, BARE, <b>DOM</b> , BXB, <b>MTRS</b>	1,519
	16 X .375 ERW A53 GR B A252 GR 3, BARE, IMP, BXB, <b>MTRS</b>	585
	16 X .375 ERW ID SEAM A252 GR 3, FBE, SQXSQ, <b>MTRS</b>	270
	16 X .375 ERW, SURPLUS, BARE, MIXED ENDS	451
	16 X .375 SURPLUS, GALVANIZED	291
	16 X .313 A500 GR B, BARE, IMP	223
	16 X .312 ERW, LIMITED SERVICE, BARE, BXB/BXSQ	2,273
	16 X .312 ERW, SURPLUS, RED FBE, BXB	419
	16 X .312 SURPLUS, BARE	204

the

# BIG LIST

**BIGFOOT PIPE & PILING**

**DECEMBER 2023**

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
	16 X .295 API 5L X65, FBE, <b>DOM</b> , BXB, <b>MTRS</b>	244
	16 X .250 A252 GR2/3, BARE, <b>DOM</b> , BXB, <b>MTRS</b>	5,448
	16 X .250 ERW A252 GR 2/,3 BARE, <b>DOM</b> , BXB, <b>MTRS</b>	443
	16 X .188 DSAW, USED, BLK LAQ, TCXTC, 2-5 MW	1,566
	16 X .188 SPIRALWELD, USED, BLK LAQ, TCXTC, 0-2 MW	5,481
<b>14</b>	14 X .625 DSAW, SURPLUS, STRUCTURAL, BARE	180
	14 X .600 SEAMLESS API 5L X65, CLEANED BARE, <b>M&amp;M DOM</b> , MIXED ENDS, <b>MTRS</b>	165
	14 X .500 ERW API 5L X52, BARE, <b>DOM</b> , BXB, <b>MTRS</b>	2,530
	14 X .500 ERW API 5L X52, FBE, <b>DOM</b> , BXB, <b>MTRS</b>	1,727
	14 X .500 ERW API 5L X52, POWERCRETE, <b>DOM</b> , BXB, <b>MTRS</b>	1,153
	14 X .500 ERW, ID SEAM, SURPLUS, BARE/BLK LAQ, SQXSQ	241
	14 X .500 ERW, SURPLUS, ARO/TAR, MIXED ENDS	665
	14 X .500 ERW, SURPLUS, BARE, BXB	350
	14 X .438 ERW, SURPLUS, BARE, <b>DOM</b> , SQXSQ	495
	14 X .375 ERW, LIMITED SERVICE, BARE, <b>DOM</b> , BXB	2,445
	14 X .375 GALVANIZED	760
	14 X .250 ERW, SURPLUS, BARE, SHORTS, SQXSQ	1,298
	14 X .600 SEAMLESS API 5L X65, FBE, <b>M&amp;M DOM</b> , <b>MTRS</b>	2,519
	14 X .600 SEAMLESS API 5L X65, BARE, <b>M&amp;M DOM</b> , <b>MTRS</b>	926
<b>12</b>	12 3/4 X .750 ERW, SURPLUS, BARE, WHITE FBE, ID LINER, SQXSQ	168
	12 3/4 X .750 SEAMLESS, SURPLUS, BARE, BXINV	58
	12 3/4 X .688 - .720 SEAMLESS A106B A53, SURPLUS, FBE, BXB	167
	12 3/4 X .688 - .720 SEAMLESS A106B A53, SURPLUS, BARE, BXB	300
	12 3/4 X .650 SEAMLESS API X65, BARE	525
	12 3/4 X .625 A500, SURPLUS, BARE	420
	12 3/4 X .625 ERW A500 GR B/C, SURPLUS, BARE	230
	12 3/4 X .625 ERW, STRUCTURAL, SURPLUS, BARE, SQXSQ	838
	12 3/4 X .562 ERW, SURPLUS, BARE, BXB	599
	12 3/4 X .500 ERW A252 GR 3, BARE, <b>M&amp;M DOM</b> , 0-1 MW <b>MTRS</b>	825
	12 3/4 X .500 ERW A53 GR B A252 GR 3, BARE, BXB, <b>MTRS</b>	1,885
	12 3/4 X .500 ERW, SURPLUS, FBE, TCXTC	372
	12 3/4 X .500 GALVANIZED, MIXED ENDS	406
	12 3/4 X .469 SEAMLESS API 5LB X65, ARO/FBE, IMP, BXB, <b>MTRS</b>	13,835
	12 3/4 X .469 SEAMLESS, API 5LB X65, BARE, IMP, BXB, <b>MTRS</b>	6,828
	12 3/4 X .406 ERW, SURPLUS, BARE, BXB	434
	12 3/4 X .375 ERW A500 GR C, BARE, <b>M&amp;M DOM</b> , SQXSQ, <b>MTRS</b>	864

the

# BIG LIST

**BIGFOOT PIPE & PILING**

**DECEMBER 2023**

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
	12 3/4 X .375 ERW, SURPLUS, BARE, BXB/BXTC	493
	12 3/4 X .375 ERW, SURPLUS, ARO/FBE, ID FLOWLINER, ZAP LOCK ENDS	1,673
	12 3/4 X .375 ERW SURPLUS, FBE	412
	12 3/4 X .375 ERW, SURPLUS, BARE, MIXED ENDS, SLITS	380
	12 3/4 X .375 GALVANIZED, MIXED ENDS, 0-1 MW	530
	12 3/4 X .375 LIMITED SERVICE, MW	430
	12 3/4 X .375 SURPLUS, BARE, BXB/SQXSQ	509
	12 3/4 X .375 SURPLUS, FBE	305
	12 3/4 X .344 A252 GR 2/3, NEW, BARE, <b>DOM</b> , PEB, <b>MTRS</b>	316
	12 3/4 X .330 ERW, SURPLUS, BARE, BXB	1,072
	12 3/4 X .330 ERW, SURPLUS, ARO/FBE, BXB	517
	12 3/4 X .312 A252 GR 2/3, BARE, <b>DOM</b> , PEB, <b>MTRS</b>	539
	12 3/4 X .312 ERW API 5L X42 PSL1, BARE, IMP, <b>MTRS</b>	1,723
	12 3/4 X .281 ERW, SURPLUS, BARE, BXB, 1-2 MW	763
	12 3/4 X .281 ERW, SURPLUS, YELLOW JACKET, BXB	503
	12 3/4 X .281 X SRL, NEW, STRUCTURAL, MW	1,086
	12 3/4 X .250 ERW A252 GR 2/3, <b>DOM</b> , BXB, <b>MTRS</b>	546
	12 3/4 X .250 ERW API 5L X52, SURPLUS, FBE, IMP, BXB	6,428
	12 3/4 X .250 ERW API 5L X56, CLEANED BARE, <b>MTRS</b>	526
	12 3/4 X .250 ERW API 5L X56, CLEANED BARE, <b>M&amp;M DOM</b> , MIXED ENDS, <b>MTRS</b>	1,402
	12 3/4 X .250 ERW, SURPLUS, BARE, BXB	1,110
	12 3/4 X .250 ERW, SURPLUS, BLK LAQ, NOTCHED ENDS	660
	12 3/4 X .250 ERW, SURPLUS, FBE	439
	12 3/4 X .250 USED, BARE, SLURRY LINED	386
	12 3/4 X .156 ERW, USED, BARE, SQXSQ, 1-2 MW	2,428
<b>11</b>	11 3/4 X .500 ERW, SURPLUS, BARE, CASING	159
<b>10</b>	10 3/4 X 1.125 SEAMLESS A106, BLK LAQ, IMP, <b>MTRS</b>	146
	10 3/4 X .719 SEAMLESS API, SURPLUS, BARE, BXB/BXTC	85
	10 3/4 X .500 ERW A53 GR B, IMP, <b>MTRS</b>	693
	10 3/4 X .500 ERW API 5L X65, ARO/FBE, <b>DOM</b> , <b>MTRS</b>	2,905
	10 3/4 X .500 ERW, STRUCTURAL, BARE, 2 MW	1,522
	10 3/4 X .500 ERW, STRUCTURAL, BARE, MIXED ENDS	1,583
	10 3/4 X .500 ERW, STRUCTURAL, BARE	468
	10 3/4 X .500 ERW, SURPLUS, BARE, BXB	636
	10 3/4 X .500 SEAMLESS API X42, ARO/FBE, IMP, <b>MTRS</b>	732
	10 3/4 X .500, SURPLUS, BARE, MIXED ENDS	598

*the*

# BIG LIST

**BIGFOOT PIPE & PILING**

**DECEMBER 2023**

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
	10 3/4 X .469 SEAMLESS API 5L X65, ARO/FBE, BXB, <b>MTRS</b>	273
	10 3/4 X .365 / .375 SURPLUS ERW API 5L X52 FBE IMP BXB	801
	10 3/4 X .365 ERW A53 GR B, BARE/BLK LAQ, IMP, BXB, <b>MTRS</b>	568
	10 3/4 X .365 ERW API 5L X52, USED, ARO/FBE, IMP, TCXTC	2,538
	10 3/4 X .365 ERW, SURPLUS, 3LPP/PRITEC	2,532
	10 3/4 X .365 ERW, SURPLUS, BARE, ID LINER, BXB	504
	10 3/4 X .365 ERW, SURPLUS, FBE, MIXED ENDS	569
	10 3/4 X .365 GALVANIZED, MIXED ENDS	353
	10 3/4 X .365 SEAMLESS API 5L X-42, FBE, <b>DOM</b> , BXB, <b>MTRS</b>	872
	10 3/4 X .279 ERW, SURPLUS, BARE, BXB	430
	10 3/4 X .250 API X52, SURPLUS, FBE, ZAP-LOCK ENDS	1,162
	10 3/4 X .165 ERW #1 USED A53 GR B, ROLL GROOVED ENDS	33,660
<b>9</b>	9 5/8 X .472 SURPLUS BARE CASING	297
	9 5/8 40# NEW, CASING, BLK LAQ	742
	9 5/8 36# USED CASING, BARE AND/OR BLK LAQ	1,435
<b>8</b>	8 5/8 X .500 ERW, SURPLUS, BARE, BXB	1,207
	8 5/8 X .500 SEAMLESS, SURPLUS, FBE, BXB	564
	8 5/8 X .438 - .450 SEAMLESS, USED, BARE, TCXTC 0-2 MW	374
	8 5/8 X .438 SEAMLESS API 5L X60, FBE, IMP, BXB, <b>MTRS</b>	351
	8 5/8 X .438 SEAMLESS API 5L X60, BARE, IMP, BXB, <b>MTRS</b>	750
	8 5/8 X .438 SEAMLESS X60, SURPLUS, BARE, BXB	2,323
	8 5/8 X .322 ERW A252 GR 3, BARE, BXB/BXS	476
	8 5/8 X .322 ERW A53 GR B A252 GR 3, BARE, BXB, <b>MTRS</b>	1,744
	8 5/8 X .322 ERW, STRUCTURAL, SURPLUS, BARE, MIXED ENDS, 0-1 RW/MW	10,866
	8 5/8 X .322 ERW, STRUCTURAL, SURPLUS, BARE, SQXSQ, 1-2 MW, BUNDLED	3,109
	8 5/8 X .322 ERW, SURPLUS, ARO/FBE CTD, ID LINER, ZAP LOCK ENDS	4,745
	8 5/8 X .322 ERW, SURPLUS, BARE, MIXED ENDS	1,313
	8 5/8 X .322 ERW, SURPLUS, CLEANED BARE BXB, <b>MTRS</b>	668
	8 5/8 X .322 GALVANIZED	969
	8 5/8 X .277 ERW, SURPLUS, BARE, SQXSQ	726
	8 5/8 X .250 ERW, STRUCTURAL, SURPLUS, BARE, ID SEAM, BXB, 2-5 MW	4,414
	8 5/8 X .250 ERW, SURPLUS, CLEANED BARE	576
	8 5/8 X .250 STRUCTURAL, SURPLUS, BARE, MIXED ENDS, 0-3 MW	8,444
	8 5/8 X .219 ERW, SURPLUS, BARE, MIXED ENDS, 0-3 MW	4,740
	8 5/8 X .219 ERW, SURPLUS. FBE, BXB, <b>MTRS</b>	1,235
	8 5/8 X .188 API X42 X52, SURPLUS, FBE	984



the

# BIG LIST

**BIGFOOT PIPE & PILING**

**DECEMBER 2023**

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
	8 5/8 X .188 ERW API 5L X42 X52, SURPLUS, FBE, <b>DOM</b> , BXB, <b>MTRS</b>	518
	8 5/8 X .188 ERW, STRUCTURAL, SURPLUS, BARE, BXB, 1-4 MW	4,987
	8 5/8 X .188 ERW, SURPLUS, BARE, BXSQ/SQXSQ	2,616
	8 5/8 X .188 ERW, SURPLUS, FBE	389
	8 5/8 X .188 SURPLUS, BARE, BXB/BXSQ, 0-2 MW	722
<b>7</b>	7 X 23# #1 USED, TUBING, FIBER- GLASS LINED, T&C	268
	7 X .250 ERW, SURPLUS, BARE, SQXSQ	5,358
	7 X .188 ERW, SURPLUS, BARE, SQXSQ	1,400
<b>6</b>	6 5/8 X .432 SURPLUS, BARE, TCXTC	584
	6 5/8 X .280 #1 SEAMLESS, USED, BARE/BLK LAQ, BXB, 0-2 MW	684
	6 5/8 X .280 #1 USED, BARE/BLK LAQ, BXB, 0-1 MW	1,464
	6 5/8 X .280 ERW API X52 A53 B, USED, ARO/FBE, TCXTC	5,044
	6 5/8 X .280 ERW, STRUCTURAL, BARE, SQXSQ, 0-1 MW	825
	6 5/8 X .280 USED, FBE	888
	6 5/8 X .156 - .219 USED, FBE, TCXTC, 1-2 MW	9,027
	6 5/8 X .188 ERW, SURPLUS, BARE, BXB/BXSQ, 0-1 MW	1,522
	6 5/8 X .134 ERW, SURPLUS, BARE, MIXED ENDS	840
	6 X .250 ERW, SURPLUS, BARE, SQXSQ	3,358
	6 X .188 ERW, SURPLUS, BARE, SQXSQ	5,021
<b>5</b>	5 9/16 X .258 SEAMLESS A106 X52, BLK LAQ, IMP, BXB, <b>MTRS</b>	380
	5 9/16 X .188 ERW A53 A, SURPLUS, BARE	276
	5 9/16 X .134 A53 GR A, GALVENIZED, <b>MTRS</b>	5,376
	5 1/2 X 15.5# USED, CASING, BARE, T&C	679
<b>4</b>	4 1/2 X .438 SEAMLESS, USED, BARE, TCXTC, 0-2 MW	2,204
	4 1/2 X .437 SEAMLESS, SURPLUS, FBE, BXB, 0-1 MW	786
	4 1/2 X .337 ERW A53 B, SURPLUS, BLK LAQ, BXB	268
	4 1/2 X .337 SEAMLESS A53 GR A/B, SURPLUS, ARO/FBE, BXB	4,697
	4 1/2 X .337 SEAMLESS, USED, BARE, TCXTC, 0-1 MW	795
	4 1/2 X .237 10.5# ERW, USED, CASING, BARE, THXC, SCALING	2,211
	4 1/2 X .237 X 21' A53 GR A, BLK, T&C, IMP, <b>MTRS</b>	2,784
	4 1/2 X .237 X 21' A53 GR A, GALVANIZED, T&C, IMP, <b>MTRS</b>	2,352
	4 1/2 X .188 - .237 STRUCTURAL, SURPLUS, SHORTS, BARE, MIXED ENDS, RW, OPEN/SPLIT, SMS	4,580
	4 1/2 X .120 #1 ERW A53 GR A/B, USED, ROLL GROOVED ENDS, <b>MTRS</b>	1,058
<b>3</b>	3 1/2 (4 OD) .218 ERW, SECONDARY, BARE, TUBING	828
	3 1/2 X .600 SEAMLESS API 5L/A53 B, SURPLUS, FBE, <b>DOM</b>	907
	3 1/2 X .600 SEAMLESS, SURPLUS, FBE, IMP	1,177

*the*

# BIG LIST

**BIGFOOT PIPE & PILING**

**DECEMBER 2023**

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
	3 1/2 X .438 SEAMLESS, SURPLUS, FBE, BXB	963
	3 1/2 X .437 SEAMLESS A53/A106, SURPLUS, BARE/BLK LAQ, BXB,	786
	3 1/2 X .300 ERW A53 GR A, BLK LAQ, IMP, T&C, <b>MTRS</b>	2,289
	3 1/2 X .300 ERW API 5L X52, BARE, <b>DOM, MTRS</b>	1,069
	3 1/2 X .300 ERW API X52, SURPLUS, ARO/FBE, IMP, BXB	4,700
	3 1/2 X .300 ERW API X52, SURPLUS, BARE, IMP, BXB	4,207
	3 1/2 X .300 ERW, SURPLUS, BARE, BXB	975
	3 1/2 X .300 SEAMLESS A106 GR B X42, FBE, IMP, BXB, <b>MTRS</b>	1,295
	3 1/2 X .300 SEAMLESS A106 GR B, BARE/BLK LAQ, <b>M&amp;M DOM, BXB, MTRS</b>	13,231
	3 1/2 X .254 9.2# STRUCTURAL, USED, TUBING, BARE, T&C, 0-1 MW	4,900
	3 1/2 X .254 X 31.5' ERW, USED, BARE	69,363
	3 1/2 X .254 X SHORTS, USED	2,156
	3 1/2 X .216 ERW, SECONDARY, BARE	1,115
	3 1/2 X .216 X 21' A53 GR A, BLK LAQ, IMP, T&C, (14 PCS PER BUNDLE)	1,827
	3 1/2 X .216 X 21' A53 GR A, BLK, IMP, BXB, <b>MTRS</b>	903
	3 1/2 X .216 ERW API 5L X52, SURPLUS, FBE, IMP, BXB	4,898
	3 1/2 X .216 ERW API 5L X52, SURPLUS, BLK LAQ, IMP, BXB	1,512
	3 1/2 X .216 SEAMLESS, SURPLUS, FBE, BXB, <b>MTRS</b>	2,128
	3 1/2 X .188 ERW API/A53, BARE/BLK LAQ, IMP, BXB, <b>MTRS</b>	4,205
	3 1/2 X .156 SEAMLESS A106 GR B, FBE, BXB	1,804
	3 1/2 X .120 ERW A53 A, SURPLUS, BARE/BLK LAQ, BXB	399
	3 1/2 X .120 ERW, SECONDARY, BARE, SQXSQ	3,394
	3 1/2 X .093 ERW A53 A, SURPLUS, BARE/BLK LAQ, BXB	831
	3 X .250 ERW SECONDARY, BARE, TUBING, TCXTC/SQXSQ	2,430
<b>2</b>	2 7/8 X .375 SEAMLESS A106, BARE/BLK LAQ, IMP, BXB, <b>MTRS</b>	2,219
	2 7/8 X .286 X 31.5' AVG, 7.9#, USED	1,985
	2 7/8 X .276 SEAMLESS API X42/X52, SURPLUS, BLK LAQ, IMP, BXB, <b>MTRS</b>	2,313
	2 7/8 X .276 ERW A53 GR A BARE	1,214
	2 5/8 X .190-.225 X 24' DE-COILED TUBING	4,176
	2 7/8 X .217 #1 X 31.5' AVG, USED	220,504
	2 7/8 X .203 ERW A53 GR B/F, GALVANIZED, <b>M&amp;M DOM, T&amp;C, MTRS</b>	2,835
	2 7/8 X .120 ERW A53 A, SURPLUS, BARE/BLK LAQ, BXB	1,176
	2 7/8 X .086 ERW A53 A, SURPLUS, BARE/BLK LAQ, ROLL GROOVED ENDS	1,320
	2 1/2 SCH 10 A53 GR A, BARE, IMP	2,544
	2 3/8 X 11 GA X 24' NEW, TUBING	1,392
	2 3/8 X .281 ERW, SURPLUS, BARE, TUBING, SQXSQ	13,503

the

# BIG LIST

**BIGFOOT PIPE & PILING**

**DECEMBER 2023**

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
	2 3/8 X .254 X 31.5' AVG, USED, TUBING, BARE, T&C	1,261
	2 3/8 X .250 5.95# X 31.5' AVG, USED	19,341
	2 3/8 X .218 SEAMLESS A53 B, SURPLUS, ARO/FBE/WHITE POLY, BXB/T&C	12,559
	2 3/8 X .218 ERW A53 GR A, SURPLUS, BLK LAQ, IMP, T&C, <b>MTRS</b>	6,678
	2 3/8 X 4.7# X 31.5' USED, TUBING, BARE, T&C, LIGHT PITTING	15,786
	2 3/8 X .190 X 31.5' AVG, USED	57,808
	2 3/8 X .154 ERW A53 GR A, ASTM, GALV, T&C, IMP, <b>MTRS</b>	3,623
	2 3/8 X .154 ERW A53 GR B, BLK LAQ, IMP, BXB, <b>MTRS</b>	1,470
	2 3/8 X .154 ERW A53 GR B, GALVANIZED, <b>M&amp;M DOM</b> , BXB, <b>MTRS</b>	1,806
	2 3/8 X .154 ERW A53 GR B, SURPLUS, BARE/BLK LAQ, T&C	546
	2 3/8 X .154 X 21' ERW A53 A, BLK LAQ, T&C, <b>MTRS</b> (26 PCS PER BUNDLE)	794
	2 3/8 X .140 X 32' ERW, BARE	4,736
	2 3/8 X .110 STRUCTURAL, BARE, SQXSQ, 0-1 MW	4,600
	2 3/8 X .109 ERW, SECONDARY, BARE, SQXSQ	2,555
	2 3/8 X .109 ERW A53 B, SURPLUS, BARE/BLK LAQ, BXB	777
	2 3/8 X .090 X 24' NEW, BARE, SQXSQ	43,400
	2 3/8 X .086 ERW, SURPLUS, BARE/BLK LAQ, BXB	888
	2 1/16 X .154 X 32' AVG, USED, OCTG	2,142
	2 X .120 X 24' STRUCTURAL, BARE, RUSTY (37 PCS PER BUNDLE)	1,392
	1.9 X .090 14 GA X 21' ERW, BARE, TUBING, SQXSQ (61 PCS PER BUNDLE)	7,686
	1.9 X .090 X 24' NEW, BARE, SQXSQ (61 PCS PER BUNDLE)	5,760
<b>1</b>	1.66 X .120 X 21' NEW, TUBING, BARE	5,021
	1.66 X .109 STRUCTURAL, BARE, SQXSQ, 0-1 MW	11,025
	1.66 X .083 X 20' 14 GA, NEW, TUBING, BARE, SQXSQ, (61 PCS PER BUNDLE)	41,494
	1 1/2 X .145 A53 GR A, BLK LAQ, IMP, T&C, <b>MTRS</b>	3,150
	1 1/2 X .145 A53 GR A, NEW, BLK LAQ, IMP, SQXSQ, <b>MTRS</b>	1,722
	1 1/2 X .145 A53 GR A, GALVANIZED, IMP, T&C, <b>MTRS</b> (36 PCS PER BUNDLE)	1,617
	1 1/2 X .083 14 GA ERW, SURPLUS, BARE, TUBING, SQXSQ	12,804
	1.315 X .120 X 24' NEW (61 PCS PER BUNDLE)	15,349
	1 1/4 X .250 ERW A53 GR A/F, NEW, GALVANIZED, <b>M&amp;M DOM</b> , BXB, <b>MTRS</b>	1,512
	1 1/4 X .140 A53 GR A, NEW, GALVANIZED, IMP, T&C, <b>MTRS</b>	1,260
	1 1/4 X .140 ERW A53 GR A, NEW, GALVANIZED, <b>M&amp;M DOM</b> , T&C, <b>MTRS</b>	3,888
	1 1/4 X .083 14 GA, X 24' NEW, (127 PCS PER BUNDLE)	22,512
	1 1/4 X .083 14 GA, X 20' BARE, IMP, SQXSQ	1,760
	1.05 X .083 X 20' NEW, BARE, SQXSQ	2,500
	1 X .179 SEAMLESS A106 GR B, NEW, GALVANIZED, T&C	2,564

# the BIG LIST

**BIGFOOT PIPE & PILING**

**DECEMBER 2023**

800-877-7453 • BigfootPipe.com

OD	DESCRIPTION	FOOTAGE
	1 X .133 A53 GR A, BLK LAQ, IMP, SQXSQ, <b>MTRS</b>	2,688
	1 X .133 A53 GR A, GALVANIZED, IMP, T&C, <b>MTRS</b>	1,260
	1 X .133 ERW A53 GR A, BARE/BLK LAQ, IMP	5,544
	1 X .133 ERW A53 GR A, BLK LAQ, IMP, T&C, <b>MTRS</b>	3,045
	1 X .133 ERW A53 GR A, SURPLUS, BARE/BLK LAQ, T&C	3,786
	1 X .133 ERW A53 GR A/F, GALVANIZED, <b>M&amp;M DOM</b> , T&C, <b>MTRS</b>	9,792
	1 X .133 SCH 40 A53 GR A, NEW, BLK LAQ, IMP, SQXSQ, <b>MTRS</b>	1,575
	1 X .133 SEAMLESS A106 GR B, NEW, FBE, <b>M&amp;M DOM</b> , <b>MTRS</b>	8,470
<b>3/4</b>	3/4 X .154 ERW A53 GR A/F, NEW, GALVANIZED, <b>M&amp;M DOM</b> , BXB, <b>MTRS</b>	2,583
	3/4 X .113 ERW A53 GR A, BLK LAQ, IMP, BXB/SQXSQ, <b>MTRS</b>	2,856
	3/4 X .113 ERW A53 GR A, GALVANIZED, IMP, T&C, <b>MTRS</b>	2,037
	3/4 X .113 ERW A53 GR A, SURPLUS, BARE/BLK LAQ, T&C	3,528
	3/4 X .113 SCH 40 A53 GR A, NEW, BLK LAQ, IMP, T&C, <b>MTRS</b>	2,100
	3/4 X .113 SCH 40 ERW A53 GR F, NEW, GALVANIZED, <b>M&amp;M DOM</b> , T&C, <b>MTRS</b>	1,260
	3/4 X .065 16GA ERW, STRUCTURAL/SURPLUS, BARE, TUBING, SQXSQ	20,088
<b>1/2</b>	1/2 X .109 ERW A53 A, BLK LAQ, T&C (120 PCS PER BUNDLE)	3,444
	1/2 X .109 SCH 40 A53 GR A, SURPLUS, BLK LAQ, SQXSQ	1,281
	1/2 X .109 SCH 40 ERW A53 GR F, NEW, FBE, <b>DOM</b> , TXT, <b>MTRS</b>	1,071
	1/2 X .147 ERW A53 GR B/F, NEW, GALVANIZED, <b>DOM</b> , BXB, <b>MTRS</b>	3,255
	1/2 X .147 SEAMLESS A106 GR B, NEW, BARE/BLK LAQ, SQXSQ	3,581
	1/2 X .109 ERW A53 GR A, NEW, GALVANIZED, <b>M&amp;M DOM</b> , <b>MTRS</b>	4,641
	1/2 X .109 ERW A53 GR A, NEW, GALVANIZED, IMP, SQXSQ <b>MTRS</b>	2,919
	1/2 X .109 ERW A53 GR A, NEW, GALVANIZED, IMP, T&C, <b>MTRS</b>	4,326

Don't see what you're looking for? *Call Today!*  
**800-877-7453**