

The BIG LIST

November 2025

0.5" - 132" 800-716-7473 • InternationalPipe.com

OD	Description	Footage
132	132 X .750 SPIRALWELD SECONDARY CTD DOM	6
109	109 1/4 X .625 STRAIGHT SEAM SURPLUS SECONDARY BARE DOM	75
101	101 X .500 STRAIGHT SEAM SURPLUS SECONDARY BARE DOM	8
98	98 X .375 STRAIGHT SEAM SURPLUS SECONDARY BARE DOM	5
79	79 X .500 SPIRALWELD SECONDARY BARE DOM	624
66	66 X .488 DSAW BARE BXB	7
62	62 1/5 X .625 SPIRALWELD A252 BARE DOM	330
60	60 X .625 SPIRALWELD A252 BARE M&M DOM MTRS	70
60	60 X 1.00 BARE SQXSQ 1 MW	10
60	60 X 1.125 SURPLUS WHITE PAINT CTD SQ PLATE END	16
56	56 1/2 X .679 SURPLUS SECONDARY BARE DOM	20
56	56 1/2 X .679 SURPLUS SPIRALWELD SECONDARY BARE DOM	25
56	56 X .500 DSAW GALVANIZED BXTG	42
54	54 X .438 DSAW API 5L SURPLUS BARE BXB	23
54	54 X .688 DSAW API 5L X56 BLK LAQ IMP BXB MTRS	20
52	52 X .750 BARE SQXSQ 4 MW	21
49	49 7/8 X .250 SPIRALWELD SECONDARY BARE IMP	80
48	48 X .375 ERW SURPLUS BARE SQXSQ	110
48	48 X .375 STRAIGHT SEAM SECONDARY BARE IMP MTRS	149
48	48 X .375 USED BARE CONCRETE LINED	156
48	48 X .406 SPIRALWELD API 5L X42 #1 USED CLND BARE 0-2 MW	29,356
48	48 X .500 DSAW API 5L X52 BARE IMP BXB	80
48	48 X .500 SPIRALWELD BARE	86
48	48 X .500 WHITE PAINT SQXPLATE	71
48	48 X .750 SPIRALWELD SECONDARY BARE BXSQ SQXSQ	316
48	48 X .841 SPIRALWELD GALVANIZED BXB MTRS	120
48	48 X 1.00 SPIRALWELD A252 GR3 BARE M&M DOM MIXED ENDS MTRS	215
48	48 X 1.00 SPIRALWELD A252 SURPLUS BARE	119
48	48 X 1.00 SURPLUS BARE SQXSQ 0-1 MW	258
44	44 1/2 X .750 SPIRALWELD SECONDARY BARE DOM	302
44	44 X .312 SPIRALWELD SURPLUS SECONDARY BARE IMP	160
43	43 7/8 X .250 SPIRALWELD SURPLUS CONCRETE CTD LINED SQXBELL	80
43	43 7/8 X .250 SPIRALWELD SURPLUS SECONDARY BARE DOM	114

The BIG LIST

November 2025

0.5" - 132"**800-716-7473 • InternationalPipe.com**

OD	Description	Footage
43	43 7/8 X .375 SPIRALWELD SURPLUS SECONDARY BARE DOM	80
42	42 X .375 DSAW SURPLUS BARE SQXSQ	189
42	42 X .500 SPIRALWELD A252 GR 3 BARE BXB MTRS	562
42	42 X .542 SPIRALWELD API 5L X 70 SURPLUS FBE CTD TCXTC 0-1 MW	410
42	42 X .600 - .625 SPIRALWELD SECONDARY BARE BXSQ SQXSQ BXB 0-3 MW	3,275
42	42 X .600 SPIRALWELD API 5L X70 FBE CTD DOM MAN ONLY BXB MTRS	1,036
42	42 X .617 SPIRALWELD X70 SURPLUS ARO FBE CTD DOM MIXED ENDS 0-3 MW	332
42	42 X .625 SPIRALWELD SECONDARY BARE FLOWLINER BXTX 0-3 MW	101
42	42 X .625 SPIRALWELD X70 FBE CTD DOM 0-1 MW	167
42	42 X .660 DSAW BARE SQXSQ	159
42	42 X .740 SPIRALWELD X70 FBE ARO CTD IMP BXB MTRS	113
42	42 X .750 ERW SURPLUS FBE CTD BXSQ SQXSQ 0-1 MW MTRS	101
42	42 X .750 SPIRALWELD A252 BARE M&M DOM MTRS	138
42	42 X .750 SPIRALWELD C200 / A252 BARE DOM MTRS	151
42	42 X .750 SPIRALWELD SURPLUS BARE SQXSQ BXB	122
42	42 X .780 SPIRALWELD A252 GR3 BXB MTRS	124
42	42 X .780 SPIRALWELD A252 GR3 FBE CTD LINER BXB MTRS	825
42	42 X .888 ERW API 5L X70 FBE ARO CTD IMP BXB	114
36	36 X .375 DSAW A252 GR 3 BARE DOM BXB MTRS	358
36	36 X .375 ERW USED #1 CLND BLK TCXTC 0-1 MW	320
36	36 X .375 ERW USED #1 TAPE CTD TCXTC 0-1 MW	10,391
36	36 X .375 USED BARE CONCRETE LINED	1,244
36	36 X .438 STRAIGHT SEAM USED FBE CTD MIXED ENDS 1-3 MW	1,949
36	36 X .465 DSAW API 5L X70 (483 CAT 2 GRADE) FBE CTD IMP 0-1 MW MTRS	1,668
36	36 X .465 DSAW SURPLUS FBE CTD BXTX 0-1 MW	546
36	36 X .465 DSAW X70 GR 483 CAT II CLND BARE IMP BXTX MTRS	1,379
36	36 X .465 DSAW X70 GR 483 CAT II CLND BARE IMP MTRS	471
36	36 X .465 DSAW X70 GR 483 CAT II FBE CTD IMP BXB MTRS	191,401
36	36 X .465 ERW API 5L X70 (483 CAT 2 GRADE) FBE CTD IMP BXB MW MTRS	1,046
36	36 X .465 SPIRALWELD A252 GR 3 BARE MIXED ENDS MTRS	388
36	36 X .465 SPIRALWELD API 5L X70 FBE CTD DOM BXB BXSQ BXINV MTRS	22,012
36	36 X .465 SPIRALWELD X70 FBE CTD BXTX MTRS	3,004
36	36 X .465 SPIRALWELD X70 FBE CTD DOM BXSQ BXTX MTRS	8,037

The BIG LIST

November 2025

0.5" - 132" 800-716-7473 • InternationalPipe.com

OD	Description	Footage
36	36 X .500 DSAW SURPLUS FBE CTD MIXED ENDS	320
36	36 X .500 ERW USED #1 TAPE CTD TCXTC 0-1 MW	280
36	36 X .504 SPIRALWELD A252 BARE SQXSQ 0-1 MW MTRS	328
36	36 X .515 SPIRALWELD A252 BARE M&M DOM 0-1 MW MTRS	389
36	36 X .515 SPIRALWELD SURPLUS FBE CTD MIXED ENDS 0-2 MW	669
36	36 X .515 SPIRALWELD X70 FBE CTD DOM	359
36	36 X .515 SPIRALWELD X70 FBE CTD MIXED ENDS MTRS	273
36	36 X .517 SPIRALWELD A252 BARE M&M DOM MTRS	409
36	36 X .529 SPIRALWELD A252 BARE DOM	746
36	36 X .531 ERW USED SURPLUS BARE DOM 1-3 MW	360
36	36 X .531 SPIRALWELD SURPLUS FBE CTD MIXED ENDS	543
36	36 X .562 SPIRALWELD A252 GR 3 SURPLUS BARE MIXED ENDS	235
36	36 X .572 SPIRALWELD X70 BARE BXB IMP 0-1 MW MTRS	352
36	36 X .572 SPIRALWELD X70 FBE CTD BXSQ IMP 0-1 MW MTRS	3,665
36	36 X .579 STRAIGHT SEAM CSA Z245.1-8 GR 483 CAT II FBE CTD IMP BXB 0-1 MW MTRS	18,900
36	36 X .594 DSAW API X65 FBE ARO CTD DOM MIXED ENDS 0-1 MW	543
36	36 X .618 SPIRALWELD A252 GR 3 SURPLUS FBE CTD BXTC	360
36	36 X .618 SPIRALWELD X70 FBE ARO CTD BXTC MTRS	3,939
36	36 X .625 SPIRALWELD A252 GR3 BARE DOM MTRS	298
36	36 X .634 ERW X70 CSA GR 483 ARO CTD SQXSQ 1 MW	256
36	36 X .688 - .750 SPIRALWELD DSAW USED ARO CTD MIXED ENDS 0-1 MW	521
36	36 X .688 DSAW API X65 FBE ARO CTD DOM BXB	370
36	36 X .748 SPIRALWELD X70 ARO CTD MTRS	1,761
36	36 X .750 DSAW A252 FBE CTD IMP 0-1 MW	493
36	36 X .750 DSAW API X70 SURPLUS FBE ARO CTD MIXED ENDS 0-2 MW	386
36	36 X .750 SPIRALWELD A252 GR3 USED BARE PAINT CTD MTRS	690
36	36 X 1.500 DSAW API 5L X56 BARE IMP BOXXPIN MTRS	431
34	34 X .281 STRAIGHT SEAM #1 & #2 X52 USED CLND 0-2 MW	3,327
34	34 X .281 STRAIGHT SEAM USED CLND BARE 0-2 MW	10,446
34	34 X .406 API 5L X65 FBE CTD DOM BXB MTRS	832
34	34 X .438 API 5L X65 FBE ARO CTD DOM BXB MTRS	3,779
34	34 X .680 SPIRALWELD ARO CTD MIXED ENDS 0-1 MW MTRS	1,461
31	31 7/8 X .164 SPIRALWELD SURPLUS SECONDARY C200 BARE DOM	320

The BIG LIST

November 2025

0.5" - 132" 800-716-7473 • InternationalPipe.com

OD	Description	Footage
31	31 7/8 X .188 SPIRALWELD SURPLUS SECONDARY C200 BARE DOM	1,842
31	31 7/8 X .250 SPIRALWELD SECONDARY C200 BARE DOM	340
30	30 X .344 SPIRALWELD API 5L X70 FBE CTD MTRS	2,363
30	30 X .344 STRAIGHT SEAM USED CLND BARE MIXED ENDS 1-2 MW	1,959
30	30 X .375 SPIRALWELD API 5L X70 FBE CTD MTRS	1,147
28	28 X .750 API 5L X56 DSAW BARE IMP BOXXPIN ENDS	1,883
28	28 X .750 DSAW #1 USED BARE TCXTC 0-2 MW	2,059
28	28 X .752 DSAW API 5L X52 X56 BARE IMP BOXXPIN 0-1 MW MTRS	744
26	26 X .312 ERW #2 USED BLK BARE BXB 0-1 MW	92,905
24	24 X .343 ERW A252 GR 3 BARE M&M DOM BXB MTRS	453
24	24 X .375 ERW A252 GR3 A36 USED BARE TXT 0-1 MW	321
24	24 X .375 ERW API 5L X42 BARE BLK LAQ IMP MTRS	503
24	24 X .375 ERW SURPLUS BARE MIXED ENDS 0-2 MW	374
24	24 X .500 ERW 483 CAT II SURPLUS FBE CTD IMP BXB MTRS	300
24	24 X .500 ERW API 5L X52 BARE IMP BXB MTRS	2,908
24	24 X .500 ERW X60 FBE ARO CTD DOM	397
24	24 X .500 SPIRALWELD SURPLUS BARE 1-3 MW	497
22	22 X .281 ERW API X70 SURPLUS FBE ARO CTD BXB	5,164
22	22 X .375 SPIRALWELD DSAW API 5L X46 BARE IMP	4,308
22	22 X .625 X52 SURPLUS BARE BLK LAQ SXS	407
20	20 X .300 - .375 #2 USED CLND BARE TCXTC 0-1 MW	1,199
20	20 X .312 DSAW USED CLND BARE TCXTC 0-1 MW	324
20	20 X .312 ERW A252 BARE DOM MW MTRS	1,008
20	20 X .312 ERW API 5L X60 GR BARE DOM BXB MTRS	612
20	20 X .312 ERW SURPLUS FBE CTD MIXED ENDS 0-4 MW	524
20	20 X .344 ERW A252 BARE DOM MTRS	483
20	20 X .375 ERW A252 BARE DOM MAN ONLY	509
20	20 X .375 ERW A252 BARE DOM MAN ONLY MTRS	3,646
20	20 X .375 ERW A53 GR B SURPLUS BARE IMP	678
20	20 X .375 ERW API 5L X65 BARE DOM BXB MTRS	3,568
20	20 X .375 ERW SURPLUS FBE CTD MIXED ENDS 1-4 MW	345
20	20 X .413 ERW A252 BARE MTRS	393
20	20 X .438 ERW A252 BARE DOM BXB MTRS	14,882

The BIG LIST

November 2025

0.5" - 132"**800-716-7473 • InternationalPipe.com**

OD	Description	Footage
20	20 X .438 ERW A252 BARE M&M DOM MTRS	1,125
20	20 X .469 ERW A252 BARE DOM	3,026
20	20 X .500 ERW A252 BARE M&M DOM MTRS	1,169
20	20 X .500 ERW A252 GR 2/3 BARE DOM BXB MTRS	26,733
20	20 X .500 ERW SURPLUS BARE MIXED ENDS 0-2 MW	5,383
20	20 X .500 ERW SURPLUS FBE ARO CTD MIXED ENDS 0-1 MW	1,328
20	20 X .500 ERW X60 X65 SURPLUS ARO FBE CTD BXB	312
20	20 X .500 ERW X70 SURPLUS FBE CTD BXB	399
20	20 X .500 SEAMLESS API 5L X52 A333 ARO CTD BXB	403
20	20 X .500 SEAMLESS X65 SURPLUS FBE CTD MIXED ENDS	424
20	20 X .500 SPIRALWELD SURPLUS BARE SQXSQ	1,613
20	20 X .500 USED SURPLUS ARO CTD	822
20	20 X .562 ERW X70 SURPLUS FBE CTD BXB	363
20	20 X .750 ERW SURPLUS ARO FBE CTD 0-3 MW'S	341
20	20 X .750 SURPLUS GALVANIZED M&M DOM	353
20	20 X .812 SEAMLESS ERW J55 SURPLUS BARE DOM	1,563
18	18 X .375 ERW A252 GR 3 BARE M&M DOM SQXSQ MTRS	524
18	18 X .375 ERW API 5L X42 A53 GR B BLK LAQ IMP BXB MTRS	1,084
18	18 X .375 SEAMLESS API 5L X42 FBE CTD IMP BXB MTRS	491
18	18 X .500 ERW A52 A53 GR B USED BARE DOM 0-2 MW	1,851
18	18 X .562 SEAMLESS API 5L X65 SURPLUS BARE BXB	582
18	18 X .605 - .625 ERW SURPLUS BARE ID SEAM 2-5 MW	2,545
18	18 X .625 ERW A252-19 GR 3 BARE M&M DOM SQXSQ SQXCAP MTRS	818
18	18 X .625 SEAMLESS API 5L GR B X42 FBE CTD M&M DOM BXB MTRS	482
16	16 X .188 - .250 DSAW USED BLK LAQ TCXTC 2-5 MW	1,031
16	16 X .188 - .250 SPIRALWELD USED BLK LAQ TCXTC 0-2 MW	2,145
16	16 X .219 ERW A252 GR3 BARE M&M DOM BXB 0-1 RW MTRS	1,220
16	16 X .250 API 5L X60 X65 SURPLUS FBE CTD MIXED ENDS 0-2 MW	720
16	16 X .250 ERW A252 GR 2/3 BARE DOM BXB MTRS	2,751
16	16 X .250 ERW API 5L X52 FBE CTD DOM BXB MTRS	463
16	16 X .250 ERW API 5L X65 GR BARE DOM BXB MTRS	19,952
16	16 X .250 ERW SURPLUS FBE CTD MIXED ENDS	979
16	16 X .250 SPIRALWELD C200 BARE M&M DOM MTRS	480

The BIG LIST

November 2025

0.5" - 132" 800-716-7473 • InternationalPipe.com

OD	Description	Footage
16	16 X .281 ERW A252 GR 2/3 BARE DOM BXB BXSQ MTRS	1,875
16	16 X .281 ERW API 5L X52 X65 SURPLUS FBE CTD MIXED ENDS 0-1 MW	3,331
16	16 X .312 ERW A53 X42 SURPLUS ARO CTD BXB	1,130
16	16 X .312 ERW API 5L A53 A500 GR B X42 BARE IMP MIXED ENDS MTRS	587
16	16 X .312 ERW API 5L A53 GR B X42 BARE IMP BXB MTRS	1,558
16	16 X .312 ERW API 5L X52 X46 FBE CTD DOM BXB MTRS	424
16	16 X .312 ERW SECONDARY BARE BXB BXSQ	932
16	16 X .312 ERW SURPLUS FBE CTD MIXED ENDS 0-1 MW	1,225
16	16 X .344 ERW A252 GR 2/3 BARE DOM MIXED ENDS MTRS	5,268
16	16 X .375 ERW A252 BARE DOM	2,700
16	16 X .375 ERW A252 GR2/3 BARE DOM BXB MTRS	10,262
16	16 X .375 ERW API 5L X52 SYSTEM AS-6 CTD BXB IMP MTRS	534
16	16 X .375 ERW SURPLUS BARE TCXTC 2 MW	839
16	16 X .375 ERW SURPLUS FBE ARO CTD MIXED ENDS 0-1 MW	1,206
16	16 X .375 SEAMLESS SURPLUS ARO FBE CTD MIXED ENDS 0-1 MW	511
16	16 X .406 ERW USED BARE TCXTC 1-2 MW	1,359
16	16 X .438 ERW SURPLUS BARE TCXTC 2 MW	679
16	16 X .469 ERW USED BARE TCXTC 2 MW	1,197
16	16 X .500 ERW API 5L X60 FBE ARO CTD BXB DOM MTRS	568
16	16 X .500 ERW SURPLUS BARE TCXTC 2 MW	1,596
16	16 X .580 USED BARE T&C	3,692
16	16 X .625 ERW A500 GR C BARE SQXSQ M&M DOM MTRS	1,015
16	16 X .688 ERW API 5L X42 A53 GR B BARE IMP BXB MTRS	521
16	16 X .844 SEAMLESS SURPLUS FBE CTD SQXSQ	446
14	14 X .312 ERW API 5L X42 A53 GR B BARE BLK LAQ IMP BXB MTRS	6,884
14	14 X .375 ERW A252 GR 3 BARE M&M DOM SQXSQ MTRS	1,380
14	14 X .375 ERW A53 GR B BARE IMP	886
14	14 X .375 ERW GALVANIZED MIXED ENDS MTRS	490
14	14 X .375 ERW X52 FBE CTD DOM MTRS	784
14	14 X .438 ERW SURPLUS BARE DOM SQXSQ	495
14	14 X .500 ERW API 5L X52 BARE DOM BXB MTRS	2,223
14	14 X .500 ERW API 5L X52 FBE CTD DOM BXB MTRS	760
14	14 X .500 ERW API 5L X52 POWERCRETE CTD DOM BXB MTRS	1,036

The BIG LIST

November 2025

0.5" - 132" 800-716-7473 • InternationalPipe.com

OD	Description	Footage
14	14 X .500 ERW SURPLUS ARO TAR CTD MIXED ENDS	707
14	14 X .600 SEAMLESS API 5L X65 CLEANED BARE M&M DOM MIXED ENDS MTRS	1,419
14	14 X .600 SEAMLESS API 5L X65 FBE CTD M&M DOM MIXED ENDS MTRS	1,535
12 3/4	12 3/4 X .156 ERW USED BARE SQXSQ 1-2 MW	2,143
12 3/4	12 3/4 X .219 ERW SECONDARY USED BARE DOM	5,215
12 3/4	12 3/4 X .250 ERW A252 BARE DOM	659
12 3/4	12 3/4 X .250 ERW API 5L X52 SURPLUS FBE CTD IMP BXB	5,878
12 3/4	12 3/4 X .250 ERW API 5L X60 FBE CTD M&M DOM BXB MTRS	13,785
12 3/4	12 3/4 X .250 ERW SECONDARY BARE DOM	698
12 3/4	12 3/4 X .250 ERW SURPLUS FBE ARO CTD MIXED ENDS 0-1 MW	4,350
12 3/4	12 3/4 X .250 ERW X52 A53 GR B SURPLUS FBE CTD BXB	2,087
12 3/4	12 3/4 X .250 ERW X65 SURPLUS FBE CTD BXB	15,103
12 3/4	12 3/4 X .281 ERW SECONDARY BARE DOM	601
12 3/4	12 3/4 X .281 ERW SURPLUS BARE BXB 1-3 MW	763
12 3/4	12 3/4 X .312 ERW A252 BARE DOM MTRS	912
12 3/4	12 3/4 X .312 ERW API SURPLUS FBE ARO CTD MIXED ENDS 0-1 MW	1,018
12 3/4	12 3/4 X .312 ERW SECONDARY BARE DOM	7,110
12 3/4	12 3/4 X .375 ERW API 5L X52 ARO CTD M&M DOM BXB MTRS	1,321
12 3/4	12 3/4 X .375 ERW API 5L X52 CLND BARE M&M DOM BXB MTRS	619
12 3/4	12 3/4 X .375 ERW SURPLUS BARE BLK LAQ MIXED ENDS 0-1 MW	660
12 3/4	12 3/4 X .375 ERW SURPLUS FBE ARO CTD MIXED ENDS 0-1 MW	1,742
12 3/4	12 3/4 X .375 SEAMLESS A53 GR B X42 SURPLUS FBE ACRYLIC CTD BXB	1,086
12 3/4	12 3/4 X .469 SEAMLESS API 5LB X65 FBE ARO CTD IMP BXB MTRS	11,630
12 3/4	12 3/4 X .500 ERW A53 GR B A252 GR 3 BARE IMP BXB MTRS	1,501
12 3/4	12 3/4 X .562 ERW SURPLUS BARE BXB	601
12 3/4	12 3/4 X .625 ERW SURPLUS BARE SQXSQ	727
12 3/4	12 3/4 X .844 SEAMLESS API 5L X65 SURPLUS BARE BXB	1,275
12	12 X .250 ERW SURPLUS BARE DOM SQXSQ	4,019
10 3/4	10 3/4 X .165 ERW #1 USED A53 GR B ROLL GROOVED MTRS	28,171
10 3/4	10 3/4 X .188 ERW SURPLUS CLND BARE MIXED ENDS 0-1 MW	1,545
10 3/4	10 3/4 X .219 ERW SURPLUS CLND BARE MIXED ENDS 0-2 MW	698
10 3/4	10 3/4 X .219 ERW X52 SURPLUS BARE DOM BXB	926
10 3/4	10 3/4 X .219 ERW X52 SURPLUS FBE CTD DOM BXB	1,347

The BIG LIST

November 2025

0.5" - 132" 800-716-7473 • InternationalPipe.com

OD	Description	Footage
10 3/4	10 3/4 X .250 ERW API X52 SURPLUS FBE CTD IMP MIXED ENDS 0-1 MW	796
10 3/4	10 3/4 X .250 ERW X52 SURPLUS ARO CTD DOM BXB	1,504
10 3/4	10 3/4 X .365 ERW API 5L X52 USED ARO FBE CTD IMP TCXTC	1,400
10 3/4	10 3/4 X .365 ERW SURPLUS ARO FBE CTD MIXED ENDS 0-1 MW	1,636
10 3/4	10 3/4 X .365 ERW SURPLUS BARE BLK LAQ MIXED ENDS	785
10 3/4	10 3/4 X .365 ERW SURPLUS FBE ARO CTD MIXED ENDS	1,284
10 3/4	10 3/4 X .365 ERW SURPLUS GRN FBE CTD BXB	1,262
10 3/4	10 3/4 X .365 SEAMLESS SURPLUS BARE BLK LAQ MIXED ENDS 0-2 MW	738
10 3/4	10 3/4 X .500 ERW API 5L X52 X65 FBE ARO CTD DOM BXB MTRS	2,140
10 3/4	10 3/4 X .500 ERW BARE 2 MW	1,522
10 3/4	10 3/4 X .500 ERW BARE MIXED ENDS	1,635
10 3/4	10 3/4 X .500 SEAMLESS API X42 SURPLUS FBE CTD IMP BXB	827
9 5/8	9 5/8 X .390 - .438 #2 USED BARE PITTED T&C	4,001
9 5/8	9 5/8 X 36# USED BARE BLK LAQ	1,334
8 5/8	8 5/8 X .188 ERW API 5L X52 FBE CTD M&M DOM BXB MTRS	3,029
8 5/8	8 5/8 X .188 ERW SECONDARY BARE BXB 1-4 MW	3,566
8 5/8	8 5/8 X .188 ERW SURPLUS ARO FBE CTD MIXED ENDS 0-1 MW	920
8 5/8	8 5/8 X .188 ERW SURPLUS BARE MIXED ENDS 0-3 RW/MW	1,090
8 5/8	8 5/8 X .188 ERW SURPLUS FBE CTD MIXED ENDS	962
8 5/8	8 5/8 X .219 ERW SURPLUS BARE MIXED ENDS 0-3 MW	2,779
8 5/8	8 5/8 X .219 ERW X42 SURPLUS ARO FBE CTD IMP MIXED ENDS	6,635
8 5/8	8 5/8 X .219 ERW X42 SURPLUS CLND BARE IMP BXB	884
8 5/8	8 5/8 X .250 BARE MIXED ENDS 0-3 MW	8,161
8 5/8	8 5/8 X .250 ERW A53 GR B X65 SURPLUS FBE CTD BXB	831
8 5/8	8 5/8 X .250 ERW BARE ID SEAM BXB 2-5 MW	4,173
8 5/8	8 5/8 X .250 ERW SURPLUS FBE ARO CTD MIXED ENDS	3,006
8 5/8	8 5/8 X .250 ERW SURPLUS FBE CTD IMP BXB	1,481
8 5/8	8 5/8 X .250 ERW X52 SURPLUS ARO FBE CTD DOM MIXED ENDS 0-1 MW	896
8 5/8	8 5/8 X .322 ERW A53 GR B A252 GR 3 BARE BXB MTRS	1,510
8 5/8	8 5/8 X .322 ERW A53 GR B X42 GALVANIZED BXB VGXVG	987
8 5/8	8 5/8 X .322 ERW A53 GR B X52 SURPLUS FBE CTD IMP ZAP LOCK ENDS 0-1 MW	3,355
8 5/8	8 5/8 X .322 ERW BARE MIXED ENDS 0-1 RW / MW	10,146
8 5/8	8 5/8 X .322 ERW SURPLUS ARO FBE CTD MIXED ENDS 0-2 MW	6,132

The BIG LIST

November 2025

0.5" - 132" 800-716-7473 • InternationalPipe.com

OD	Description	Footage
8 5/8	8 5/8 X .322 ERW SURPLUS BARE BLK LAQ MIXED ENDS	1,585
8 5/8	8 5/8 X .322 ERW SURPLUS BARE SQXSQ 1-2 MW	3,109
8 5/8	8 5/8 X .322 SEAMLESS SURPLUS FBE ARO CTD MIXED ENDS	2,208
8 5/8	8 5/8 X .438 SEAMLESS X60 SURPLUS BARE BXB	3,114
8 5/8	8 5/8 X .500 ERW A500 GR B/C SURPLUS BARE DOM SQXSQ	1,355
8 5/8	8 5/8 X .500 ERW SURPLUS BARE MIXED ENDS	994
8 5/8	8 5/8 X .500 ERW SURPLUS BARE VGXVG	805
8 5/8	8 5/8 X .562 SEAMLESS SURPLUS API 5L X65 BARE BXB	1,445
8 5/8	8 5/8 X .625 SEAMLESS SURPLUS API 5L X65 BARE BXB	1,960
7 5/8	7 5/8 X .375 ERW SECONDARY BARE BLK LAQ BXB SQXSQ	9,713
7 5/8	7 5/8 X .385 SEAMLESS SURPLUS BARE SQXSQ T&C	3,094
7	7 X .250 ERW SURPLUS BARE SQXSQ	5,061
7	7 X 26# USED BARE T&C	1,804
6 5/8	6 5/8 X .134 ERW A53 BLK LAQ IMP	3,969
6 5/8	6 5/8 X .156 - .219 USED CLND BARE TCXTC 1-2 MW	2,859
6 5/8	6 5/8 X .156 - .219 USED FBE CTD TCXTC 1-2 MW	6,170
6 5/8	6 5/8 X .188 ERW API 5L X52 SURPLUS FBE CTD BXB	1,995
6 5/8	6 5/8 X .188 ERW SURPLUS FBE ARO CTD BXB	4,259
6 5/8	6 5/8 X .188 ERW SURPLUS SECONDARY ODC CTD	1,112
6 5/8	6 5/8 X .188 ERW USED BARE BLK LAQ MIXED ENDS 0-1 MW	1,556
6 5/8	6 5/8 X .188 USED FBE CTD MIXED ENDS 0-1 MW	1,447
6 5/8	6 5/8 X .250 ERW API 5L X52 SURPLUS FBE CTD DOM BXB	1,453
6 5/8	6 5/8 X .250 ERW USED ARO FBE CTD MIXED ENDS 0-1 MW	1,617
6 5/8	6 5/8 X .280 ERW API X52 A53 GR B USED FBE ARO CTD TCXTC	914
6 5/8	6 5/8 X .280 ERW SURPLUS ARO FBE CTD MIXED ENDS 0-1 MW	2,101
6 5/8	6 5/8 X .280 ERW SURPLUS BLK LAQ BXB	3,780
6 5/8	6 5/8 X .280 ERW SURPLUS GALVANIZED BXB	10,493
6 5/8	6 5/8 X .280 ERW SURPLUS GALVANIZED IMP T&C	903
6 5/8	6 5/8 X .280 ERW USED CLND BARE MIXED ENDS	1,646
6 5/8	6 5/8 X .280 SEAMLESS API 5L X52 SURPLUS FBE ARO CTD ID LINER BXB	1,068
6 5/8	6 5/8 X .280 USED ARO FBE CTD MIXED ENDS 0-2 MW	888
6 5/8	6 5/8 X .375 ERW X42 BARE IMP MTRS	1,495
6 5/8	6 5/8 X .432 ERW SURPLUS FBE CTD MIXED ENDS	867

The BIG LIST

November 2025

0.5" - 132" 800-716-7473 • InternationalPipe.com

OD	Description	Footage
6 5/8	6 5/8 X .432 SEAMLESS X42 X52 SURPLUS FBE CTD GROOVED ENDS	2,869
6	6 X .109 ERW A500 BARE MTRS	1,020
6	6 X .188 ERW A500 GR B/C BARE IMP CANADA SQXSQ MTRS	1,005
6	6 X .188 ERW SURPLUS BARE SQXSQ	4,491
6	6 X .250 ERW SURPLUS BARE BXB SQXTCT	2,356
6	6 X .250 ERW SURPLUS BARE SQXSQ 0-1 RW	3,260
5	5.563 X .258 ERW A500 BARE MTRS	1,759
5 9/16	5 9/16 X .134 A53 GR A GALVANIZED SQXSQ MTRS	5,355
5 9/16	5 9/16 X .258 ERW A53 GR B X42 GALVANIZED IMP BXB VGXVG MTRS	1,827
5 9/16	5 9/16 X .258 ERW SURPLUS BARE BLK LAQ BXB SQXSQ	3,118
5 1/2	5 1/2 X .304 ERW BARE MIXED ENDS	3,353
5 1/2	5 1/2 X .361 ERW BARE MIXED ENDS	1,308
5 1/2	5 1/2 X .403-.430 ERW BARE MIXED ENDS	998
4 1/2	4 1/2 10.5# -11.6# USED BARE T&C	3,851
4 1/2	4 1/2 X .102 ERW A795 GR A BLK LAQ BXB IMP MTRS	29,782
4 1/2	4 1/2 X .156 ERW SURPLUS SECONDARY ODC CTD	6,109
4 1/2	4 1/2 X .188 - .237 BARE MIXED ENDS RW	3,272
4 1/2	4 1/2 X .188 ERW SURPLUS FBE ARO CTD MIXED ENDS	4,245
4 1/2	4 1/2 X .188 ERW SURPLUS SECONDARY ODC CTD	4,118
4 1/2	4 1/2 X .237 ERW A53 GR A BLK LAQ IMP T&C MTRS	1,533
4 1/2	4 1/2 X .237 ERW A53 GR A GALVANIZED IMP T&C MTRS	2,005
4 1/2	4 1/2 X .237 ERW API X52 SURPLUS FBE CTD MIXED ENDS	1,213
4 1/2	4 1/2 X .237 ERW SURPLUS SECONDARY BARE DOM	2,242
4 1/2	4 1/2 X .237 ERW SURPLUS SECONDARY ODC CTD	1,795
4 1/2	4 1/2 X .250 ERW A252 GR 2/3 BARE M&M DOM SQXSQ MTRS	9,347
4 1/2	4 1/2 X .250 ERW SECONDARY BARE	2,250
4 1/2	4 1/2 X .250 SEAMLESS SURPLUS BARE BLK LAQ MIXED ENDS MTRS	2,487
4 1/2	4 1/2 X .250 SURPLUS GR C	4,005
4 1/2	4 1/2 X .290 ERW A252 GR 2/3 BARE M&M DOM SQXSQ MTRS	4,051
4 1/2	4 1/2 X .337 - .406 SEAMLESS SURPLUS BARE BLK LAQ MIXED ENDS	1,619
4 1/2	4 1/2 X .337 ERW SURPLUS BARE BLK LAQ MIXED ENDS	1,402
4 1/2	4 1/2 X .337 SEAMLESS SURPLUS A53 GR A/B FBE ARO CTD ID&OD BXB	3,472
4	4 X .318 ERW A53 GR B BARE MTRS	1,287

The BIG LIST

November 2025

0.5" - 132" 800-716-7473 • InternationalPipe.com

OD	Description	Footage
3 1/2	3 1/2 X .093 ERW A795 GR A BLK LAQ IMP BXB MTRS	29,526
3 1/2	3 1/2 X .120 ERW SCH 10 SECONDARY BARE SQXSQ	3,394
3 1/2	3 1/2 X .188 ERW X42 A53 GR B BARE BLK LAQ BXB IMP MTRS	3,974
3 1/2	3 1/2 X .216 ERW A53 GR A GALVANIZED IMP T&C	39,060
3 1/2	3 1/2 X .216 ERW A53 GR B SURPLUS GALVANIZED IMP BXB	7,728
3 1/2	3 1/2 X .216 ERW SURPLUS API 5L X52 FBE CTD IMP BXB	4,898
3 1/2	3 1/2 X .216 ERW SURPLUS BLK LAQ BXB	5,796
3 1/2	3 1/2 X .216 SEAMLESS SURPLUS FBE CTD BXB MTRS	2,137
3 1/2	3 1/2 X .254 ERW USED BARE SHORTS / SRLS	2,073
3 1/2	3 1/2 X .254 ERW USED BARE T&C	45,442
3 1/2	3 1/2 X .300 ERW SURPLUS API X52 FBE ARO CTD IMP BXB	2,600
3 1/2	3 1/2 X .300 SEAMLESS A106 GR B BARE BLK M&M DOM BXB MTRS	12,039
3 1/2	3 1/2 X .318 ERW API 5L X42 A53 GRB BARE IMP BXB MTRS	4,030
3 1/2	3 1/2 X .335 SEAMLESS SURPLUS BARE BELLED T&C	3,749
3 1/2	3 1/2 X 9.2# USED BARE T&C 0-1 MW	10,715
3	3 X .250 ERW SECONDARY BARE TCXTC SQXSQ	2,344
2 7/8	2 7/8 #1 USED LINED BARE T&C	2,678
2 7/8	2 7/8 #1 USED T&C	68,517
2 7/8	2 7/8 X .086 ERW A795 GR A BARE BLK LAQ IMP BXB MTRS	31,692
2 7/8	2 7/8 X .120 ERW A53 GR A BARE IMP SQXSQ	2,544
2 7/8	2 7/8 X .203 ERW A53 GR A BLK LAQ IMP T&C MTRS	38,766
2 7/8	2 7/8 X .203 ERW A53 GR B/F GALVANIZED T&C M&M DOM MTRS	2,835
2 7/8	2 7/8 X .203 ERW SURPLUS BARE BLK LAQ T&C	5,817
2 7/8	2 7/8 X .203 ERW SURPLUS BLK LAQ BXB	38,472
2 7/8	2 7/8 X .217 6.5# L80 EUE SECONDARY BARE	11,356
2 7/8	2 7/8 X .217 6.5# SECONDARY BARE	23,001
2 7/8	2 7/8 X .217 6.5# SECONDARY BARE SHORTS	2,776
2 7/8	2 7/8 X .217 ERW USED BARE PLASTIC ID LINER T&C	2,174
2 7/8	2 7/8 X .217 ERW USED BARE T&C	12,474
2 7/8	2 7/8 X .276 SEAMLESS A106 X42 X52 BLK LAQ IMP BXB MTRS	2,313
2 7/8	2 7/8 X .286 SEAMLESS USED BARE T&C	7,907
2 7/8	2 7/8 X .375 SEAMLESS A106 X52 BARE BLK LAQ IMP BXB MTRS	2,205
2 5/8	2 5/8 X .190-.225 DE-COILED	4,176

The BIG LIST

November 2025

0.5" - 132" 800-716-7473 • InternationalPipe.com

OD	Description	Footage
2 3/8	2 3/8 X .090 ERW BARE SQXSQ	44,925
2 3/8	2 3/8 X .109 ERW A53 BLK LAQ IMP MTRS	2,367
2 3/8	2 3/8 X .109 ERW SCH 10 SECONDARY BARE SQXSQ 0-1 RW	2,555
2 3/8	2 3/8 X .140 ERW BARE	2,080
2 3/8	2 3/8 X .154 ERW A500 BARE MTRS	2,604
2 3/8	2 3/8 X .154 ERW A53 GR A BLK LAQ IMP T&C MTRS	59,178
2 3/8	2 3/8 X .154 ERW SURPLUS BLK LAQ T&C	9,408
2 3/8	2 3/8 X .154 ERW SURPLUS A53 GR A GALVANIZED IMP BXB	33,360
2 3/8	2 3/8 X .154 ERW SURPLUS BARE BLK LAQ MIXED ENDS	43,487
2 3/8	2 3/8 X .154 ERW SURPLUS BLK LAQ T&C	139,473
2 3/8	2 3/8 X .190 4.7# #1 USED T&C	61,399
2 3/8	2 3/8 X .190 A53 GR B/C SECONDARY	16,092
2 3/8	2 3/8 X .190 USED	2,237
2 3/8	2 3/8 X .218 A53 GR B/C SECONDARY	5,208
2 3/8	2 3/8 X .218 ERW A500 A53 GR B BARE BLK LAQ DOM BXB SQXSQ MTRS	3,339
2 3/8	2 3/8 X .218 ERW SURPLUS BARE MIXED ENDS	3,184
2 3/8	2 3/8 X .218 SEAMLESS A106 API 5L FBE CTD DOM BXB MTRS	4,182
2 3/8	2 3/8 X .218 SEAMLESS SURPLUS A53 GR B ARO FBE PRITEC WHIT POLY CTD BXB T&C	11,178
2 3/8	2 3/8 X .218 SEAMLESS SURPLUS BARE MIXED ENDS	5,474
2 3/8	2 3/8 X .250 5.95# USED	19,341
2 3/8	2 3/8 X .281 ERW SURPLUS BARE SQXSQ	13,439
2 3/8	2 3/8 X 4.7# #2 USED BARE ID LINER T&C	19,323
2 1/16	2 1/16 X .154 USED OCTG	16,233
1 1/2	1.9 X .083 ERW 14GA BARE	22,324
1 1/2	1.9 X .090 ERW BARE SQXSQ	5,903
1 1/2	1.9 X .145 USED BARE T&C	33,685
1 1/4	1.66 X .083 ERW 14GA BARE SQXSQ	47,643
1 1/4	1.66 X .109 ERW BARE SQXSQ 0-1 MW	11,025
1 1/4	1.66 X .120 ERW BARE SQXSQ	12,007
1 1/4	1.66 X 2.4 OCTG USED BARE T&C ENDS	2,709
1 1/2	1 1/2 X .083 ERW 14GA SURPLUS BARE SQXSQ	10,924
1 1/2	1 1/2 X .083 ERW A795 GR A BLK LAQ IMP BXB MTRS	26,352
1 1/2	1 1/2 X .109 ERW A53 GR A SURPLUS BARE BLK LAQ VGXVG	2,772

The BIG LIST

November 2025

0.5" - 132" 800-716-7473 • InternationalPipe.com

OD	Description	Footage
1 1/2	1 1/2 X .109 ERW A53 GR B BLK LAQ IMP MTRS	2,481
1	1.315 X .120 ERW	5,601
1	1.315 X .133 ERW SURPLUS BLK LAQ SQXSQ	21,415
1	1 1/4 X .083 14GA SURPLUS BARE	55,553
1	1 1/4 X .083 ERW 14GA	10,328
1	1 1/4 X .083 ERW 14GA BARE SQXSQ	80,440
1	1 1/4 X .140 ERW A53 GR A BARE BLK LAQ IMP T&C MTRS	3,087
1	1 1/4 X .140 ERW SURPLUS BARE BLK LAQ BXB	2,415
1	1 X .133 ERW A53 GR A SURPLUS BLK LAQ IMP MIXED ENDS	2,352
1	1 X .133 ERW A53 GR A BLK LAQ IMP T&C TXT MTRS	11,238
1	1 X .133 ERW A53 GR A SURPLUS BARE BLK LAQ T&C	2,379
1	1 X .133 ERW A53 GR A/F GALVANIZED PIPE M&M DOM T&C MTRS	9,792
1	1 X .133 SEAMLESS A106 GR B FBE CTD M&M DOM MTRS	8,386
1	1 X .179 SEAMLESS A106 GR B GALVANIZED T&C	2,564
3/4	3/4 X .065 ERW 16GA BARE SQXSQ	18,680
3/4	3/4 X .113 ERW A53 GR A BLK LAQ IMP T&C MTRS	90,258
3/4	3/4 X .113 ERW A53 GR A BLK LAQ IMP TXT MTRS	2,520
3/4	3/4 X .113 ERW A53 GR A GALVANIZED IMP T&C MTRS	2,016
3/4	3/4 X .113 ERW A53 GR B BLK LAQ IMP T&C MTRS	4,494
3/4	3/4 X .113 ERW SURPLUS BARE BLK LAQ SQXSQ BXB	120,873
3/4	3/4 X .154 ERW A53 GR A/F GALVANIZED M&M DOM BXB MTRS	2,583
1/2	1/2 X .109 ERW A53 GR A BLK LAQ IMP T&C MTRS	10,080
1/2	1/2 X .109 ERW A53 GR A BLK LAQ T&C	3,444
1/2	1/2 X .109 ERW A53 GR A GALVANIZED IMP SQXSQ BXB MTRS	5,439
1/2	1/2 X .109 ERW A53 GR A GALVANIZED IMP T&C MTRS	4,179
1/2	1/2 X .109 ERW A53 GR A GALVANIZED M&M DOM BXB	4,641
1/2	1/2 X .109 ERW GR A BARE BLK LAQ IMP THXTH MTRS	6,000
1/2	1/2 X .147 ERW A53 GR B/F GALVANIZED DOM BXB MTRS	3,045
1/2	1/2 X .147 ERW GR A BARE BLK LAQ IMP BXB MTRS	2,520
1/2	1/2 X .147 SEAMLESS A106 GR B BARE SQXSQ	3,581